

APROVIA PLUS TANK MIX LIST

The following tank mixes have been tested for physical compatibility with APROVIA PLUS at recommended rates of use and will mix in the sprayer tank. No tests have been undertaken on crop safety or product performance therefore, use is at the user's own risk. Syngenta UK Ltd will support the physical compatibility of 2-way tank mixes of APROVIA PLUS with any of the fungicides, herbicides, insecticides or PGRs listed. For further information on compatibilities, contact Syngenta UK Ltd on 0800 169 6058.

FUNGICIDES

AMISTAR	Lentyma XE	Sakura
AMISTAR MAX	MIRAVIS PLUS	Simveris
Arizona	MIRROR ¹	Soleil
Boogie Xpro	Mobius	Talius
Caramba 90	Myresa	Traciafin Plus
Cello	Oraso Pro	Tucana
ERA	Pecari	Ultraline
Esker	Peqtiga	UNIVERSALIS
Hint	Phoenix	Univoq
Inconiq	Proline 275	Vegas
Jaunt	Provyto	Vertipin ¹
Juventus	Revystar	Vimoy
KAYAK	Rylox	

HERBICIDES

Ally Max SX	Duplosan KV	Starane Hi-Load
AXIAL PRO	Memphis + oil	Topik + oil
Biplay SX	Mircam Plus	Zypar
Broadway Star + oil	Pixxaro	

PGRS

3C Chlormequat 750	MODDUS	SCITEC + 3C Chlormequat 750
Canopy	MODDUS + 3C Chlormequat 750	Terpal
Medax Max	SCITEC	

INSECTICIDES

HALLMARK ZEON

TRACE ELEMENTS

Syngenta UK Ltd will support the tank mixing of one of the named trace elements with APROVIA PLUS. Syngenta UK Ltd advise that the trace element part of the tank mix is added to the sprayer tank last with constant agitation and the mixture is sprayed without delay.

Bittersalz (Epsotop)

NOTES

Before using any tank mixture, consult and comply with the recommendations of the partner products. Each product should be added separately to the bulk of the water in the spray tank and thoroughly mixed before adding the next chemical. Always use constant agitation of the sprayer tank during mixing, transportation and application. Spray immediately.

The following 3 and 4-way tank mixes have been tested for physical compatibility with APROVIA PLUS at recommended rates of use and will mix in the sprayer tank. No tests have been undertaken on crop safety or product performance therefore, use is at the user's own risk.

APROVIA PLUS + Esker + Peqtiga
 APROVIA PLUS + Esker + Univoq
 APROVIA PLUS + Esker + KAYAK
 APROVIA PLUS + Esker + AMISTAR
 APROVIA PLUS + Esker + MIRROR¹
 APROVIA PLUS + Esker + Vegas
 APROVIA PLUS + Esker + Talius
 APROVIA PLUS + Esker + AXIAL PRO
 APROVIA PLUS + Esker + Ally Max SX
 APROVIA PLUS + Esker + Biplay SX
 APROVIA PLUS + Esker + Duplosan KV
 APROVIA PLUS + Esker + Starane Hi-Load
 APROVIA PLUS + Esker + HALLMARK ZEON
 APROVIA PLUS + Esker + 3C Chlormequat 750
 APROVIA PLUS + Esker + Canopy
 APROVIA PLUS + Esker + Terpal
 APROVIA PLUS + Esker + Pixxaro
 APROVIA PLUS + Esker + Bittersalz
 APROVIA PLUS + Esker + Broadway Star + oil
 APROVIA PLUS + Esker + Topik + oil
 APROVIA PLUS + Esker + SCITEC + 3C Chlormequat 750
 APROVIA PLUS + Oraso Pro + Peqtiga
 APROVIA PLUS + Oraso Pro + Univoq
 APROVIA PLUS + Oraso Pro + KAYAK
 APROVIA PLUS + Oraso Pro + AMISTAR
 APROVIA PLUS + Oraso Pro + MIRROR¹
 APROVIA PLUS + Oraso Pro + Vegas
 APROVIA PLUS + Oraso Pro + Talius
 APROVIA PLUS + Oraso Pro + AXIAL PRO
 APROVIA PLUS + Oraso Pro + Ally Max SX
 APROVIA PLUS + Oraso Pro + Biplay SX
 APROVIA PLUS + Oraso Pro + Duplosan KV
 APROVIA PLUS + Oraso Pro + Starane Hi-Load
 APROVIA PLUS + Oraso Pro + HALLMARK ZEON
 APROVIA PLUS + Oraso Pro + 3C Chlormequat 750
 APROVIA PLUS + Oraso Pro + Canopy
 APROVIA PLUS + Oraso Pro + Terpal
 APROVIA PLUS + Oraso Pro + Pixxaro
 APROVIA PLUS + Oraso Pro + Bittersalz
 APROVIA PLUS + Oraso Pro + Broadway Star + oil
 APROVIA PLUS + Oraso Pro + Topik + oil
 APROVIA PLUS + Oraso Pro + SCITEC + 3C Chlormequat 750
 APROVIA PLUS + Mobius + Peqtiga
 APROVIA PLUS + Mobius + Univoq
 APROVIA PLUS + Mobius + KAYAK
 APROVIA PLUS + Mobius + AMISTAR
 APROVIA PLUS + Mobius + MIRROR¹
 APROVIA PLUS + Mobius + Vegas
 APROVIA PLUS + Mobius + Talius

APROVIA PLUS + Mobius + AXIAL PRO
APROVIA PLUS + Mobius + Ally Max SX
APROVIA PLUS + Mobius + Biplay SX
APROVIA PLUS + Mobius + Duplosan KV
APROVIA PLUS + Mobius + Starane Hi-Load
APROVIA PLUS + Mobius + HALLMARK ZEON
APROVIA PLUS + Mobius + 3C Chlormequat 750
APROVIA PLUS + Mobius + Canopy
APROVIA PLUS + Mobius + Terpal
APROVIA PLUS + Mobius + Pixxaro
APROVIA PLUS + Mobius + Bittersalz
APROVIA PLUS + Mobius + Broadway Star + oil
APROVIA PLUS + Mobius + Topik + oil
APROVIA PLUS + Mobius + SCITEC + 3C Chlormequat 750
APROVIA PLUS + Cello + Peqtiga
APROVIA PLUS + Cello + Univoq
APROVIA PLUS + Cello + KAYAK
APROVIA PLUS + Cello + AMISTAR
APROVIA PLUS + Cello + MIRROR¹
APROVIA PLUS + Cello + Vegas
APROVIA PLUS + Cello + Talius
APROVIA PLUS + Cello + AXIAL PRO
APROVIA PLUS + Cello + Ally Max SX
APROVIA PLUS + Cello + Biplay SX
APROVIA PLUS + Cello + Duplosan KV
APROVIA PLUS + Cello + Starane Hi-Load
APROVIA PLUS + Cello + HALLMARK ZEON
APROVIA PLUS + Cello + 3C Chlormequat 750
APROVIA PLUS + Cello + Canopy
APROVIA PLUS + Cello + Terpal
APROVIA PLUS + Cello + Pixxaro
APROVIA PLUS + Cello + Bittersalz
APROVIA PLUS + Cello + Broadway Star + oil
APROVIA PLUS + Cello + Topik + oil
APROVIA PLUS + Cello + SCITEC + 3C Chlormequat 750
APROVIA PLUS + Simveris + Peqtiga
APROVIA PLUS + Simveris + Univoq
APROVIA PLUS + Simveris + KAYAK
APROVIA PLUS + Simveris + AMISTAR
APROVIA PLUS + Simveris + MIRROR¹
APROVIA PLUS + Simveris + Vegas
APROVIA PLUS + Simveris + Talius
APROVIA PLUS + Simveris + AXIAL PRO
APROVIA PLUS + Simveris + Ally Max SX
APROVIA PLUS + Simveris + Biplay SX
APROVIA PLUS + Simveris + Duplosan KV
APROVIA PLUS + Simveris + Starane Hi-Load
APROVIA PLUS + Simveris + HALLMARK ZEON
APROVIA PLUS + Simveris + 3C Chlormequat 750
APROVIA PLUS + Simveris + Canopy
APROVIA PLUS + Simveris + Terpal
APROVIA PLUS + Simveris + Pixxaro
APROVIA PLUS + Simveris + Bittersalz
APROVIA PLUS + Simveris + Broadway Star + oil
APROVIA PLUS + Simveris + Topik + oil
APROVIA PLUS + Simveris + SCITEC + 3C Chlormequat 750

¹Continuous agitation required at all times.

11 April 2024

Rainfastness: 1 hour

**Use plant protection products safely.
Always read the label and product information before use.**
©Syngenta AG, April 2024



**For further information contact us on 0800 169 6058
e-mail: product.technical_enquiries@syngenta.com**

Syngenta UK Ltd, Fulbourn, Cambridge CB21 5XE.
Tel: (01223) 883400. Website: www.syngenta.co.uk