

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : SWITCH
Design code : A9219B
Product Registration Number : MAPP 15129

Unique Formula Identifier (UFI) : [U998-7097-T000-JC8Y](#)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Fungicide
Recommended restrictions on use : professional use

1.3 Details of the supplier of the safety data sheet

Company : Syngenta UK Limited
Jealott's Hill International Research Centre
Bracknell, Berkshire RG42 6EY
United Kingdom
Telephone : +44 (0) 1223 883400
Telefax : -
E-mail address of person responsible for the SDS : MSDSenquiries.UK@syngenta.com

1.4 Emergency telephone number

Emergency telephone number : +44 1484 538444

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758




SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms : 

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P261 Avoid breathing dust.
P280 Wear protective gloves.
Response:
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:
cyprodinil (ISO)

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

May form combustible dust concentrations in air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
---------------	-------------------	----------------	--------------------------

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version 23.0 Revision Date: 25.04.2025 SDS Number: S1269856 Date of last issue: 25.10.2024
Date of first issue: 16.06.2017

	Index-No. Registration number		
cyprodinil (ISO)	121552-61-2 612-242-00-X	Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 <hr/> M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 30 - < 50
fludioxonil (ISO)	131341-86-1 608-069-00-4	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 <hr/> M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	>= 25 - < 30
sodium dibutyl-naphthalenesulpho- nate	25417-20-3 246-960-6	Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory sys- tem) Aquatic Chronic 3; H412	>= 1 - < 2.5
Substances with a workplace exposure limit :			
silica	61790-53-2 293-303-4		>= 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Nonspecific
No symptoms known or expected.

Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : There is no specific antidote available.
Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Fire will spread by burning with a visible flame.
As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Fluorine compounds
Sulphur oxides

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.
Avoid dust formation.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).
Do not create a powder cloud by using a brush or compressed air.
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : This material is capable of forming flammable dust clouds in air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material. Electrical equipment should be compatible with the flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flammable solvents.

This material can become readily charged in most operations.

Avoid contact with skin and eyes.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

When using do not eat, drink or smoke.
For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
cyprodinil (ISO)	121552-61-2	TWA	5 mg/m ³	Syngenta
fludioxonil (ISO)	131341-86-1	TWA	5 mg/m ³	Syngenta
silica	61790-53-2	TWA (Respirable dust)	1.2 mg/m ³	GB EH40

Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value
sodium sulphate	Workers	Inhalation	Systemic effects	20 mg/m ³
	Workers	Inhalation	Local effects	20 mg/m ³
	Consumers	Inhalation	Systemic effects	12 mg/m ³
	Consumers	Inhalation	Local effects	12 mg/m ³
sodium dibutyl-naphthalenesulphonate	Workers	Inhalation	Long-term systemic effects	0.549 mg/m ³
	Workers	Inhalation	Long-term local effects	0.36 mg/m ³
	Workers	Dermal	Long-term systemic effects	1.057 mg/kg
	Consumers	Inhalation	Long-term systemic effects	0.137 mg/m ³
	Consumers	Inhalation	Long-term local effects	0.18 mg/m ³
	Consumers	Dermal	Long-term systemic effects	0.528 mg/kg
Consumers	Oral	Long-term systemic effects	0.528 mg/kg	

Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
sodium sulphate	Fresh water	11.09 mg/l

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

	Freshwater - intermittent	17.66 mg/l
	Marine water	1.109 mg/l
	Sewage treatment plant	800 mg/l
	Fresh water sediment	40.2 mg/kg dry weight (d.w.)
	Marine sediment	4.02 mg/kg dry weight (d.w.)
	Soil	1.54 mg/kg dry weight (d.w.)
sodium dibutyl-naphthalenesulphonate	Fresh water	0.2 mg/l
	Marine water	0.02 mg/l
	Sewage treatment plant	0.016 mg/l
	Fresh water sediment	5.4 mg/kg
	Marine sediment	0.54 mg/kg
	Soil	0.12 mg/kg

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye/face protection : No special protective equipment required.
Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

Respiratory protection : Wear as appropriate:
Dust impervious protective suit
No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : granules
Colour : grey to brown
Odour : weak
Odour Threshold : No data available

pH : 9.6
Concentration: 1 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available
Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form combustible dust concentrations in air.

Burning number : 5 (20 °C)
6 (100 °C)

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1 g/cm³

Bulk density : 0.537 g/cm³

Solubility(ies)
Water solubility : No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Minimum ignition temperature : 600 °C

Self-heating substances : The substance or mixture is not classified as self heating.

Minimum ignition energy : 30 - 100 mJ

Particle size : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Ingestion

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after short term inhalation.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation

Components:

cyprodinil (ISO):

Species : Rabbit
Result : No skin irritation

fludioxonil (ISO):

Species : Rabbit
Result : No skin irritation

sodium dibutylnaphthalenesulphonate:

Result : Irritating to skin.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation

Components:

cyprodinil (ISO):

Species : Rabbit
Result : No eye irritation

fludioxonil (ISO):

Species : Rabbit
Result : No eye irritation

sodium dibutylnaphthalenesulphonate:

Result : Risk of serious damage to eyes.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

Respiratory sensitisation

Not classified due to lack of data.

Product:

Species : Guinea pig
Result : May cause sensitisation by skin contact.

Components:

cyprodinil (ISO):

Species : Guinea pig
Result : The product is a skin sensitizer, sub-category 1B.

fludioxonil (ISO):

Species : Guinea pig
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

cyprodinil (ISO):

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

fludioxonil (ISO):

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Not classified due to lack of data.

Components:

cyprodinil (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

fludioxonil (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Not classified due to lack of data.

Components:

cyprodinil (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

fludioxonil (ISO):

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT - single exposure

Not classified due to lack of data.

Components:

sodium dibutylnaphthalenesulphonate:

Target Organs : Respiratory system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure

Not classified due to lack of data.

Components:

cyprodinil (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

fludioxonil (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.1 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.14 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 1.6 mg/l
Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 0.1 mg/l
End point: Growth rate
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC: 0.32 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.01 mg/l
Exposure time: 22 d
Species: Daphnia magna (Water flea)

Components:

cyprodinil (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.41 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.033 mg/l
Exposure time: 48 h

LC50 (Americamysis): 0.0081 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 5.2 mg/l
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.4 mg/l
End point: Growth rate
Exposure time: 72 h

EC50 (Skeletonema costatum (marine diatom)): 1.78 mg/l
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.541 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : NOEC: 0.0406 mg/l
Exposure time: 34 d
Species: Cyprinodon variegatus (sheepshead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.0082 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

NOEC: 0.0019 mg/l
Exposure time: 28 d
Species: Americamysis

M-Factor (Chronic aquatic toxicity) : 10

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

fludioxonil (ISO):

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l
Exposure time: 96 h
- LC50 (Pimephales promelas (fathead minnow)): 0.7 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.4 mg/l
Exposure time: 48 h
- EC50 (Americamysis): 0.27 mg/l
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.259 mg/l
Exposure time: 96 h
- EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.077 mg/l
End point: Growth rate
Exposure time: 96 h
- ErC50 (Skeletonema costatum (marine diatom)): 0.43 mg/l
Exposure time: 96 h
- NOEC (Skeletonema costatum (marine diatom)): 0.14 mg/l
End point: Growth rate
Exposure time: 96 h
- M-Factor (Acute aquatic toxicity) : 1
- : M-Factor=1 used for transport classification
- Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
- Toxicity to fish (Chronic toxicity) : NOEC: 0.04 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)
- EC10: 0.018 mg/l
Exposure time: 116 d
Species: Pimephales promelas (fathead minnow)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.035 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
- NOEC: 0.018 mg/l
Exposure time: 28 d
Species: Americamysis

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

M-Factor (Chronic aquatic toxicity) : 10
M-Factor=1 used for transport classification

sodium dibutylnaphthalenesulphonate:

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.
Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

cyprodinil (ISO):

Biodegradability : Result: Not readily biodegradable.
Stability in water : Degradation half life: 141 d
Remarks: Product is not persistent.

fludioxonil (ISO):

Biodegradability : Result: Not readily biodegradable.
Stability in water : Degradation half life: 450 - 700 d
Remarks: Persistent in water.

silica:

Biodegradability : Result: Not readily biodegradable.

12.3 Bioaccumulative potential

Components:

cyprodinil (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.
Partition coefficient: n-octanol/water : log Pow: 4.0 (25 °C)

fludioxonil (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.
Partition coefficient: n-octanol/water : log Pow: 4.12 (25 °C)

12.4 Mobility in soil

Components:

cyprodinil (ISO):

Distribution among environ- : Remarks: Slightly mobile in soils

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

mental compartments
Stability in soil : Dissipation time: 49 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

fludioxonil (ISO):

Distribution among environmental compartments : Remarks: immobile
Stability in soil : Dissipation time: 14 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

cyprodinil (ISO):

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).. Substance is not very persistent and very bioaccumulative (vPvB).

fludioxonil (ISO):

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).. Substance is not very persistent and very bioaccumulative (vPvB).

silica:

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).. Substance is not very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemical or used container.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(CYPRODINIL, FLUDIOXONIL)
RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(CYPRODINIL, FLUDIOXONIL)
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(CYPRODINIL, FLUDIOXONIL)
IATA : Environmentally hazardous substance, solid, n.o.s.
(CYPRODINIL, FLUDIOXONIL)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADR
Packing group : III
Classification Code : M7
Hazard Identification Number : 90

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

Labels : 9
Tunnel restriction code : (-)
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA (Cargo)

Packing instruction (cargo aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA (Passenger)

Packing instruction (passenger aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the following entries should be considered: Number on list 72: formaldehyde
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	:	Not applicable
Control of Major Accident Hazards Regulations 2015 (COMAH)	E1	ENVIRONMENTAL HAZARDS
Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H332	: Harmful if inhaled.
H335	: May cause respiratory irritation.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
Syngenta	: Syngenta Occupational Exposure Limit
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)
Syngenta / TWA	: Time weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



SWITCH

Version	Revision Date:	SDS Number:	Date of last issue: 25.10.2024
23.0	25.04.2025	S1269856	Date of first issue: 16.06.2017

stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Skin Sens. 1	H317
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / 6N