

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : CASPER

Design code : A14031E

Product Registration Number : MAPP 21395

Unique Formula Identifier (UFI) : 2S5K-H4WA-Y003-NU6U

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Herbicide

Recommended restrictions on use : professional use

1.3 Details of the supplier of the safety data sheet

Company : Syngenta UK Limited
Jealott's Hill International Research Centre
Bracknell, Berkshire RG42 6EY
United Kingdom

Telephone : +44 (0) 1223 883400

Telefax : -

E-mail address of person responsible for the SDS : MSDSenquiries.UK@syngenta.com

1.4 Emergency telephone number

Emergency telephone number : +44 1484 538444

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Short-term (acute) aquatic hazard, Category 1 : H400: Very toxic to aquatic life.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

Long-term (chronic) aquatic hazard, Category 1
Specific target organ toxicity - single exposure, Category 3

H410: Very toxic to aquatic life with long lasting effects.
H335: May cause respiratory irritation.
H336: May cause drowsiness or dizziness.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :



Signal word :

Warning

Hazard statements :

H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P261 Avoid breathing dust/spray.
P271 Use only outdoors or in a well-ventilated area.

Response:

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P391 Collect spillage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

May form combustible dust concentrations in air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
sodium 3,6-dichloro-o-anisate	1982-69-0 217-846-3 607-243-00-7	Acute Tox. 4; H332 Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	>= 50 - < 70
prosulfuron (ISO)	94125-34-5 016-084-00-7	Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 2.5 - < 10
Substances with a workplace exposure limit :			
silica	61790-53-2 293-303-4		>= 20 - < 30

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respira-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

tion.

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,
for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this
container or label.
Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Nonspecific
No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : There is no specific antidote available.
Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Fire will spread by smouldering or slow decomposition.
As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Fluorine compounds
Sulphur oxides
Chlorine compounds

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.
Avoid dust formation.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).
Do not create a powder cloud by using a brush or compressed air.
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : This material is capable of forming flammable dust clouds in air, which, if ignited, can produce a dust cloud explosion.
Flames, hot surfaces, mechanical sparks and electrostatic

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

discharges can serve as ignition sources for this material. Electrical equipment should be compatible with the flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flammable solvents.

This material can become readily charged in most operations.

Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
silica	61790-53-2	TWA (Respirable dust)	1.2 mg/m ³	GB EH40
prosulfuron (ISO)	94125-34-5	TWA	4 mg/m ³	Syngenta

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye/face protection : No special protective equipment required.
Hand protection

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

Remarks : No special protective equipment required.

Skin and body protection : No special protective equipment required.
Select skin and body protection based on the physical job requirements.

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : granules

Colour : light grey to brown

Odour : characteristic

Odour Threshold : No data available

pH : 6 - 10
Concentration: 1 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form combustible dust concentrations in air.

Burning number : 4 (20 °C)
4 (100 °C)

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

Relative vapour density : No data available

Density : 1 g/cm³ (25 °C)

Bulk density : 0.5 - 0.7 g/ml

Solubility(ies)

- Water solubility : No data available
- Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

- Viscosity, dynamic : No data available
- Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Minimum ignition temperature : 500 °C

Self-heating substances : The substance or mixture is not classified as self heating.

Minimum ignition energy : > 1 J

Particle size : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Assessment: The component/mixture is minimally toxic after single ingestion.
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.02 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Components:

sodium 3,6-dichloro-o-anisate:

Acute oral toxicity : LD50 (Rat, male and female): 4,600 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 4.46 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

toxicity

Remarks: Based on data from similar materials

prosulfuron (ISO):

Acute oral toxicity : LD50 (Rat, male and female): 986 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,400 mg/m³
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Components:

sodium 3,6-dichloro-o-anisate:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

prosulfuron (ISO):

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Components:

sodium 3,6-dichloro-o-anisate:

Species : Rabbit
Result : Eye irritation

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

prosulfuron (ISO):

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Test Type : Buehler Test
Species : Guinea pig
Result : Does not cause skin sensitisation.
Remarks : Based on data from similar materials

Components:

sodium 3,6-dichloro-o-anisate:

Species : Guinea pig
Result : Does not cause skin sensitisation.

prosulfuron (ISO):

Species : Guinea pig
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

sodium 3,6-dichloro-o-anisate:

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.
Remarks: Information given is based on data obtained from similar substances.

prosulfuron (ISO):

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Not classified due to lack of data.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

Components:

sodium 3,6-dichloro-o-anisate:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.
Remarks: Information given is based on data obtained from similar substances.

prosulfuron (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Not classified due to lack of data.

Components:

sodium 3,6-dichloro-o-anisate:

Reproductive toxicity - Assessment : No toxicity to reproduction
Remarks: Information given is based on data obtained from similar substances.

prosulfuron (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Components:

sodium 3,6-dichloro-o-anisate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Remarks : Information given is based on data obtained from similar substances.

prosulfuron (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

SECTION 12: Ecological information

12.1 Toxicity

Product:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.319 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials
- ErC50 (Lemna gibba (gibbous duckweed)): 0.0623 mg/l
Exposure time: 7 d
Remarks: Based on data from similar materials
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.025 mg/l
End point: Growth rate
Exposure time: 96 h
Remarks: Based on data from similar materials
- NOEC (Lemna gibba (gibbous duckweed)): 0.025 mg/l
End point: Growth rate
Exposure time: 7 d
Remarks: Based on data from similar materials

Components:

sodium 3,6-dichloro-o-anisate:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Remarks: Information given is based on data obtained from similar substances.
- Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): 0.58 mg/l
Exposure time: 120 h
Remarks: Information given is based on data obtained from similar substances.
- NOEC (Skeletonema costatum (marine diatom)): 0.011 mg/l
Exposure time: 120 h

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

Remarks: Information given is based on data obtained from similar substances.

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

prosulfuron (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 120 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.074 mg/l
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.008 mg/l
End point: Growth rate
Exposure time: 72 h

EC50 (Lemna gibba (gibbous duckweed)): 0.00126 mg/l
Exposure time: 14 d

NOEC (Lemna gibba (gibbous duckweed)): 0.00083 mg/l
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 100

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : NOEC: 5.8 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 32 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

12.2 Persistence and degradability

Components:

sodium 3,6-dichloro-o-anisate:

Biodegradability : Result: Not readily biodegradable.
Remarks: Information given is based on data obtained from similar substances.

Stability in water : Degradation half life: 35 - 46 d
Remarks: Product is not persistent.
Based on data from similar materials

prosulfuron (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 45 - 60 d
Remarks: Product is not persistent.

silica:

Biodegradability : Result: Not readily biodegradable.

12.3 Bioaccumulative potential

Components:

sodium 3,6-dichloro-o-anisate:

Bioaccumulation : Remarks: Low bioaccumulation potential.
Based on data from similar materials

prosulfuron (ISO):

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: -0.76 (25 °C)
pH: 9.0

log Pow: -0.21 (25 °C)
pH: 6.9

log Pow: 1.5 (25 °C)
pH: 5.0

12.4 Mobility in soil

Components:

sodium 3,6-dichloro-o-anisate:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

Distribution among environmental compartments : Remarks: Very highly mobile in soil.
Based on data from similar materials

Stability in soil : Dissipation time: 1.4 - 11 d
Percentage dissipation: 50 %
Remarks: Product is not persistent., Based on data from similar materials

prosulfuron (ISO):

Distribution among environmental compartments : Remarks: Very highly mobile in soil.

Stability in soil : Dissipation time: 11 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

sodium 3,6-dichloro-o-anisate:

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).
Substance is not very persistent and very bioaccumulative (vPvB).

prosulfuron (ISO):

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).
Substance is not very persistent and very bioaccumulative (vPvB).

silica:

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).
Substance is not very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Components:

prosulfuron (ISO):

Endocrine disrupting potential : Substance does not have endocrine disrupting properties.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

tial

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Product : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

- ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

- ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(PROSULFURON)
RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(PROSULFURON)
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(PROSULFURON)
IATA : Environmentally hazardous substance, solid, n.o.s.
(PROSULFURON)

14.3 Transport hazard class(es)

Class	Subsidiary risks
-------	------------------

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA (Cargo)

Packing instruction (cargo aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA (Passenger)

Packing instruction (passen- : 956

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

ger aircraft)
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	: Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	: Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	: Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable
GB Export and import of hazardous chemicals - Prior	: Not applicable

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

Informed Consent (PIC) Regulation
Control of Major Accident Hazards Regulations E1 ENVIRONMENTAL HAZARDS
2015 (COMAH)

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.
H319 : Causes serious eye irritation.
H332 : Harmful if inhaled.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Irrit. : Eye irritation
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits
Syngenta : Syngenta Occupational Exposure Limit
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
Syngenta / TWA : Time weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



CASPER

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
11.6	15.08.2025	S1168979212	Date of first issue: 20.06.2017

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Aquatic Acute 1	H400
Aquatic Chronic 1	H410
STOT SE 3	H335, H336

Classification procedure:

Based on product data or assessment
Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / 6N