

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

|                                 |   |                     |
|---------------------------------|---|---------------------|
| Trade name                      | : | REVUS NEO           |
| Design code                     | : | A24136A             |
| Product Registration Number     | : | MAPP 21639          |
| Unique Formula Identifier (UFI) | : | WN1C-A0CU-700W-2PH3 |

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

|                              |   |           |
|------------------------------|---|-----------|
| Use of the Substance/Mixture | : | Fungicide |
|------------------------------|---|-----------|

#### 1.3 Details of the supplier of the safety data sheet

|                                                  |   |                                                                                                                        |
|--------------------------------------------------|---|------------------------------------------------------------------------------------------------------------------------|
| Company                                          | : | Syngenta UK Limited<br>Jealott's Hill International Research Centre<br>Bracknell, Berkshire RG42 6EY<br>United Kingdom |
| Telephone                                        | : | +44 (0) 1223 883400                                                                                                    |
| Telefax                                          | : | -                                                                                                                      |
| E-mail address of person responsible for the SDS | : | MSDSenquiries.UK@syngenta.com                                                                                          |

#### 1.4 Emergency telephone number

|                            |   |                 |
|----------------------------|---|-----------------|
| Emergency telephone number | : | +44 1484 538444 |
|----------------------------|---|-----------------|

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

|                                                |                                                             |
|------------------------------------------------|-------------------------------------------------------------|
| Serious eye damage, Category 1                 | H318: Causes serious eye damage.                            |
| Long-term (chronic) aquatic hazard, Category 2 | H411: Toxic to aquatic life with long lasting effects.      |
| Long-term (chronic) aquatic hazard, Category 1 | H410: Very toxic to aquatic life with long lasting effects. |

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

Hazard pictograms :



Signal word :

Danger

Hazard statements :

|      |                                                       |
|------|-------------------------------------------------------|
| H318 | Causes serious eye damage.                            |
| H410 | Very toxic to aquatic life with long lasting effects. |

Precautionary statements :

**Prevention:**

P280 Wear eye protection/ face protection.

**Response:**

P305 + P310 IF IN EYES: Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P391 Collect spillage.

**Disposal:**

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

**Hazardous components which must be listed on the label:**

2-[2-(2-{2-[2-(11-methyl-dodecyloxy)-ethoxy]-ethoxy]-ethoxy]-ethoxy]-ethanol  
benzenesulfonic acid, C10-13-alkyl derivs., calcium salts

**Additional Labelling**

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

| Chemical name                                                            | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification                                                                                                                               | Concentration<br>(% w/w) |
|--------------------------------------------------------------------------|-------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| mandipropamid (ISO)                                                      | 374726-62-2<br><br>616-213-00-2                       | Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410<br><br>M-Factor (Acute aquatic toxicity): 1<br>M-Factor (Chronic aquatic toxicity): 1 | >= 20 - < 25             |
| 2-[2-(2-[2-(11-methyldodecyloxy)-ethoxy]-ethoxy)-ethoxy]-ethoxy]-ethanol | 78330-21-9                                            | Eye Dam. 1; H318<br>Aquatic Chronic 3;<br>H412                                                                                               | >= 3 - < 10              |
| benzenesulfonic acid, C10-13-alkyl derivs., calcium salts                | 1335202-81-7<br><br>01-2119560592-37-xxxx             | Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>Aquatic Chronic 3;<br>H412                                                                        | >= 3 - < 10              |
| 2-ethylhexan-1-ol                                                        | 104-76-7<br>203-234-3<br>01-2119487289-20-xxxx        | Acute Tox. 4; H332<br>Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br>STOT SE 3; H335<br>(Respiratory system)<br>Aquatic Chronic 3;<br>H412     | >= 1 - < 2.5             |

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Nonspecific  
No symptoms known or expected.

Risks : Causes serious eye damage.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : There is no specific antidote available.  
Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam  
or  
Water spray

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Chlorine compounds  
Sulphur oxides

### 5.3 Advice for firefighters

Special protective equipment : Wear full protective clothing and self-contained breathing ap-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

for firefighters

paratus.

Further information

: Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### 6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

### 7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

Version 1.0      Revision Date: 01.07.2026      SDS Number: S00057732903      Date of last issue: -  
Date of first issue: 01.07.2026

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

| Components                      | CAS-No.     | Value type (Form of exposure) | Control parameters             | Basis       |
|---------------------------------|-------------|-------------------------------|--------------------------------|-------------|
| mandipropamid (ISO)             | 374726-62-2 | TWA                           | 5 mg/m <sup>3</sup>            | Syngenta    |
| 2-ethylhexan-1-ol               | 104-76-7    | TWA                           | 1 ppm<br>5.4 mg/m <sup>3</sup> | 2017/164/EU |
| Further information: Indicative |             |                               |                                |             |
|                                 |             | TWA                           | 1 ppm<br>5.4 mg/m <sup>3</sup> | GB EH40     |

##### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

| Substance name                                            | End Use   | Exposure routes | Potential health effects   | Value                   |
|-----------------------------------------------------------|-----------|-----------------|----------------------------|-------------------------|
| Fatty acids, C16-18 and C18-unsaturated, Me esters        | Workers   | Dermal          | Long-term systemic effects | 10 mg/kg                |
|                                                           | Workers   | Inhalation      | Long-term systemic effects | 6.96 mg/m <sup>3</sup>  |
|                                                           | Consumers | Dermal          | Long-term systemic effects | 5 mg/kg                 |
|                                                           | Consumers | Inhalation      | Long-term systemic effects | 23 mg/m <sup>3</sup>    |
| benzenesulfonic acid, C10-13-alkyl derivs., calcium salts | Consumers | Oral            | Long-term systemic effects | 5 mg/kg                 |
|                                                           | Consumers | Oral            | Long-term systemic effects | 89 mg/kg                |
|                                                           | Consumers | Dermal          | Long-term systemic effects | 85 mg/kg                |
|                                                           | Workers   | Dermal          | Long-term systemic effects | 1.7 mg/kg               |
| 2-ethylhexan-1-ol                                         | Consumers | Ingestion       | Long-term systemic effects | 1.1 mg/kg               |
|                                                           | Workers   | Dermal          | Long-term systemic effects | 23 mg/kg                |
|                                                           | Consumers | Dermal          | Long-term systemic effects | 11.4 mg/kg              |
|                                                           | Workers   | Inhalation      | Acute local effects        | 106.4 mg/m <sup>3</sup> |
|                                                           | Consumers | Inhalation      | Acute local effects        | 53.2 mg/m <sup>3</sup>  |
|                                                           | Workers   | Inhalation      | Long-term systemic effects | 53.2 mg/m <sup>3</sup>  |
|                                                           | Consumers | Inhalation      | Long-term systemic effects | 2.3 mg/m <sup>3</sup>   |

##### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

| Substance name                | Environmental Compartment | Value      |
|-------------------------------|---------------------------|------------|
| benzenesulfonic acid, C10-13- | Fresh water               | 0.023 mg/l |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

|                              |                          |             |
|------------------------------|--------------------------|-------------|
| alkyl derivs., calcium salts |                          |             |
|                              | Marine water             | 0.002 mg/l  |
|                              | Fresh water sediment     | 0.174 mg/kg |
|                              | Marine sediment          | 0.017 mg/kg |
|                              | Soil                     | 0.62 mg/kg  |
| 2-ethylhexan-1-ol            | Fresh water              | 0.017 mg/l  |
|                              | Marine water             | 0.0017 mg/l |
|                              | Intermittent use/release | 0.17 mg/l   |
|                              | Fresh water sediment     | 28 mg/kg    |
|                              | Marine sediment          | 0.028 mg/kg |
|                              | Sewage treatment plant   | 10 mg/kg    |
|                              | Soil                     | 0.047 mg/kg |

### 8.2 Exposure controls

#### Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

#### Personal protective equipment

Eye/face protection : Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.  
Tightly fitting safety goggles  
Face-shield  
Equipment should conform to EN 166

Hand protection

Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.  
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concen-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

tration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:  
Impervious clothing

Respiratory protection : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

### Environmental exposure controls

Water : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Form : suspension

Colour : off-white

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flammability : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : 132 °C  
Method: Seta closed cup

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

Auto-ignition temperature : 351 °C

Decomposition temperature : No data available

pH : 6.1  
Concentration: 1 %w/v

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : No data available

Density : 0.98 - 1.02 g/cm<sup>3</sup> (20 °C)

Relative vapour density : No data available

Particle characteristics

Particle size : No data available

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

None reasonably foreseeable.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

### 10.5 Incompatible materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

Materials to avoid : None known.

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure :  
Ingestion  
Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

Not classified due to lack of data.

#### Product:

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

#### Components:

##### **mandipropamid (ISO):**

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.19 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,050 mg/kg

##### **2-[2-(2-{2-[2-(11-methyl-dodecyloxy)-ethoxy]-ethoxy}-ethoxy)-ethoxy]-ethanol:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

##### **benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Acute oral toxicity : LD50 (Rat): 4,445 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

### 2-ethylhexan-1-ol:

Acute oral toxicity : LD50 (Rat): 2,047 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.89 - 5.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat): > 3,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Not classified due to lack of data.

### Components:

#### mandipropamid (ISO):

Species : Rabbit  
Result : No skin irritation

#### benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Species : Rabbit  
Result : Irritating to skin.

### 2-ethylhexan-1-ol:

Species : Rabbit  
Result : Irritating to skin.

### Serious eye damage/eye irritation

Causes serious eye damage.

### Components:

#### mandipropamid (ISO):

Species : Rabbit  
Result : No eye irritation

#### 2-[2-(2-{2-[2-(11-methyl-dodecyloxy)-ethoxy]-ethoxy}-ethoxy)-ethoxy]-ethanol:

Species : Rabbit  
Result : Risk of serious damage to eyes.

#### benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Species : Rabbit  
Result : Risk of serious damage to eyes.

### 2-ethylhexan-1-ol:

Species : Rabbit

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

Result : Irritation to eyes, reversing within 21 days

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified due to lack of data.

#### Respiratory sensitisation

Not classified due to lack of data.

#### Components:

##### mandipropamid (ISO):

|         |                                      |
|---------|--------------------------------------|
| Species | : Guinea pig                         |
| Result  | : Does not cause skin sensitisation. |

##### 2-ethylhexan-1-ol:

|         |                          |
|---------|--------------------------|
| Species | : Humans                 |
| Result  | : Not a skin sensitizer. |

### Germ cell mutagenicity

Not classified due to lack of data.

#### Components:

##### mandipropamid (ISO):

|                                    |                                                      |
|------------------------------------|------------------------------------------------------|
| Germ cell mutagenicity- Assessment | : Animal testing did not show any mutagenic effects. |
|------------------------------------|------------------------------------------------------|

##### 2-ethylhexan-1-ol:

|                                    |                                                      |
|------------------------------------|------------------------------------------------------|
| Germ cell mutagenicity- Assessment | : Animal testing did not show any mutagenic effects. |
|------------------------------------|------------------------------------------------------|

### Carcinogenicity

Not classified due to lack of data.

#### Components:

##### mandipropamid (ISO):

|                              |                                                     |
|------------------------------|-----------------------------------------------------|
| Carcinogenicity - Assessment | : No evidence of carcinogenicity in animal studies. |
|------------------------------|-----------------------------------------------------|

##### 2-ethylhexan-1-ol:

|                              |                                                     |
|------------------------------|-----------------------------------------------------|
| Carcinogenicity - Assessment | : No evidence of carcinogenicity in animal studies. |
|------------------------------|-----------------------------------------------------|

### Reproductive toxicity

Not classified due to lack of data.

#### Components:

##### mandipropamid (ISO):

|                                    |                               |
|------------------------------------|-------------------------------|
| Reproductive toxicity - Assessment | : No toxicity to reproduction |
|------------------------------------|-------------------------------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

### 2-ethylhexan-1-ol:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

### STOT - single exposure

Not classified due to lack of data.

### Components:

### 2-ethylhexan-1-ol:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

### STOT - repeated exposure

Not classified due to lack of data.

### Components:

### 2-ethylhexan-1-ol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Aspiration toxicity

Not classified due to lack of data.

## 11.2 Information on other hazards

### Endocrine disrupting properties

Not classified due to lack of data.

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 32 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 47 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (Raphidocelis subcapitata (freshwater green alga)): 1.7 mg/l  
End point: Growth rate  
Exposure time: 72 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 7.1 mg/l  
Exposure time: 72 h

### Components:

#### **mandipropamid (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.4 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7.1 mg/l  
Exposure time: 48 h

EC50 (Crassostrea virginica (eastern oyster)): 0.97 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 2.5 mg/l  
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 1.3 mg/l  
End point: Growth rate  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : NOEC: 0.5 mg/l  
Exposure time: 32 d  
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.076 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

#### **2-[2-(2-{2-[2-(11-methyl-dodecyloxy)-ethoxy]-ethoxy}-ethoxy)-ethoxy]-ethanol:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l  
Exposure time: 96 h

### **Ecotoxicology Assessment**

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

#### **benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Toxicity to fish : LC50 (Fish): > 1 - < 10 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 29 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.5 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC: 0.23 mg/l  
Exposure time: 72 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1.18 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Remarks: Based on data from similar materials

### 2-ethylhexan-1-ol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17.1 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 16.6 mg/l  
Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 5.3 mg/l  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : EC10: 0.28 mg/l  
Exposure time: 35 d  
Species: Danio rerio (zebra fish)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 1.5 mg/l  
Species: Daphnia magna (Water flea)

## 12.2 Persistence and degradability

### Components:

#### **mandipropamid (ISO):**

Biodegradability : Result: Not readily biodegradable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

Stability in water : Degradation half life: 4.5 - 26 d  
Remarks: Product is not persistent.

### **2-[2-(2-{2-[2-(11-methyl-dodecyloxy)-ethoxy]-ethoxy]-ethoxy)-ethoxy]-ethanol:**

Biodegradability : Result: Biodegradable

### **benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Biodegradability : Result: Readily biodegradable.

### **2-ethylhexan-1-ol:**

Biodegradability : Result: Readily biodegradable.

## 12.3 Bioaccumulative potential

### Components:

#### **mandipropamid (ISO):**

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 3.2 (25 °C)

## 12.4 Mobility in soil

### Components:

#### **mandipropamid (ISO):**

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 26 - 178 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Components:

#### **mandipropamid (ISO):**

Assessment : Not persistent, bioaccumulative, and toxic (PBT).  
Not very persistent and very bioaccumulative (vPvB).

#### **2-[2-(2-{2-[2-(11-methyl-dodecyloxy)-ethoxy]-ethoxy]-ethoxy)-ethoxy]-ethanol:**

Assessment : Not persistent, bioaccumulative, and toxic (PBT).  
Not very persistent and very bioaccumulative (vPvB).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

### 2-ethylhexan-1-ol:

Assessment : Not persistent, bioaccumulative, and toxic (PBT).  
Not very persistent and very bioaccumulative (vPvB).

## 12.6 Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

No data available

## 12.7 Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

|                        |                                                                                                                                                                                                                                                                                     |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product                | : Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Do not dispose of waste into sewer.<br>Where possible recycling is preferred to disposal or incineration.<br>If recycling is not practicable, dispose of in compliance with local regulations. |
| Contaminated packaging | : Empty remaining contents.<br>Triple rinse containers.<br>Empty containers should be taken to an approved waste handling site for recycling or disposal.<br>Do not re-use empty containers.                                                                                        |
| Waste Code             | : uncleaned packagings<br>15 01 10, packaging containing residues of or contaminated by hazardous substances                                                                                                                                                                        |

## SECTION 14: Transport information

### 14.1 UN number or ID number

|      |           |
|------|-----------|
| ADN  | : UN 3082 |
| ADR  | : UN 3082 |
| RID  | : UN 3082 |
| IMDG | : UN 3082 |
| IATA | : UN 3082 |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

### 14.2 UN proper shipping name

|             |   |                                                                        |
|-------------|---|------------------------------------------------------------------------|
| <b>ADN</b>  | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(MANDIPROPAMID) |
| <b>ADR</b>  | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(MANDIPROPAMID) |
| <b>RID</b>  | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(MANDIPROPAMID) |
| <b>IMDG</b> | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(MANDIPROPAMID) |
| <b>IATA</b> | : | Environmentally hazardous substance, liquid, n.o.s.<br>(MANDIPROPAMID) |

### 14.3 Transport hazard class(es)

|             | Class | Subsidiary risks |
|-------------|-------|------------------|
| <b>ADN</b>  | :     | 9                |
| <b>ADR</b>  | :     | 9                |
| <b>RID</b>  | :     | 9                |
| <b>IMDG</b> | :     | 9                |
| <b>IATA</b> | :     | 9                |

### 14.4 Packing group

|                              |   |                                                                                                                                                                                                                                  |
|------------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>ADN</b>                   |   |                                                                                                                                                                                                                                  |
| Packing group                | : | III                                                                                                                                                                                                                              |
| Classification Code          | : | M6                                                                                                                                                                                                                               |
| Hazard Identification Number | : | 90                                                                                                                                                                                                                               |
| Labels                       | : | 9                                                                                                                                                                                                                                |
| Remarks                      | : | This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids. |
| <b>ADR</b>                   |   |                                                                                                                                                                                                                                  |
| Packing group                | : | III                                                                                                                                                                                                                              |
| Classification Code          | : | M6                                                                                                                                                                                                                               |
| Hazard Identification Number | : | 90                                                                                                                                                                                                                               |
| Labels                       | : | 9                                                                                                                                                                                                                                |
| Tunnel restriction code      | : | (-)                                                                                                                                                                                                                              |
| Remarks                      | : | This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids. |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

### RID

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

Number on list 3: 2-[2-(2-{2-[2-(11-methyl-dodecyloxy)-ethoxy]-ethoxy}-ethoxy)-ethoxy]-ethanol, benzene-sulfonic acid, C10-13-alkyl derivs., calcium salts, 2-ethylhexan-1-ol, xylene, propan-2-ol

Number on list 40: xylene, propan-2-ol

Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E2 ENVIRONMENTAL HAZARDS

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)  
Not applicable

### Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

## SECTION 16: Other information

### Full text of H-Statements

|      |                                                         |
|------|---------------------------------------------------------|
| H315 | : Causes skin irritation.                               |
| H318 | : Causes serious eye damage.                            |
| H319 | : Causes serious eye irritation.                        |
| H332 | : Harmful if inhaled.                                   |
| H335 | : May cause respiratory irritation.                     |
| H400 | : Very toxic to aquatic life.                           |
| H410 | : Very toxic to aquatic life with long lasting effects. |
| H412 | : Harmful to aquatic life with long lasting effects.    |

### Full text of other abbreviations

|                   |                                                                                                                        |
|-------------------|------------------------------------------------------------------------------------------------------------------------|
| Acute Tox.        | : Acute toxicity                                                                                                       |
| Aquatic Acute     | : Short-term (acute) aquatic hazard                                                                                    |
| Aquatic Chronic   | : Long-term (chronic) aquatic hazard                                                                                   |
| Eye Dam.          | : Serious eye damage                                                                                                   |
| Eye Irrit.        | : Eye irritation                                                                                                       |
| Skin Irrit.       | : Skin irritation                                                                                                      |
| STOT SE           | : Specific target organ toxicity - single exposure                                                                     |
| 2017/164/EU       | : Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values |
| GB EH40           | : UK. EH40 WEL - Workplace Exposure Limits                                                                             |
| Syngenta          | : Syngenta Occupational Exposure Limit                                                                                 |
| 2017/164/EU / TWA | : Limit Value - eight hours                                                                                            |
| GB EH40 / TWA     | : Long-term exposure limit (8-hour TWA reference period)                                                               |
| Syngenta / TWA    | : Time weighted average                                                                                                |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## REVUS NEO

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 01.07.2026     | S00057732903 | Date of first issue: 01.07.2026 |

associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

|                   |      |
|-------------------|------|
| Eye Dam. 1        | H318 |
| Aquatic Chronic 2 | H411 |
| Aquatic Chronic 1 | H410 |

#### Classification procedure:

|                    |
|--------------------|
| Calculation method |
| Calculation method |
| Calculation method |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

XI / 6N