

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## MIRROR

Version	Revision Date:	SDS Number:	Date of last issue: 18.10.2024
3.1	03.12.2024	S00054487785	Date of first issue: 24.01.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : MIRROR

Design code : A12947B

Product Registration Number : MAPP 18866

Unique Formula Identifier (UFI) : 5PF0-V0QD-700F-5MGN

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Fungicide

Recommended restrictions on use : professional use

#### 1.3 Details of the supplier of the safety data sheet

Company : Syngenta UK Limited  
Jealott's Hill International Research Centre  
Bracknell, Berkshire RG42 6EY  
United Kingdom

Telephone : +44 (0) 1223 883400

Telefax : -

E-mail address of person responsible for the SDS : MSDSenquiries.UK@syngenta.com

#### 1.4 Emergency telephone number

Emergency telephone number : +44 1484 538444

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758




## MIRROR

Version	Revision Date:	SDS Number:	Date of last issue: 18.10.2024
3.1	03.12.2024	S00054487785	Date of first issue: 24.01.2019

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	<b>Prevention:</b> P201 Obtain special instructions before use. P261 Avoid breathing mist or vapours. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection. <b>Response:</b> P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P391 Collect spillage. <b>Disposal:</b> P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Hazardous components which must be listed on the label:

folpet (ISO)  
1,2-benzisothiazol-3(2H)-one

#### Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## MIRROR

Version 3.1      Revision Date: 03.12.2024      SDS Number: S00054487785      Date of last issue: 18.10.2024  
Date of first issue: 24.01.2019

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
folpet (ISO)	133-07-3 205-088-6 613-045-00-1	Acute Tox. 4; H332 Eye Irrit. 2; H319 Skin Sens. 1; H317 Carc. 2; H351 Aquatic Acute 1; H400  M-Factor (Acute aquatic toxicity): 10	>= 30 - < 50
Residues (petroleum), catalytic re- former fractionator, sulfonated, poly- mers with formaldehyde, sodium salts	68425-94-5	Eye Irrit. 2; H319	>= 1 - < 10
fumaric acid	110-17-8 203-743-0 607-146-00-X	Eye Irrit. 2; H319	>= 1 - < 10
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1  specific concentra- tion limit Skin Sens. 1; H317 >= 0.05 %	>= 0.025 - < 0.05

For explanation of abbreviations see section 16.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## MIRROR

Version	Revision Date:	SDS Number:	Date of last issue: 18.10.2024
3.1	03.12.2024	S00054487785	Date of first issue: 24.01.2019

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Nonspecific  
No symptoms known or expected.
- Risks : May cause an allergic skin reaction.  
Suspected of causing cancer.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : There is no specific antidote available.  
Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam  
or  
Water spray
- Unsuitable extinguishing : Do not use a solid water stream as it may scatter and spread

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## MIRROR

Version	Revision Date:	SDS Number:	Date of last issue: 18.10.2024
3.1	03.12.2024	S00054487785	Date of first issue: 24.01.2019

media

fire.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Chlorine compounds  
Sulphur oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### 6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## MIRROR

Version	Revision Date:	SDS Number:	Date of last issue: 18.10.2024
3.1	03.12.2024	S00054487785	Date of first issue: 24.01.2019

Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

### 7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
folpet (ISO)	133-07-3	TWA	0.4 mg/m <sup>3</sup>	Syngenta

#### Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value	
fumaric acid	Workers	Inhalation	Long-term systemic effects	175 mg/m <sup>3</sup>	
		Inhalation	Acute systemic effects	175 mg/m <sup>3</sup>	
	Workers	Dermal	Long-term systemic effects	50 mg/kg	
			Acute systemic effects	50 mg/kg	
	Consumers	Inhalation	Long-term systemic effects	53 mg/m <sup>3</sup>	
			Acute systemic effects	53 mg/m <sup>3</sup>	
	Consumers	Dermal	Long-term systemic effects	30 mg/kg	
			Acute systemic effects	30 mg/kg	
	Consumers	Oral	Long-term systemic effects	30 mg/kg	
			Acute systemic effects	30 mg/kg	
	1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m <sup>3</sup>
		Workers	Dermal	Long-term systemic effects	0.966 mg/kg
Consumers				Inhalation	Long-term systemic

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## MIRROR

Version 3.1      Revision Date: 03.12.2024      SDS Number: S00054487785      Date of last issue: 18.10.2024  
Date of first issue: 24.01.2019

			effects	
	Consumers	Dermal	Long-term systemic effects	0.345 mg/kg

### Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
fumaric acid	Fresh water	0.1 mg/l
	Marine water	0.01 mg/l
	Intermittent use/release	1 mg/l
	Sewage treatment plant	3 mg/l
1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l
	Marine water	0.000403 mg/l
	Sewage treatment plant	1.03 mg/l
	Fresh water sediment	0.0499 mg/kg
	Marine sediment	0.00499 mg/kg
	Freshwater - intermittent	0.0011 mg/l
	Marine water - intermittent	0.000110 mg/l
	Soil	3 mg/kg

## 8.2 Exposure controls

### Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

Eye/face protection : No special protective equipment required.  
Hand protection

Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## MIRROR

Version	Revision Date:	SDS Number:	Date of last issue: 18.10.2024
3.1	03.12.2024	S00054487785	Date of first issue: 24.01.2019

Remove and wash contaminated clothing before re-use.  
Wear as appropriate:  
Impervious clothing

Respiratory protection : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : liquid  
Colour : beige to opaque  
Odour : No data available  
Odour Threshold : No data available

pH : 4.5 - 5.5  
Concentration: 1 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available  
Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.25 g/cm<sup>3</sup> (25 °C)

Solubility(ies)  
Water solubility : No data available  
Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available  
Auto-ignition temperature : No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## MIRROR

Version	Revision Date:	SDS Number:	Date of last issue: 18.10.2024
3.1	03.12.2024	S00054487785	Date of first issue: 24.01.2019

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available

### 9.2 Other information

Particle size : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

None reasonably foreseeable.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

### 10.5 Incompatible materials

Materials to avoid : None known.

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Information on likely routes of exposure : Ingestion  
Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.28 mg/l  
Exposure time: 4 h

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## MIRROR

Version	Revision Date:	SDS Number:	Date of last issue: 18.10.2024
3.1	03.12.2024	S00054487785	Date of first issue: 24.01.2019

Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Components:

#### **folpet (ISO):**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): 1.89 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

#### **1,2-benzisothiazol-3(2H)-one:**

Acute oral toxicity : LD50 (Rat, male): 670 mg/kg

Acute inhalation toxicity : LC50: 0.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### **Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

### Product:

Species : Rabbit  
Result : No skin irritation

### Components:

#### **folpet (ISO):**

Species : Rabbit  
Result : No skin irritation

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## MIRROR

Version	Revision Date:	SDS Number:	Date of last issue: 18.10.2024
3.1	03.12.2024	S00054487785	Date of first issue: 24.01.2019

### **Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:**

Species : reconstructed human epidermis (RhE)  
Result : No skin irritation

### **1,2-benzisothiazol-3(2H)-one:**

Species : Rabbit  
Result : Irritating to skin.

### **Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

### **Product:**

Species : Rabbit  
Result : No eye irritation

### **Components:**

#### **folpet (ISO):**

Species : Rabbit  
Result : Eye irritation

### **Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

### **fumaric acid:**

Result : Eye irritation

### **1,2-benzisothiazol-3(2H)-one:**

Species : Rabbit  
Result : Risk of serious damage to eyes.

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified due to lack of data.

### **Product:**

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Result : May cause sensitisation by skin contact.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## MIRROR

Version	Revision Date:	SDS Number:	Date of last issue: 18.10.2024
3.1	03.12.2024	S00054487785	Date of first issue: 24.01.2019

### Components:

#### **folpet (ISO):**

Species : Guinea pig  
Result : May cause sensitisation by skin contact.

#### **1,2-benzisothiazol-3(2H)-one:**

Result : Probability or evidence of high skin sensitisation rate in humans

### **Germ cell mutagenicity**

Not classified due to lack of data.

### Components:

#### **folpet (ISO):**

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

#### **fumaric acid:**

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

#### **1,2-benzisothiazol-3(2H)-one:**

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **Carcinogenicity**

Suspected of causing cancer.

### Components:

#### **folpet (ISO):**

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

#### **fumaric acid:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### **Reproductive toxicity**

Not classified due to lack of data.

### Components:

#### **folpet (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

#### **fumaric acid:**

Reproductive toxicity - Assessment : No toxicity to reproduction

#### **1,2-benzisothiazol-3(2H)-one:**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## MIRROR

Version	Revision Date:	SDS Number:	Date of last issue: 18.10.2024
3.1	03.12.2024	S00054487785	Date of first issue: 24.01.2019

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT - single exposure

Not classified due to lack of data.

### STOT - repeated exposure

Not classified due to lack of data.

### Aspiration toxicity

Not classified due to lack of data.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.017 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.9 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 48.4 mg/l  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC: 0.0375 mg/l  
Species: Oncorhynchus mykiss (rainbow trout)

#### Components:

##### **folpet (ISO):**

Toxicity to fish : LC50 (Salmo trutta (brown trout)): 0.098 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.68 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 10 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

##### **fumaric acid:**

Toxicity to microorganisms : EC10 (Pseudomonas putida): 23.2 mg/l  
Exposure time: 16 h

EC50 (activated sludge): > 300 mg/l  
Exposure time: 3 h

##### **1,2-benzisothiazol-3(2H)-one:**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## MIRROR

Version	Revision Date:	SDS Number:	Date of last issue: 18.10.2024
3.1	03.12.2024	S00054487785	Date of first issue: 24.01.2019

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.18 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.94 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.15 mg/l  
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.055 mg/l  
End point: Growth rate  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 0.21 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)

M-Factor (Chronic aquatic toxicity) : 1

### 12.2 Persistence and degradability

#### Components:

##### **folpet (ISO):**

Biodegradability : Result: Readily biodegradable.

Stability in water : Degradation half life: < 0.05 d  
Remarks: Product is not persistent.

##### **Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:**

Biodegradability : Result: Not readily biodegradable.

##### **1,2-benzisothiazol-3(2H)-one:**

Biodegradability : Result: Not readily biodegradable.

### 12.3 Bioaccumulative potential

#### Components:

##### **folpet (ISO):**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.017 (20 °C)

##### **1,2-benzisothiazol-3(2H)-one:**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## MIRROR

Version	Revision Date:	SDS Number:	Date of last issue: 18.10.2024
3.1	03.12.2024	S00054487785	Date of first issue: 24.01.2019

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

### 12.4 Mobility in soil

#### Components:

##### **folpet (ISO):**

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 4.3 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Components:

##### **folpet (ISO):**

Assessment : Substance is not very persistent and very bioaccumulative (vPvB).. Substance is not persistent, bioaccumulative, and toxic (PBT).

##### **fumaric acid:**

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).. Substance is not very persistent and very bioaccumulative (vPvB).

##### **1,2-benzisothiazol-3(2H)-one:**

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).. Substance is not very persistent and very bioaccumulative (vPvB).

### 12.6 Other adverse effects

#### Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemical or used container.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## MIRROR

Version	Revision Date:	SDS Number:	Date of last issue: 18.10.2024
3.1	03.12.2024	S00054487785	Date of first issue: 24.01.2019

Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

## SECTION 14: Transport information

### 14.1 UN number

ADR : UN 3082  
RID : UN 3082  
IMDG : UN 3082  
IATA : UN 3082

### 14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FOLPET)  
RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FOLPET)  
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FOLPET)  
IATA : Environmentally hazardous substance, liquid, n.o.s. (FOLPET)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

### 14.4 Packing group

ADR  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## MIRROR

Version	Revision Date:	SDS Number:	Date of last issue: 18.10.2024
3.1	03.12.2024	S00054487785	Date of first issue: 24.01.2019

Tunnel restriction code : (-)  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### RID

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

## 14.5 Environmental hazards

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## MIRROR

Version	Revision Date:	SDS Number:	Date of last issue: 18.10.2024
3.1	03.12.2024	S00054487785	Date of first issue: 24.01.2019

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the following entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	:	Not applicable
Control of Major Accident Hazards Regulations 2015 (COMAH)	E1	ENVIRONMENTAL HAZARDS
Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

## SECTION 16: Other information

### Full text of H-Statements

H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## MIRROR

Version	Revision Date:	SDS Number:	Date of last issue: 18.10.2024
3.1	03.12.2024	S00054487785	Date of first issue: 24.01.2019

H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.  
H330 : Fatal if inhaled.  
H332 : Harmful if inhaled.  
H351 : Suspected of causing cancer.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Carc. : Carcinogenicity  
Eye Dam. : Serious eye damage  
Eye Irrit. : Eye irritation  
Skin Irrit. : Skin irritation  
Skin Sens. : Skin sensitisation  
Syngenta : Syngenta Occupational Exposure Limit  
Syngenta / TWA : Time weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## MIRROR

Version	Revision Date:	SDS Number:	Date of last issue: 18.10.2024
3.1	03.12.2024	S00054487785	Date of first issue: 24.01.2019

### Classification of the mixture:

Skin Sens. 1	H317
Carc. 2	H351
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

### Classification procedure:

Based on product data or assessment
Calculation method
Based on product data or assessment
Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN