



Product registration number: MAPP 20805
UF: Y7A8-S0VM-500F-T3PP

CIRCLE® is a micro-emulsion formulation containing 250 g/l trinexapac-ethyl

CIRCLE® is a growth regulator for crop height reduction, which can lead to lodging control and yield protection in all varieties of oilseed rape.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work (UK only).

In case of toxic or transport emergency ring +44 (0) 1484 538444 any time.

Syngenta UK Limited
 Jealott's Hill International Research Centre,
 Bracknell, Berkshire, RG42 6EY
 Tel +44 (0) 1223 883400

PROTECT FROM FROST



**The
 Voluntary
 Initiative**

The product label is compliant with the CPA Voluntary Initiative (VI) guidance (UK only).

SAFETY PRECAUTIONS

(a) Operator protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate.

However engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

AVOID ALL CONTACT WITH EYES.

WASH HANDS before meals and after work.

(b) Environmental protection

Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.



(c) Storage and disposal

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

RINSE OUT CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of safely.



5 litres

Product names marked © or ™, the ALLIANCE FRAME 
 the SYNGENTA Logo and the PURPOSE ICON 
 are Trademarks of a Syngenta Group Company

L1132291 GBRI/01D PPE 4225425

CIRCLE®

A micro-emulsion formulation containing trinexapac-ethyl and pentanol isomers.

Warning

Flammable liquid and vapour.

Causes serious eye irritation.

May cause respiratory irritation.

Very toxic to aquatic life with long lasting effects.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Collect spillage.

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Contains trinexapac-ethyl (ISO). May produce an allergic reaction.

To avoid risks to human health and the environment, comply with the instructions for use.



MAPP: 20805 UFI: Y7A8-S0VM-500F-T3PP

IMPORTANT INFORMATION

FOR USE ONLY AS A PLANT GROWTH REGULATOR.

Crop	Maximum Individual Dose (litres product per hectare)	Maximum Total Dose (litres product per hectare per crop)	Latest Time of Application*
Oilseed rape	1.5	1.5	Before GS56 (Individual flower buds visible on secondary inflorescences, but still closed).

*see the DIRECTIONS FOR USE text, under CROPS for details of the earliest and latest time of application for each recommendation.

Other Specific Restrictions:

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be carefully read in order to obtain safe and successful use of this product.

RESTRICTIONS

Avoid spray drift onto neighbouring crops.

Avoid overlapping spray swathes.

Only use on crops at risk of lodging.

Do not apply if rain or frost is expected or if the crop is wet.

Do not spray crops under stress or to crops suffering from waterlogging, pest attack, disease or frost.

Extreme care must be taken to avoid spray drift onto non-crop plants outside of the target area.

GENERAL INFORMATION

CIRCLE® is a micro-emulsion formulation containing 250 g/l trinexapac-ethyl. It is a growth regulator for crop height reduction, which can lead to lodging control and yield protection in all varieties of oilseed rape.

CIRCLE should not be used on semi-dwarf varieties as this may lead to a significant reduction in yield.

Phytotoxic effects may be observed in oilseed rape crops treated with CIRCLE. These effects are transient and have no impact on yield.

CROPS

Oilseed rape

Apply CIRCLE at 1.5 l/ha between 9 internodes visible stage and the flower buds visible on primary inflorescences but not open stage (GS 39-55).

MIXING AND SPRAYING

Spray Volume

Apply CIRCLE in 200 - 400 litres water per hectare. Increased water volume may assist spray penetration in larger or denser crop canopies.

Spray Nozzles

A medium spray quality is preferred for application of CIRCLE (see BCPC guidelines). A spray pressure of 2-3 bar is recommended.

Mixing and Spraying

Make sure the sprayer is set to give an even application at the correct volume. Fill the spray tank with half the required volume of clean water and start agitation. Add the required amount of CIRCLE and continue agitation whilst adding the rest of the water. Agitate the mixture thoroughly before use and continue agitation during spraying.

Take particular care to avoid overlapping of spray swaths.

1. Surplus spray solution should be diluted with at least 10 parts clean water and sprayed onto part of the field which has been treated at less than the maximum recommended label rate.
2. If tank rinse nozzles are not fitted: Add clean water to the spray tank until it is approximately a quarter (25%) full then mix in a cleaning agent recommended for sprayer decontamination at the correct dilution rate for the full volume of liquid in the spray tank. Fill the sprayer tank to the brim and then re-circulate for 2 minutes and spray out as described in sprayer washings (below).
If tank rinse nozzles are fitted: Add clean water to the spray tank until it is approximately a quarter (25%) full then mix in a cleaning agent recommended for sprayer decontamination at the correct dilution rate for the volume of liquid in the spray tank. No further water needs to be added. Use the tank rinsing nozzles and re-circulate for at least 2 minutes and spray out as described in sprayer washings (below).
3. Remove the boom end caps and repeat the Tank Cleaning Procedure but without the cleaning agent.
4. Wash the outside of the sprayer with clean water. A low volume washing brush is more effective and uses less water than a high pressure spray gun.
5. Remove nozzle and nozzle filters, and scrub clean with a soft brush. Refit these and the other filter elements.
6. Completely drain tank, spray booms and all water pipes
7. Sprayer washings should be used on the crop or collect washings and spray onto the crop in accordance with the label.

This product is to be used only in accordance with the recommendations and instructions given on the labels provided with this pack.

To access the Safety Data Sheet for this product, scan QR code:



Alternatively, contact your supplier.

CIRCLE®

A micro-emulsion formulation containing trinexapac-ethyl and pentanol isomers.

Warning

Flammable liquid and vapour.

Causes serious eye irritation.

May cause respiratory irritation.

Very toxic to aquatic life with long lasting effects.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.


In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Collect spillage.

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Contains trinexapac-ethyl (ISO). May produce an allergic reaction.

To avoid risks to human health and the environment, comply with the instructions for use.



MAPP: 20805 **UFI:** Y7A8-S0VM-500F-T3PP

IMPORTANT INFORMATION

FOR USE ONLY AS A PLANT GROWTH REGULATOR.

Crop	Maximum Individual Dose (litres product per hectare)	Maximum Total Dose (litres product per hectare per crop)	Latest Time of Application*
Oilseed rape	1.5	1.5	Before GS56 (Individual flower buds visible on secondary inflorescences, but still closed).

*see the DIRECTIONS FOR USE text, under CROPS for details of the earliest and latest time of application for each recommendation.

Other Specific Restrictions:

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.