according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number: This version replaces all previous versions.

7.0 08.04.2021 S00006833600

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : CARIAL FLEX

Design code : A16520B

Product Registration Number : MAPP 16629

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Fungicide

Substance/Mixture

Recommended restrictions

on use

professional use

1.3 Details of the supplier of the safety data sheet

Company : Syngenta UK Limited

CPC4, Capital Park

Fulbourn, Cambridge CB21 5XE

United Kingdom

Telephone : +44 (0) 1223 883400

Telefax : +44 (0) 1223 882195

E-mail address of person

responsible for the SDS

: customer.services@syngenta.com

1.4 Emergency telephone number

Emergency telephone

number

: +44 1484 538444

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Reproductive toxicity, Category 2 H361fd: Suspected of damaging fertility. Suspected

of damaging the unborn child.

Specific target organ toxicity - repeated H373: May cause damage to organs through

exposure, Category 2 prolonged or repeated exposure.

Short-term (acute) aquatic hazard, H400. Very toxic to aquatic life.

Category 1

Long-term (chronic) aquatic hazard, H410: Very toxic to aquatic life with long lasting

Category 1 effects.

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 08.04.2021 S00006833600

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H302 Harmful if swallowed.

H361fd Suspected of damaging fertility. Suspected of

damaging the unborn child.

H373 May cause damage to organs through prolonged or

repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard

Statements

EUH208

Contains cymoxanil. May produce an

allergic reaction.

EUH401 To avoid risks to human health and the

environment, comply with the instructions for use.

Precautionary statements

P102 Keep out of reach of children.

P270 Do not eat, drink or smoke when using this product.

Prevention:

P201 Obtain special instructions before use.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

P264 Wash skin thoroughly after handling.

Response:

P301 + P312 IF SWALLOWED: Call a POISON CENTER or

doctor/ physician if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container to a licensed hazardouswaste disposal contractor or collection site except for empty triple rinsed clean containers which can be disposed of as non-

hazardous waste.

Hazardous components which must be listed on the label:

cymoxanil (ISO)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 08.04.2021 S00006833600

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

May form combustible dust concentrations in air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
mandipropamid (ISO)	374726-62-2 616-213-00-2	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 25 - < 30
cymoxanil (ISO)	57966-95-7 261-043-0 616-035-00-5	Acute Tox. 4; H302 Skin Sens. 1; H317 Repr. 2; H361fd STOT RE 2; H373 (Blood, thymus) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 10 - < 20
citric acid	77-92-9 201-069-1 01-2119457026-42	Eye Irrit. 2; H319	>= 1 - < 10

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number: This version replaces all previous versions.

7.0 08.04.2021 S00006833600

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Nonspecific

No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : There is no specific antidote available.

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number: This version replaces all previous versions.

7.0 08.04.2021 S00006833600

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Fire will spread by burning with a visible flame.

As the product contains combustible organic components, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear full protective clothing and self-contained breathing

apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

Avoid dust formation.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, pick up with an electrically protected vacuum

cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13). Do not create a powder cloud by using a brush or compressed

air.

Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : This material is capable of forming flammable dust clouds in

air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material.

Electrical equipment should be compatible with the

flammability characteristics of this material. The flammability

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 08.04.2021 S00006833600

characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flammable solvents.

In general personnel handling this material and all conducting equipment should be electrically earthed or grounded. Bulk bags (FIBC) used to contain this material should be Type B, Type C or Type D. Type C bags must be electrically grounded or earthed before powder is charged to or discharged from the bag. If metal or fibre drums are used to contain this material, make certain the metal parts are bonded to the filling equipment and grounded.

This material can become readily charged in most operations.

Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep containers tightly closed in a dry, cool and wellventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the

approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
starch	9005-25-8	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40
mandipropamid (ISO)	374726-62- 2	TWA	5 mg/m3	Syngenta
cymoxanil (ISO)	57966-95-7	TWA	2 mg/m3	Supplier

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
citric acid	Fresh water	0.44 mg/l
	Marine water	0.044 mg/l
	Fresh water sediment	34.6 mg/kg
	Marine sediment	3.46 mg/kg
	Sewage treatment plant	1000 mg/l
	Soil	33.1 mg/kg

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 08.04.2021 S00006833600

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye protection

: No special protective equipment required.

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical

breakthrough.

The selected protective gloves have to satisfy the

specifications of Regulation (EU) 2016/425 and the standard

EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Dust impervious protective suit

Respiratory protection : When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Suitable respiratory equipment:

Respirator with a particle filter (EN 143)

The filter class for the respirator must be suitable for the

maximum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Filter type : Particulates type (P)

Protective measures : The use of technical measures should always have priority

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number: 7.0 08.04.2021 S00006833600

This version replaces all previous versions.

over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : granules

Colour : beige to brown

Odour : chalky

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability : May form combustible dust concentrations in air.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature

Decomposition

No data available

temperature

pH : 3-7

Concentration: 1 % w/v

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : No data available Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Density : 1 g/cm3

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number: This version replaces all previous versions.

7.0 08.04.2021 S00006833600

Bulk density : 0.4 - 0.6 g/cm3 Relative vapour density : No data available

Particle characteristics

Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Flammable solids

Burning number : 5 (100 °C)

5 (20 °C)

Minimum ignition temperature : 390 °C

Evaporation rate : No data available

Miscibility with water : Miscible

Minimum ignition energy : 3 - 10 mJ

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Hazardous decomposition

products

: No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Ingestion exposure Inhalation

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 08.04.2021 S00006833600

Skin contact Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): 1,049 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.03 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The component/mixture is minimally toxic after

short term inhalation.

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

mandipropamid (ISO):

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.19 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,050 mg/kg

cymoxanil (ISO):

Acute oral toxicity : LD50 (Rat): 960 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.06 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

citric acid:

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Product:

Species : Rabbit

Result : No skin irritation

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number: This version replaces all previous versions.

7.0 08.04.2021 S00006833600

Components:

mandipropamid (ISO):

Species : Rabbit

Result : No skin irritation

cymoxanil (ISO):

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit

Result : No eye irritation

Components:

mandipropamid (ISO):

Species : Rabbit

Result : No eye irritation

cymoxanil (ISO):

Species : Rabbit

Result : No eye irritation

citric acid:

Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Product:

Test Type : Buehler Test Species : Guinea pig

Result : Did not cause sensitisation on laboratory animals.

Components:

mandipropamid (ISO):

Species : Guinea pig

Result : Did not cause sensitisation on laboratory animals.

cymoxanil (ISO):

Species : Guinea pig

Result : May cause sensitisation by skin contact.

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version **Revision Date:** SDS Number: This version replaces all previous versions. 7.0 08.04.2021 S00006833600

Germ cell mutagenicity

Components:

mandipropamid (ISO):

Germ cell mutagenicity-

Assessment

Animal testing did not show any mutagenic effects.

cymoxanil (ISO):

Germ cell mutagenicity-

Assessment

Animal testing did not show any mutagenic effects.

citric acid:

Germ cell mutagenicity-

Assessment

No information available.

Carcinogenicity

Components:

mandipropamid (ISO):

Carcinogenicity -Assessment

No evidence of carcinogenicity in animal studies.

cymoxanil (ISO):

Carcinogenicity -

Assessment

No evidence of carcinogenicity in animal studies.

citric acid:

Carcinogenicity -Assessment

No information available.

Reproductive toxicity

Components:

mandipropamid (ISO):

Reproductive toxicity -

Assessment

No toxicity to reproduction

cymoxanil (ISO):

Reproductive toxicity -

Assessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of

adverse effects on development, based on animal

experiments.

citric acid:

Reproductive toxicity -

No information available.

Assessment

STOT - repeated exposure

Components:

cymoxanil (ISO):

Target Organs Blood, thymus

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 08.04.2021 S00006833600

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

mandipropamid (ISO):

Remarks : No adverse effect has been observed in chronic toxicity tests.

Aspiration toxicity

Components:

citric acid:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 32 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 61

mg/l

Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 16

mg/l

End point: Growth rate Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 10

mg/l

End point: Growth rate

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number:

7.0 08.04.2021 S00006833600

This version replaces all previous versions.

Exposure time: 72 h

Components:

mandipropamid (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.4 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Crassostrea virginica (eastern oyster)): 0.97 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

2.5 mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 1.3

mg/

End point: Growth rate Exposure time: 72 h

M-Factor (Acute aquatic

toxicity)

: 1

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Toxicity to fish (Chronic

toxicity)

NOEC: 0.5 mg/l

Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other :

aquatic invertebrates

(Chronic toxicity)

NOEC: 0.076 mg/l

Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

1

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

cymoxanil (ISO):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 29 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

(Daphnia magna (Water flea)): 27 mg/l

Exposure time: 48 h

M-Factor (Acute aquatic

toxicity)

: 1

Toxicity to fish (Chronic

toxicity)

NOEC: 0.00098 mg/l

Exposure time: 97 d

Species: Oncorhynchus mykiss (rainbow trout)

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number: 7.0 08.04.2021 S00006833600

This version replaces all previous versions.

Toxicity to daphnia and other : I

aquatic invertebrates (Chronic toxicity)

NOEC: 0.067 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

12.2 Persistence and degradability

Components:

mandipropamid (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 4.5 - 26 d

Remarks: Product is not persistent.

cymoxanil (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: < 1 d

Remarks: Product is not persistent.

12.3 Bioaccumulative potential

Components:

mandipropamid (ISO):

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-

: log Pow: 3.2 (25 °C)

octanol/water

cymoxanil (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

12.4 Mobility in soil

Components:

mandipropamid (ISO):

Distribution among : Remarks: Low mobility in soil.

environmental compartments

Stability in soil : Dissipation time: 26 - 178 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

cymoxanil (ISO):

Distribution among : Remarks: Moderately mobile in soils

environmental compartments

Stability in soil : Dissipation time: 0.9 - 9 h

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 08.04.2021 S00006833600

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

Components:

mandipropamid (ISO):

Assessment : This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating

(vPvB)..

citric acid:

Assessment : This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating

(vPvB)..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number: This version replaces all previous versions.

7.0 08.04.2021 S00006833600

Waste Code : uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(MANDIPROPAMID AND CYMOXANIL)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(MANDIPROPAMID AND CYMOXANIL)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(MANDIPROPAMID AND CYMOXANIL)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(MANDIPROPAMID AND CYMOXANIL)

IATA : Environmentally hazardous substance, solid, n.o.s.

(MANDIPROPAMID AND CYMOXANIL)

14.3 Transport hazard class(es)

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 08.04.2021 S00006833600

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956 Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction : 956

(passenger aircraft)

Packing instruction (LQ) : Y956 Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number: This version replaces all previous versions. 08.04.2021 S00006833600 7.0

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on : Banned and/or restricted

the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

REACH - Candidate List of Substances of Very High Not applicable

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation Not applicable

(Annex XIV)

Regulation (EC) No 1005/2009 on substances that Not applicable

deplete the ozone laver

Regulation (EU) 2019/1021 on persistent organic Not applicable

pollutants (recast)

Regulation (EC) No 649/2012 of the European Not applicable

Parliament and the Council concerning the export and

import of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2 E1 100 t 200 t

ENVIRONMENTAL

HAZARDS

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Use plant protection products safely. Always read the label and product information before use. Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations. where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

Causes serious eye irritation. H319

H361fd Suspected of damaging fertility. Suspected of damaging the

unborn child.

H373 May cause damage to organs through prolonged or repeated

exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number: This version replaces all previous versions.

7.0 08.04.2021 S00006833600

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation

Repr. : Reproductive toxicity Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Acute Tox. 4 H302 Based on product data or assessment

Repr. 2 H361fd Calculation method STOT RE 2 H373 Calculation method

Aquatic Acute 1 H400 Calculation method
Aquatic Chronic 1 H410 Calculation method

according to Regulation (EC) No. 1907/2006



CARIAL FLEX

Version Revision Date: SDS Number: This version replaces all previous versions. 7.0 08.04.2021 S00006833600

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN