

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## MAXIM 100 FS

Version 4.1      Revision Date: 07.11.2017      SDS Number: S1149420736      This version replaces all previous versions.

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : MAXIM 100 FS

**Design code** : A8348G

Product Registration number : MAPP 15683

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fungicide, Seed treatment

#### 1.3 Details of the supplier of the safety data sheet

Company : Syngenta UK Limited  
CPC4, Capital Park  
Fulbourn, Cambridge CB21 5XE  
United Kingdom

Telephone : +44 (0) 1223 883400

Telefax : +44 (0) 1223 882195

E-mail address of person responsible for the SDS : customer.services@syngenta.com

#### 1.4 Emergency telephone number

**Emergency telephone number** : +44 1484 538444

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification (**REGULATION (EC) No 1272/2008**)  
Chronic aquatic toxicity, Category 1

H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (**REGULATION (EC) No 1272/2008**)

Precautionary statements : P273 Avoid release to the environment.

**Disposal:**  
P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## MAXIM 100 FS

Version  
4.1

Revision Date:  
07.11.2017

SDS Number:  
S1149420736

This version replaces all previous versions.

triple rinsed clean containers which can be disposed of as non-hazardous waste.

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard Statements : EUH208 Contains 1,2-benzisothiazol-3-one.  
May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements : **Response:**  
P391 Collect spillage.  
**P501 Dispose of contents/ container to an approved waste disposal plant.**

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
fludioxonil	131341-86-1	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	$\geq 10 - < 20$
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400	$\geq 0.025 - < 0.05$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## MAXIM 100 FS

Version 4.1      Revision Date: 07.11.2017      SDS Number: S1149420736      This version replaces all previous versions.

---

### 4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Nonspecific  
No symptoms known or expected.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : There is no specific antidote available.  
Treat symptomatically.
- 

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam  
or  
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire- : As the product contains combustible organic components, fire

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## MAXIM 100 FS

Version 4.1      Revision Date: 07.11.2017      SDS Number: S1149420736      This version replaces all previous versions.

---

fighting      will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### 6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## MAXIM 100 FS

Version 4.1      Revision Date: 07.11.2017      SDS Number: S1149420736      This version replaces all previous versions.

### 7.3 Specific end use(s)

Specific use(s)

: For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
fludioxonil	131341-86-1	TWA	5 mg/m <sup>3</sup>	Syngenta
propane-1,2-diol	57-55-6	TWA (particles)	10 mg/m <sup>3</sup>	GB EH40
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			
	57-55-6	TWA (Total vapour and particles)	150 ppm 474 mg/m <sup>3</sup>	GB EH40
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			

### 8.2 Exposure controls

#### Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

#### Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection

Remarks : No special protective equipment required.

Skin and body protection : No special protective equipment required.  
Select skin and body protection based on the physical job requirements.

Respiratory protection : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## MAXIM 100 FS

Version  
4.1

Revision Date:  
07.11.2017

SDS Number:  
S1149420736

This version replaces all previous versions.

When selecting personal protective equipment, seek appropriate professional advice.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance

: suspension

Colour

: light red to dark red

Odour

: characteristic

Odour Threshold

: No data available

pH

: 7.5 - 9.5

Concentration: 100 % w/v

6 - 10

Concentration: 1 % w/v

**Melting point/range**

: No data available

**Boiling point/boiling range**

: No data available

Flash point

: > 99 °C(1001.0 hPa)

Method: Pensky-Martens closed cup

Evaporation rate

: No data available

Flammability (solid, gas)

: No data available

Upper explosion limit / Upper flammability limit

: No data available

Lower explosion limit / Lower flammability limit

: No data available

Vapour pressure

:

No data available

Relative vapour density

: No data available

Density

: 1.077 g/cm<sup>3</sup>

Solubility(ies)

Solubility in other solvents

: No data available

Partition coefficient: n-octanol/water

: No data available

Auto-ignition temperature

: 615 °C

Decomposition temperature

: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## MAXIM 100 FS

Version 4.1      Revision Date: 07.11.2017      SDS Number: S1149420736      This version replaces all previous versions.

---

Viscosity  
Viscosity, dynamic : 59.3 - 441 mPa.s (20 °C)  
45.5 - 343 mPa.s (40 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Surface tension : 28.5 mN/m, 20 °C

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

None reasonably foreseeable.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

### 10.5 Incompatible materials

Materials to avoid : None known.

### 10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Information on likely routes of exposure : Ingestion  
Inhalation  
Skin contact  
Eye contact

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## MAXIM 100 FS

Version  
4.1

Revision Date:  
07.11.2017

SDS Number:  
S1149420736

This version replaces all previous versions.

### Acute toxicity

#### Product:

Acute oral toxicity

: LD50 (Rat, female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity

: LC50 (Rat, male and female): > 4.37 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity

: LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### Components:

##### **fludioxonil:**

Acute oral toxicity

: LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity

: LC50 (Rat, male and female): > 2.6 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity

: LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

##### **1,2-benzisothiazol-3(2H)-one:**

Acute oral toxicity

: LD50 (Rat): 1,020 mg/kg

### Skin corrosion/irritation

#### Product:

Species: Rabbit

Result: No skin irritation

#### Components:

##### **fludioxonil:**

Species: Rabbit

Result: No skin irritation

##### **1,2-benzisothiazol-3(2H)-one:**

Result: Irritating to skin.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## MAXIM 100 FS

Version  
4.1

Revision Date:  
07.11.2017

SDS Number:  
S1149420736

This version replaces all previous versions.

---

### Serious eye damage/eye irritation

#### Product:

Species: Rabbit  
Result: No eye irritation

#### Components:

##### fludioxonil:

Species: Rabbit  
Result: No eye irritation

##### 1,2-benzisothiazol-3(2H)-one:

Result: Risk of serious damage to eyes.

### Respiratory or skin sensitisation

#### Product:

Test Type: Buehler Test  
Species: Guinea pig  
Result: Did not cause sensitisation on laboratory animals.

#### Components:

##### fludioxonil:

Species: Guinea pig  
Result: Did not cause sensitisation on laboratory animals.

##### 1,2-benzisothiazol-3(2H)-one:

Result: Probability or evidence of skin sensitisation in humans

### Germ cell mutagenicity

#### Components:

##### fludioxonil:

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

### Carcinogenicity

#### Components:

##### fludioxonil:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### Reproductive toxicity

#### Components:

##### fludioxonil:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## MAXIM 100 FS

Version 4.1      Revision Date: 07.11.2017      SDS Number: S1149420736      This version replaces all previous versions.

---

Reproductive toxicity - Assessment : No toxicity to reproduction

### Repeated dose toxicity

#### Components:

#### **fludioxonil:**

Remarks: No adverse effect has been observed in chronic toxicity tests.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 6.2 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna Straus): 10 mg/l  
Exposure time: 48 h

Toxicity to algae : EbC50 (Pseudokirchneriella subcapitata (green algae)): 2.1 mg/l  
Exposure time: 96 h

ErC50 (Pseudokirchneriella subcapitata (green algae)): 10 mg/l  
Exposure time: 96 h

#### **Ecotoxicology Assessment**

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects., Classification of the product is based on the summation of the concentrations of classified components.

#### Components:

#### **fludioxonil:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.4 mg/l  
Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.44 mg/l  
Exposure time: 96 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.132 mg/l  
Exposure time: 96 h

ErC50 (Skeletonema costatum (marine diatom)): 0.43 mg/l  
Exposure time: 96 h

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## MAXIM 100 FS

Version 4.1      Revision Date: 07.11.2017      SDS Number: S1149420736      This version replaces all previous versions.

---

NOEC (Skeletonema costatum (marine diatom)): 0.14 mg/l  
End point: Growth rate  
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 1, M-Factor=1 used for transport classification

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : NOEC: 0.04 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.035 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 10, M-Factor=1 used for transport classification

### 1,2-benzisothiazol-3(2H)-one:

#### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

### 12.2 Persistence and degradability

#### Components:

##### fludioxonil:

Biodegradability : Result: Not readily biodegradable.

### 12.3 Bioaccumulative potential

#### Components:

##### fludioxonil:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.12 (25 °C)

### 12.4 Mobility in soil

#### Components:

##### fludioxonil:

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Dissipation time: 14 d

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## MAXIM 100 FS

Version 4.1      Revision Date: 07.11.2017      SDS Number: S1149420736      This version replaces all previous versions.

---

Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### Components:

##### **fludioxonil:**

Assessment

: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

### 12.6 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

- Product : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.
- Waste Code : uncleaned packagings  
150110, packaging containing residues of or contaminated by dangerous substances
- 

## SECTION 14: Transport information

### 14.1 UN number

- ADN : UN 3082  
ADR : UN 3082  
RID : UN 3082  
IMDG : UN 3082
-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## MAXIM 100 FS

Version  
4.1

Revision Date:  
07.11.2017

SDS Number:  
S1149420736

This version replaces all previous versions.

**IATA** : UN 3082

### 14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(FLUDIOXONIL)

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(FLUDIOXONIL)

**RID** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(FLUDIOXONIL)

**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(FLUDIOXONIL)

**IATA** : Environmentally hazardous substance, liquid, n.o.s.  
(FLUDIOXONIL)

### 14.3 Transport hazard class(es)

**ADN** : 9

**ADR** : 9

**RID** : 9

**IMDG** : 9

**IATA** : 9

### 14.4 Packing group

#### **ADN**

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

#### **ADR**

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

#### **RID**

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

#### **IMDG**

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## MAXIM 100 FS

Version 4.1      Revision Date: 07.11.2017      SDS Number: S1149420736

This version replaces all previous versions.

### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

#### IATA (Passenger)

Marine pollutant : yes

#### IATA (Cargo)

Marine pollutant : yes

### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## MAXIM 100 FS

Version 4.1      Revision Date: 07.11.2017      SDS Number: S1149420736      This version replaces all previous versions.

E1	ENVIRONMENTAL HAZARDS	Quantity 1 100 t	Quantity 2 200 t
----	--------------------------	---------------------	---------------------

### Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Use plant protection products safely. Always read the label and product information before use.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

## SECTION 16: Other information

### Full text of H-Statements

H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Acute aquatic toxicity
Aquatic Chronic	: Chronic aquatic toxicity
Eye Dam.	: Serious eye damage
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## MAXIM 100 FS

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
4.1	07.11.2017	S1149420736	

---

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Chronic 1

H410

#### Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN