

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## STEALTH

Version 14.0      Revision Date: 17.05.2021      SDS Number: S1407285012      This version replaces all previous versions.

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : STEALTH  
Design code : A12690B  
Product Registration Number : MAPP 14551  
Unique Formula Identifier (UFI) : RNC3-A02E-7003-ED68

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Insecticide  
Recommended restrictions on use : professional use

#### 1.3 Details of the supplier of the safety data sheet

Company : Syngenta UK Limited  
CPC4, Capital Park  
Fulbourn, Cambridge CB21 5XE  
United Kingdom  
Telephone : +44 (0) 1223 883400  
Telefax : +44 (0) 1223 882195  
E-mail address of person responsible for the SDS : customer.services@syngenta.com

#### 1.4 Emergency telephone number

Emergency telephone number : +44 1484 538444

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard,	H410: Very toxic to aquatic life with long lasting

## STEALTH


Version 14.0      Revision Date: 17.05.2021      SDS Number: S1407285012      This version replaces all previous versions.

---

Category 1      effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

- Hazard pictograms : 
- Signal word : Warning
- Hazard statements : H302 + H332 Harmful if swallowed or if inhaled.  
H317 May cause an allergic skin reaction.  
H410 Very toxic to aquatic life with long lasting effects.
- Supplemental Hazard Statements : EUH401 To avoid risks to human health and the environment, comply with the instructions for use.
- Precautionary statements : **Prevention:**  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves.  
**Response:**  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty triple rinsed clean containers which can be disposed of as non-hazardous waste.

#### Hazardous components which must be listed on the label:

lambda-cyhalothrin (ISO)  
1,2-benzisothiazol-3(2H)-one

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## STEALTH

Version 14.0      Revision Date: 17.05.2021      SDS Number: S1407285012      This version replaces all previous versions.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
lambda-cyhalothrin (ISO)	91465-08-6 415-130-7 607-252-00-6	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10,000 M-Factor (Chronic aquatic toxicity): 10,000	>= 2.5 - < 10
hydrocarbons, C10-C13, aromatics, <1% naphthalene	Not Assigned 922-153-0 01-2119451097-39	Asp. Tox. 1; H304 Aquatic Chronic 2; H411 EUH066	>= 2.5 - < 10
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 0.1 - < 1
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411  M-Factor (Acute aquatic toxicity): 1  specific concentration limit Skin Sens. 1; H317	>= 0.05 - < 0.1

## STEALTH

Version 14.0      Revision Date: 17.05.2021      SDS Number: S1407285012      This version replaces all previous versions.

		>= 0,05 %	
--	--	-----------	--

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Aspiration may cause pulmonary oedema and pneumonitis.  
Skin contact paresthesia effects (itching, tingling, burning or numbness) are transient, lasting up to 24 hours.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.  
Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## STEALTH

Version 14.0      Revision Date: 17.05.2021      SDS Number: S1407285012      This version replaces all previous versions.

---

Alcohol-resistant foam  
or  
Water spray

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### 6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## STEALTH

Version 14.0      Revision Date: 17.05.2021      SDS Number: S1407285012      This version replaces all previous versions.

Advice on safe handling : Hydrogen cyanide gas may be released during opening and dispensing.  
Avoid breathing air from container headspace.  
When using do not eat, drink or smoke.  
For personal protection see section 8.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

Further information on storage stability : Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.

### 7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propane-1,2-diol	57-55-6	TWA (particles)	10 mg/m <sup>3</sup>	GB EH40
		TWA (Total vapour and particles)	150 ppm 474 mg/m <sup>3</sup>	GB EH40
lambda-cyhalothrin (ISO)	91465-08-6	TWA	0.04 mg/m <sup>3</sup> (Skin)	Syngenta
hydrocarbons, C10-C13, aromatics, <1% naphthalene	Not Assigned	TWA	8 ppm 50 mg/m <sup>3</sup>	Supplier
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	TWA (inhalable dust)	10 mg/m <sup>3</sup>	GB EH40
		TWA (Respirable dust)	4 mg/m <sup>3</sup>	GB EH40

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
hydrogen cyanide	74-90-8	TWA	0.9 ppm 1 mg/m <sup>3</sup> (Cyanide)	2017/164/EU

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## STEALTH

Version  
14.0

Revision Date:  
17.05.2021

SDS Number:  
S1407285012

This version replaces all previous versions.

	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		STEL	4.5 ppm 5 mg/m <sup>3</sup> (Cyanide)	2017/164/EU
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		STEL	4.5 ppm 5 mg/m <sup>3</sup>	GB EH40
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		TWA	0.9 ppm 1 mg/m <sup>3</sup>	GB EH40
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
propane-1,2-diol	Workers	Inhalation	Long-term systemic effects	168 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects	10 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term systemic effects	30 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	10 mg/m <sup>3</sup>
hydrocarbons, C10-C13, aromatics, <1% naphthalene	Workers	Inhalation	Long-term systemic effects	151 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	12.5 mg/kg
	Consumers	Inhalation	Long-term systemic effects	32 mg/m <sup>3</sup>
	Consumers	Dermal	Long-term systemic effects	7.5 mg/kg
	Consumers	Oral	Long-term systemic effects	7.5 mg/kg
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	Workers	Inhalation	Long-term local effects	10 mg/m <sup>3</sup>
	Consumers	Oral	Long-term systemic effects	700 mg/kg
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	0.966 mg/kg
	Consumers	Inhalation	Long-term systemic	1.2 mg/m <sup>3</sup>

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## STEALTH

Version  
14.0

Revision Date:  
17.05.2021

SDS Number:  
S1407285012

This version replaces all previous versions.

			effects	
	Consumers	Dermal	Long-term systemic effects	0.345 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
propane-1,2-diol	Fresh water	260 mg/l
	Marine water	26 mg/l
	Intermittent use/release	183 mg/l
	Sewage treatment plant	20000 mg/l
	Marine sediment	57.2 mg/kg
	Fresh water sediment	572 mg/kg
	Soil	50 mg/kg
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ ]	Marine water	0.0184 mg/l
	Fresh water sediment	1000 mg/kg
	Fresh water	0.184 mg/l
	Marine sediment	100 mg/kg
	Soil	100 mg/kg
	Sewage treatment plant	100 mg/l
	Intermittent use/release	0.193 mg/l
1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l
	Marine water	0.000403 mg/l
	Sewage treatment plant	1.03 mg/l
	Fresh water sediment	0.0499 mg/kg
	Marine sediment	0.00499 mg/kg
	Freshwater - intermittent	0.0011 mg/l
	Marine water - intermittent	0.000110 mg/l
Soil	3 mg/kg	

## 8.2 Exposure controls

### Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

Eye protection : No special protective equipment required.  
Hand protection

Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove



## STEALTH

Version 14.0      Revision Date: 17.05.2021      SDS Number: S1407285012      This version replaces all previous versions.

---

- does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
- Skin and body protection** : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:  
Impervious clothing
- Respiratory protection** : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
Suitable respiratory equipment:  
Respirator with a particle filter (EN 143)  
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
- Filter type** : Particulates type (P)
- Protective measures** : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.
- 

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

- Physical state : suspension  
Colour : beige to cream
- Odour : aromatic, weak  
Odour Threshold : No data available
- Melting point/range : No data available
- Boiling point/boiling range : 100 °C
- Flammability : No data available

## STEALTH

Version 14.0      Revision Date: 17.05.2021      SDS Number: S1407285012      This version replaces all previous versions.

---

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Auto-ignition temperature	:	465 °C
Decomposition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	4 - 8 (25 °C) Concentration: 1 % w/v
Viscosity	:	No data available
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	107 mm <sup>2</sup> /s (20 °C)
Solubility(ies)	:	No data available
Water solubility	:	Miscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	1.057 g/cm <sup>3</sup> (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available
Particle size	:	No data available

### 9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	No data available
Surface tension	:	37.0 mN/m, 20 °C

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

None reasonably foreseeable.

## STEALTH

Version 14.0      Revision Date: 17.05.2021      SDS Number: S1407285012      This version replaces all previous versions.

---

### 10.2 Chemical stability

Hydrogen cyanide gas may develop in the headspace of containers at normal storage temperatures.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : None known.

### 10.6 Hazardous decomposition products

Hazardous decomposition products : hydrogen cyanide

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Ingestion  
Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 (Rat, male): 334 mg/kg

Acute inhalation toxicity : (Rat, male and female): > 2.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is moderately toxic after short term inhalation., The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

##### Components:

##### **lambda-cyhalothrin (ISO):**

Acute oral toxicity : LD50 (Rat, female): 56 mg/kg  
LD50 (Rat, male): 79 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 0.06 mg/l

---

## STEALTH

Version 14.0      Revision Date: 17.05.2021      SDS Number: S1407285012      This version replaces all previous versions.

---

Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, female): 696 mg/kg  
LD50 (Rat, male): 632 mg/kg

### **1,2-benzisothiazol-3(2H)-one:**

Acute oral toxicity : LD50 (Rat, male): 670 mg/kg  
Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### **Skin corrosion/irritation**

#### **Product:**

Species : Rabbit  
Result : No skin irritation  
Remarks : May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

#### **Components:**

##### **lambda-cyhalothrin (ISO):**

Species : Rabbit  
Result : No skin irritation  
Remarks : May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

##### **hydrocarbons, C10-C13, aromatics, <1% naphthalene:**

Result : Repeated exposure may cause skin dryness or cracking.

##### **1,2-benzisothiazol-3(2H)-one:**

Species : Rabbit  
Result : Mild skin irritation

### **Serious eye damage/eye irritation**

#### **Product:**

Species : Rabbit  
Result : No eye irritation

#### **Components:**

##### **lambda-cyhalothrin (ISO):**

Species : Rabbit  
Result : No eye irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## STEALTH

Version 14.0      Revision Date: 17.05.2021      SDS Number: S1407285012      This version replaces all previous versions.

---

### 1,2-benzisothiazol-3(2H)-one:

Species : Rabbit  
Result : Risk of serious damage to eyes.

### Respiratory or skin sensitisation

#### Product:

Species : Humans  
Result : May cause sensitisation by skin contact.

Test Type : Buehler Test  
Species : Guinea pig  
Result : Does not cause skin sensitisation.

#### Components:

##### lambda-cyhalothrin (ISO):

Test Type : Maximisation Test  
Species : Guinea pig  
Result : Does not cause skin sensitisation.

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Result : Does not cause skin sensitisation.

##### 1,2-benzisothiazol-3(2H)-one:

Result : Probability or evidence of skin sensitisation in humans

### Germ cell mutagenicity

#### Components:

##### lambda-cyhalothrin (ISO):

Germ cell mutagenicity-Assessment : Animal testing did not show any mutagenic effects.

##### 1,2-benzisothiazol-3(2H)-one:

Germ cell mutagenicity-Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

#### Components:

##### lambda-cyhalothrin (ISO):

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

##### titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a



## STEALTH

Version 14.0      Revision Date: 17.05.2021      SDS Number: S1407285012      This version replaces all previous versions.

---

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0026 mg/l  
Exposure time: 48 h

### Components:

#### **lambda-cyhalothrin (ISO):**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 0.000078 mg/l  
Exposure time: 96 h  
  
LC50 (Ictalurus punctatus (channel catfish)): 0.00016 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.00036 mg/l  
Exposure time: 48 h

LC50 (Americamysis): 0.000007 mg/l  
Exposure time: 48 h

EC50 (Hyalella azteca (Amphipod)): 0.000002 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 0.31 mg/l  
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 10,000

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : NOEC: 0.000031 mg/l  
Exposure time: 300 d  
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.000002 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

NOEC: 0.00022 µg/l  
Exposure time: 28 d  
Species: Americamysis

M-Factor (Chronic aquatic toxicity) : 10,000

#### **hydrocarbons, C10-C13, aromatics, <1% naphthalene:**

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l  
Exposure time: 96 h  
Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): 1.1 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## STEALTH

Version 14.0      Revision Date: 17.05.2021      SDS Number: S1407285012      This version replaces all previous versions.

---

aquatic invertebrates      Exposure time: 48 h  
Remarks: Information given is based on data obtained from similar substances.

Toxicity to algae/aquatic plants      :      EL50 (Raphidocelis subcapitata (freshwater green alga)): 7.9 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Remarks: Information given is based on data obtained from similar substances.

NOELR (Raphidocelis subcapitata (freshwater green alga)): 0.22 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Remarks: Information given is based on data obtained from similar substances.

### Ecotoxicology Assessment

Chronic aquatic toxicity      :      Toxic to aquatic life with long lasting effects.

### 1,2-benzisothiazol-3(2H)-one:

Toxicity to fish      :      LC50 (Oncorhynchus mykiss (rainbow trout)): 2.18 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates      :      EC50 (Daphnia magna (Water flea)): 2.94 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants      :      ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.15 mg/l  
Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.04 mg/l  
End point: Growth rate  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity)      :      1

Toxicity to fish (Chronic toxicity)      :      NOEC: 0.3 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)      :      NOEC: 1.7 mg/l  
Exposure time: 21 d  
Species: Daphnia (water flea)



## STEALTH

Version 14.0      Revision Date: 17.05.2021      SDS Number: S1407285012      This version replaces all previous versions.

---

### 12.2 Persistence and degradability

**Components:**

**lambda-cyhalothrin (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Stability in water : Degradation half life (DT50): 7 d  
Remarks: Product is not persistent.

**hydrocarbons, C10-C13, aromatics, <1% naphthalene:**

Biodegradability : Result: Readily biodegradable.

**1,2-benzisothiazol-3(2H)-one:**

Biodegradability : Result: rapidly degradable

### 12.3 Bioaccumulative potential

**Components:**

**lambda-cyhalothrin (ISO):**

Bioaccumulation : Remarks: Bioaccumulates

**1,2-benzisothiazol-3(2H)-one:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

### 12.4 Mobility in soil

**Components:**

**lambda-cyhalothrin (ISO):**

Distribution among environmental compartments : Remarks: immobile  
Stability in soil : Dissipation time: 56 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

**Components:**

**lambda-cyhalothrin (ISO):**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating

## STEALTH

Version 14.0      Revision Date: 17.05.2021      SDS Number: S1407285012      This version replaces all previous versions.

---

(vPvB)..

### 1,2-benzisothiazol-3(2H)-one:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

Waste Code : uncleaned packagings  
15 01 10, packaging containing residues of or contaminated by hazardous substances

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : UN 3082  
ADR : UN 3082  
RID : UN 3082

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## STEALTH

Version 14.0      Revision Date: 17.05.2021      SDS Number: S1407285012      This version replaces all previous versions.

---

**IMDG** : UN 3082

**IATA** : UN 3082

### 14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(LAMBDA-CYHALOTHRIN AND SUBSTITUTED BENZENOID HYDROCARBONS)

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(LAMBDA-CYHALOTHRIN AND SUBSTITUTED BENZENOID HYDROCARBONS)

**RID** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(LAMBDA-CYHALOTHRIN AND SUBSTITUTED BENZENOID HYDROCARBONS)

**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(LAMBDA-CYHALOTHRIN AND SUBSTITUTED BENZENOID HYDROCARBONS)

**IATA** : Environmentally hazardous substance, liquid, n.o.s.  
(LAMBDA-CYHALOTHRIN AND SUBSTITUTED BENZENOID HYDROCARBONS)

### 14.3 Transport hazard class(es)

**ADN** : 9

**ADR** : 9

**RID** : 9

**IMDG** : 9

**IATA** : 9

### 14.4 Packing group

**ADN**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**ADR**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**RID**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90

## STEALTH

Version 14.0      Revision Date: 17.05.2021      SDS Number: S1407285012      This version replaces all previous versions.

---

Labels : 9

### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

#### 14.5 Environmental hazards

##### ADN

Environmentally hazardous : yes

##### ADR

Environmentally hazardous : yes

##### RID

Environmentally hazardous : yes

##### IMDG

Marine pollutant : yes

##### IATA (Passenger)

Environmentally hazardous : yes

##### IATA (Cargo)

Environmentally hazardous : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 3

REACH - Candidate List of Substances of Very High : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## STEALTH

Version 14.0      Revision Date: 17.05.2021      SDS Number: S1407285012      This version replaces all previous versions.

---

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

### Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Use plant protection products safely. Always read the label and product information before use.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

---

## SECTION 16: Other information

### Full text of H-Statements

H301 : Toxic if swallowed.  
H302 : Harmful if swallowed.  
H304 : May be fatal if swallowed and enters airways.  
H311 : Toxic in contact with skin.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H318 : Causes serious eye damage.  
H330 : Fatal if inhaled.  
H351 : Suspected of causing cancer if inhaled.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.  
H411 : Toxic to aquatic life with long lasting effects.  
EUH066 : Repeated exposure may cause skin dryness or cracking.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Asp. Tox. : Aspiration hazard  
Carc. : Carcinogenicity  
Eye Dam. : Serious eye damage  
Skin Irrit. : Skin irritation  
Skin Sens. : Skin sensitisation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## STEALTH

Version 14.0      Revision Date: 17.05.2021      SDS Number: S1407285012      This version replaces all previous versions.

2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values  
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits  
2017/164/EU / STEL : Short term exposure limit  
2017/164/EU / TWA : Limit Value - eight hours  
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)  
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Acute Tox. 4      H302  
Acute Tox. 4      H332  
Skin Sens. 1      H317  
Aquatic Acute 1      H400  
Aquatic Chronic 1      H410

#### Classification procedure:

Based on product data or assessment  
Based on product data or assessment  
Based on product data or assessment  
Based on product data or assessment  
Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## STEALTH

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
14.0	17.05.2021	S1407285012	

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN