

## OLUPAL TANK MIX LIST

### GUIDANCE FOR TANK MIXING AND SEQUENCING WITH HORMONE HERBICIDES

- DO NOT mix OLUPAL with products containing 2-4,D, MCPA or mecoprop.
- These hormone herbicides may be used in sequence with OLUPAL, observing the following intervals:
  - When OLUPAL is applied first, leave a minimum of 7 days before applying hormone herbicides
  - If hormone-containing products are applied first, leave 21 days before OLUPAL is applied
- Halauxifen (Arylex), fluroxypyr or clopyralid products may be tank mixed with OLUPAL when OLUPAL is used at the **full label dose rate** for the target weed (refer to label).
- DO NOT MIX OLUPAL with Halauxifen (Arylex), fluroxypyr or clopyralid products when targeting black-grass in barley.
- When targeting wild oats or ryegrass using supported doses of OLUPAL, Halauxifen (Arylex), fluroxypyr or clopyralid products may be sequenced with OLUPAL observing the same intervals indicated above.

### GUIDANCE FOR TANK MIXING AND SEQUENCING WITH SULFONYL-UREAS AND OTHER ALS INHIBITOR HERBICIDES

- Tank mixes with some broad-leaved weed specific sulfonyl-urea/ALS inhibitor herbicides can reduce grass weed control, particularly if OLUPAL is applied at reduced rates.
- Only sulfonyl-urea/ALS inhibitor herbicides listed below may be tank mixed with OLUPAL.
- DO NOT MIX OLUPAL with SU's/ALS inhibitors when targeting black-grass in barley.
- Sulfonyl-urea/ALS inhibitor herbicides should only be tank mixed with OLUPAL when OLUPAL is used at the **full label dose rate** for the target weed (refer to label).
- When targeting wild oats or ryegrass using supported rates of OLUPAL, in sequence with SUs/ALS inhibitors, observe the intervals indicated above for hormone herbicides.

The following tank mixes have been tested for physical compatibility with OLUPAL at recommended rates of use and will mix in the sprayer tank. Syngenta UK Ltd will support 2 or 3-way tank mixes of OLUPAL with any of the fungicides, herbicides, insecticides, PGR's or adjuvants listed. All other products listed have not been tested for crop safety or product performance, therefore use is at the user's own risk. For further information on compatibilities, contact Syngenta UK Ltd on 0800 169 6058.

### FUNGICIDES

AMISTAR	Helix	Prosaro
Ascra Xpro	Inception Xpro	Protefin
Aviator Xpro	Jaunt <sup>1</sup>	QUADRI
Caramba	Justice <sup>1</sup>	Revystar <sup>4</sup>
Comet 200	KAYAK	Rylox <sup>4</sup>
Cebara	KAVATUR PLUS <sup>1</sup>	Siltra Xpro
CERATAVO PLUS <sup>1</sup>	LAMAST	Talius <sup>1</sup>
ELATUS ERA	Librax	UNIX
ELATUS PLUS <sup>1</sup>	MIRROR	VELOGY PLUS <sup>1</sup>
Fandango <sup>1</sup>	Mobius	WEAVER + Scyon
Folicur	PLEXEO	Zephyr
Haven	Proline 275	

### HERBICIDES

Ally Max SX <sup>2</sup>	Hiatus <sup>3</sup>	Renitar
Ergon <sup>3</sup>	Mattera	Spitfire
Finish SX	Pixxaro	Whorl
Harmony M SX	Presite SX	Zypar

**INSECTICIDES**

HALLMARK ZEON

Decis Protech

KUNG FU

**PGR's**3C Chlormequat 750  
Adjust  
CanopyCerone  
Cleancrop Alatrino Evo  
Medax MaxMODDUS  
MODDUS + chlormequat  
Terpal**ADJUVANTS**

If OLUPAL is applied at the reduced rate of below 0.6 l/ha, an adjuvant should be added for optimum results. Syngenta will support the use of the adjuvants listed.

ADIGOR  
NelsonPhase II  
Sorrento<sup>5</sup>Toil  
Zarado

Syngenta have not tested any other adjuvants, however, the use of other MSO's not included in the list above will be supported.

**TRACE ELEMENTS**

Syngenta UK Ltd will support the tank mixing of **one** of the named trace elements with an existing 2 or 3-way tank mix including OLUPAL. Syngenta UK Ltd advise that the trace element part of the tank mix is added to the sprayer tank last with constant agitation and the mixture is sprayed without delay.

Bittersalz  
Headland Boron 15  
Headland Copper  
Headland Manganese 15%Headland Multiple Pro  
Headland Trice  
Headland Zinc 700<sup>1</sup>  
YaraVita Bortrac 150YaraVita Coptrel 500  
YaraVita Croplift Pro  
YaraVita Mancozin  
YaraVita Mancuflo**NOTES**

Before using any tank mixture, consult and comply with the recommendations of the partner products. Each product should be added separately to the bulk of the water in the spray tank and thoroughly mixed before adding the next chemical. Always use constant agitation of the sprayer tank during mixing, transportation and application. Spray immediately.

<sup>1</sup> Continuous agitation required.

<sup>2</sup> Ally Max SX = can read across to all FMC SUs.

<sup>3</sup> Tested and supported by Rotam.

<sup>4</sup> Tested and supported by BASF.

<sup>5</sup> Tested and supported by Interagro.

The following 3-way tank mixes have been tested and are **physically compatible**:

OLUPAL + Inception Xpro + Mobius

OLUPAL + Inception Xpro + Jaunt<sup>1</sup>

OLUPAL + Inception Xpro + Zephyr

OLUPAL + Rylox + Arizona<sup>4</sup>

OLUPAL + Rylox + Sorrento<sup>4</sup>

OLUPAL + Rylox + Arizona + Sorrento<sup>4</sup>

LERAP: None

Rainfastness: 1 hour

**Use plant protection products safely. Always read the label  
and product information before use.**

©Syngenta AG, February 2022



**For further information contact us on 0800 169 6058**

**e-mail: [customer.services@syngenta.com](mailto:customer.services@syngenta.com)**

Syngenta UK Ltd, Fulbourn, Cambridge CB21 5XE.

Tel: (01223) 884300. Fax: (01223) 281245. Website: <http://www.syngenta.co.uk>