According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



MODDUS

Version Revision Date: SDS Number: This version replaces all previous versions.

14.0 08.03.2022 S1233851

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **MODDUS**

Design code A7725M

Product Registration Number : MAPP 15151

RVYK-238G-D00G-S06W Unique Formula Identifier

(UFI)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Plant growth regulator

Substance/Mixture

Recommended restrictions professional use

on use professional use

1.3 Details of the supplier of the safety data sheet

Syngenta UK Limited Company

CPC4, Capital Park

Fulbourn, Cambridge CB21 5XE

United Kingdom

Telephone : +44 (0) 1223 883400

Telefax +44 (0) 1223 882195

E-mail address of person

: customer.services@syngenta.com responsible for the SDS

1.4 Emergency telephone number

Emergency telephone : +44 1484 538444

number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction. Long-term (chronic) aquatic hazard, H410: Very toxic to aquatic life with long lasting

Category 1 effects.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



MODDUS

Version Revision Date: SDS Number: This version replaces all previous versions.

14.0 08.03.2022 S1233851

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :





Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard

Statements

EUH066

Repeated exposure may cause skin dryness or

cracking.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P280 Wear protective gloves/ protective clothing.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and

water.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container to a licensed hazardouswaste disposal contractor or collection site except for empty triple rinsed clean containers which can be disposed of as non-

hazardous waste.

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



MODDUS

Version Revision Date: SDS Number: This version replaces all previous versions.

14.0 08.03.2022 S1233851

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. EC-No. | Classification | Concentration (% w/w) |
|--|------------------------|--|--------------------------|
| | Index-No. | | |
| | Registration number | | |
| trinexapac-ethyl (ISO) | 95266-40-3 | Skin Sens. 1B; H317 | >= 25 - < 30 |
| | 607-752-00-4 | STOT RE 2; H373 (Gastrointestinal tract) Aquatic Chronic 1; H410 | |
| | | | |
| | | M-Factor (Chronic aquatic toxicity): 1 | |
| poly(oxy-1,2-ethanediyl), alpha- isotridecyl-omega-hydroxy- | 9043-30-5 500-027-2 | Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412 | >= 20 - < 25 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



MODDUS

Version Revision Date: SDS Number: This version replaces all previous versions.

14.0 08.03.2022 S1233851

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Nonspecific

No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : There is no specific antidote available.

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: As the product contains combustible organic components, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Flash back possible over considerable distance.

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear full protective clothing and self-contained breathing

apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses

Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

Keep people away from and upwind of spill/leak. Beware of vapours accumulating to form explosive

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



MODDUS

Version Revision Date: SDS Number: This version replaces all previous versions.

14.0 08.03.2022 S1233851

concentrations. Vapours can accumulate in low areas.

Remove all sources of ignition. Pay attention to flashback.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

When using do not eat, drink or smoke.

Use only in an area containing flame proof equipment. Take precautionary measures against static discharges.

For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep containers tightly closed in a dry, cool and wellventilated place. Keep out of the reach of children. Keep away

from combustible material. Keep in an area equipped with sprinklers. Keep away from food, drink and animal

feedingstuffs. No smoking.

Further information on

storage stability

 Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient

temperatures.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the

approval conditions laid down on the product label.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



MODDUS

Version Revision Date: SDS Number: This version replaces all previous versions.

14.0 08.03.2022 S1233851

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|------------------------|------------|-------------------------------|--------------------|----------|
| trinexapac-ethyl (ISO) | 95266-40-3 | TWA | 5 mg/m3 | Syngenta |

Derived No Effect Level (DNEL):

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|-------------------------------|-----------|-----------------|----------------------------|----------------------|
| fatty acids, C8-10, Me esters | Workers | Dermal | Long-term systemic effects | 103.6 mg/kg |
| | Workers | Inhalation | Long-term systemic effects | 73.6 mg/m3 |
| | Consumers | Oral | Long-term systemic effects | 3.7 mg/kg |
| | Consumers | Dermal | Long-term systemic effects | 51.8 mg/kg |
| | Consumers | Inhalation | Long-term systemic effects | 12.86 mg/m3 |
| castor oil, ethoxylated | Workers | Inhalation | Long-term systemic effects | 16.4 mg/m3 |
| | Workers | Dermal | Long-term systemic effects | 4.67 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 2.9 mg/m3 |
| | Consumers | Dermal | Long-term systemic effects | 1.67 mg/kg bw/day |
| | Consumers | Oral | Long-term systemic effects | 1.67 mg/kg bw/day |

Predicted No Effect Concentration (PNEC):

| | • | |
|-------------------------------|---------------------------|------------------------------------|
| Substance name | Environmental Compartment | Value |
| fatty acids, C8-10, Me esters | Fresh water | 0.0011 mg/l |
| | Fresh water sediment | 0.0265 mg/kg |
| | Marine water | 0.00011 mg/l |
| | Marine sediment | 0.00265 mg/kg |
| | Sewage treatment plant | 3.92 mg/l |
| | Soil | 0.00871 mg/kg |
| castor oil, ethoxylated | Fresh water sediment | 0.0129 mg/kg dry weight (d.w.) |
| | Marine sediment | 0.00129 mg/kg |
| | | dry weight (d.w.) |
| | Soil | 0.00258 mg/kg dry weight (d.w.) |

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



MODDUS

Version Revision Date: SDS Number: This version replaces all previous versions.

14.0 08.03.2022 S1233851

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye protection : No spe

Hand protection

: No special protective equipment required.

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical

breakthrough.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

Respiratory protection : No personal respiratory protective equipment normally

required.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.
When selecting personal protective equipment, seek

appropriate professional advice.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



MODDUS

Version Revision Date: SDS Number: This version replaces all previous versions.

14.0 08.03.2022 S1233851

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : brown orange

Odour : unpleasant

Odour Threshold : No data available

pH : 2-6

Concentration: 1 % w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : 80 °C

Method: Pensky-Martens closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Relative vapour density : No data available

Density : 0.96 - 1.00 g/cm3 (20 °C)

Solubility(ies)

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : 250 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 10.01 mPa.s (20 °C)

5.45 mPa.s (40 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



MODDUS

Version Revision Date: SDS Number: This version replaces all previous versions.

14.0 08.03.2022 S1233851

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Surface tension : 28.2 - 28.5 mN/m, 20 °C

Particle size : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Hazardous decomposition

products

: No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Ingestion

exposure Inhalation Skin contact

Skin contact Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.51 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



MODDUS

Version Revision Date: SDS Number: This version replaces all previous versions.

14.0 08.03.2022 S1233851

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

trinexapac-ethyl (ISO):

Acute oral toxicity : LD50 (Rat, male and female): 4,460 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.69 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:

Acute oral toxicity : LD50 (Rat): 1,940 mg/kg

Skin corrosion/irritation

Product:

Species : Rabbit

Result : No skin irritation

Species : Rabbit

Result : Repeated exposure may cause skin dryness or cracking.

Components:

trinexapac-ethyl (ISO):

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit

Result : No eye irritation

Components:

trinexapac-ethyl (ISO):

Species : Rabbit

Result : No eye irritation

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



MODDUS

Version Revision Date: SDS Number: This version replaces all previous versions.

14.0 08.03.2022 S1233851

poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:

Species : Rabbit

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Product:

Species : Guinea pig

Result : May cause sensitisation by skin contact.

Components:

trinexapac-ethyl (ISO):

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Components:

trinexapac-ethyl (ISO):

Germ cell mutagenicity-

Assessment

: Animal testing did not show any mutagenic effects.

poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:

Germ cell mutagenicity- : In

Assessment

: In vitro tests did not show mutagenic effects

Carcinogenicity

Components:

trinexapac-ethyl (ISO):

Carcinogenicity - : No evidence of carcinogenicity in animal studies.

Assessment

Reproductive toxicity

Components:

trinexapac-ethyl (ISO):

Reproductive toxicity - : No toxicity to reproduction

Assessment

STOT - repeated exposure

Components:

trinexapac-ethyl (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



MODDUS

Version Revision Date: SDS Number: This version replaces all previous versions.

14.0 08.03.2022 S1233851

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna Straus): 2.9 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Anabaena flos-aquae (cyanobacterium)): 8.3 mg/l

Exposure time: 96 h

ErC50 (Lemna gibba (gibbous duckweed)): 55 mg/l

Exposure time: 7 d

NOEC (Anabaena flos-aquae (cyanobacterium)): 8.0 mg/l

End point: Growth rate Exposure time: 96 h

NOEC (Lemna gibba (gibbous duckweed)): 8.0 mg/l

End point: Frond growth Exposure time: 7 d

Components:

trinexapac-ethyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 68 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Americamysis): 6.5 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

24.5 mg/l

Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 8.0

mg/l

End point: Growth rate Exposure time: 96 h

ErC50 (Myriophyllum spicatum (Eurasian watermilfoil)): 1.2

ma/l

Exposure time: 14 d

EC10 (Myriophyllum spicatum (Eurasian watermilfoil)): 0.011

ng/I

End point: Growth rate Exposure time: 14 d

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



MODDUS

SDS Number: Version Revision Date: This version replaces all previous versions.

14.0 08.03.2022 S1233851

Toxicity to microorganisms EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Toxicity to fish (Chronic

toxicity)

: NOEC: 0.41 mg/l Exposure time: 35 d

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other : NOEC: 2.4 mg/l

aquatic invertebrates (Chronic toxicity)

Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

: 1

Ecotoxicology Assessment

Acute aquatic toxicity Toxic to aquatic life.

poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:

: LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 5 - 10 mg/l

Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity This product has no known ecotoxicological effects.

Chronic aquatic toxicity Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

trinexapac-ethyl (ISO):

Biodegradability Result: Not readily biodegradable.

Stability in water Degradation half life: 3.9 - 5.5 d

Remarks: Product is not persistent.

12.3 Bioaccumulative potential

Components:

trinexapac-ethyl (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: -2.1 (25 °C)

log Pow: -0.29 (25 °C)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



MODDUS

Version Revision Date: SDS Number: This version replaces all previous versions.

14.0 08.03.2022 S1233851

log Pow: 1.5 (25 °C)

12.4 Mobility in soil

Components:

trinexapac-ethyl (ISO):

Distribution among

environmental compartments

Stability in soil Dissipation time: < 0.2 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Remarks: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

This substance/mixture contains no components considered Assessment

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

trinexapac-ethyl (ISO):

Assessment This substance is not considered to be persistent,

> bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating

(vPvB).

12.6 Other adverse effects

Product:

Endocrine disrupting

potential

The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging Empty remaining contents.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



MODDUS

Version Revision Date: SDS Number: This version replaces all previous versions.

14.0 08.03.2022 S1233851

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TRINEXAPAC-ETHYL)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TRINEXAPAC-ETHYL)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TRINEXAPAC-ETHYL)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(TRINEXAPAC-ETHYL)

14.3 Transport hazard class(es)

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



MODDUS

Version Revision Date: SDS Number: This version replaces all previous versions.

14.0 08.03.2022 S1233851

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction : 964

(passenger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 3

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



MODDUS

Version Revision Date: SDS Number: This version replaces all previous versions.

14.0 08.03.2022 S1233851

REACH - Candidate List of Substances of Very High : Not applicable

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that : Not applicable

deplete the ozone layer

Regulation (EU) 2019/1021 on persistent organic : Not applicable

pollutants (recast)

UK REACH List of substances subject to authorisation : Not applicable

(Annex XIV)

GB Export and import of hazardous chemicals - Prior : Not applicable

Informed Consent (PIC) Regulation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2

E1 ENVIRONMENTAL 100 t 200 t

HAZARDS

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.

H317 : May cause an allergic skin reaction. H318 : Causes serious eye damage.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H410 : Very toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



MODDUS

Version Revision Date: SDS Number: This version replaces all previous versions.

14.0 08.03.2022 S1233851

concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Skin Sens. 1 H317 Based on product data or assessment

Aquatic Chronic 1 H410 Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB/EN