

Version	Revisi
14.0	09.03.

vision Date: 03.2022 SDS Number: S1416777088 This version replaces all previous versions.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name	:	SCITEC
Design code	:	A7725M
Product Registration Number	:	MAPP 15588
Unique Formula Identifier (UFI)	:	13Y2-E09F-G00U-UJ3U

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	Plant growth regulator
Recommended restrictions on use	:	professional use

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Syngenta UK Limited CPC4, Capital Park Fulbourn, Cambridge CB21 5XE United Kingdom
Telephone	:	+44 (0) 1223 883400
Telefax	:	+44 (0) 1223 882195
E-mail address of person responsible for the SDS	:	customer.services@syngenta.com

#### 1.4 Emergency telephone number

Emergency telephone	: +44 1484 538444
number	

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard,	H410: Very toxic to aquatic life with long lasting
Category 1	effects.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## SCITEC

Version

14.0

Revision Date:	
09.03.2022	

SDS Number: S1416777088 This version replaces all previous versions.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	<ul><li>H317 May cause an allergic skin reaction.</li><li>H410 Very toxic to aquatic life with long lasting effects.</li></ul>
Supplemental Hazard Statements	:	EUH066 Repeated exposure may cause skin dryness or cracking.
Precautionary statements	:	<ul> <li>P102 Keep out of reach of children.</li> <li>Prevention:</li> <li>P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.</li> <li>P280 Wear protective gloves/ protective clothing.</li> </ul>
		Response:P302 + P352IF ON SKIN: Wash with plenty of soap and water.P333 + P313If skin irritation or rash occurs: Get medical advice/ attention.P362 + P364Take off contaminated clothing and wash it before reuse.P391Collect spillage.Disposal:P501P501Dispose of contents/container to a licensed hazardous- 
Additional Labelling		triple rinsed clean containers which can be disposed of as non- hazardous waste.

EUH401

To avoid risks to human health and the environment, comply with the instructions for use.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Version	Revision Date:	SDS Number:	This version replaces all previous versions.
14.0	09.03.2022	S1416777088	

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
trinexapac-ethyl (ISO)	95266-40-3 607-752-00-4	Skin Sens. 1B; H317 STOT RE 2; H373 (Gastrointestinal tract) Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 1	>= 25 - < 30
poly(oxy-1,2-ethanediyl), alpha- isotridecyl-omega-hydroxy-	9043-30-5 500-027-2	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 20 - < 25

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
If inhaled	:	Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control centre immediately.
In case of skin contact	:	Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.

#### **SAFETY DATA SHEET** According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



SCITEC Version Revision Date: 14.0 09.03.2022		DS Number: This version replaces all previous versions. 1416777088
14.0 09.03.2022	S1	
If swallowed	:	
		If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.
4.2 Most important symptoms	and e	effects, both acute and delayed
Symptoms	:	Nonspecific No symptoms known or expected.
4.3 Indication of any immediat	e meo	dical attention and special treatment needed
Treatment	:	There is no specific antidote available. Treat symptomatically.
SECTION 5: Firefighting me	asur	es
5.1 Extinguishing media		
Suitable extinguishing media	a :	Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam
Unsuitable extinguishing media	:	Do not use a solid water stream as it may scatter and spread fire.
5.2 Special hazards arising fro	m the	e substance or mixture
Specific hazards during firefighting	:	As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health. Flash back possible over considerable distance.
5.3 Advice for firefighters		
Special protective equipmer for firefighters	nt :	Wear full protective clothing and self-contained breathing apparatus.
Further information	:	Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.

### **SECTION 6:** Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version 14.0	Revision Date: 09.03.2022	SDS Number: S1416777088	This version replaces all previous versions.
		concentrations. Remove all sour Pay attention to	0
6.2 Enviro	nmental precautions		
Enviro	nmental precautions	Do not flush into	eakage or spillage if safe to do so. surface water or sanitary sewer system. ntaminates rivers and lakes or drains inform rities.
	Is and material for co		ing up

Methods for cleaning up	<ul> <li>Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).</li> <li>Clean contaminated surface thoroughly.</li> <li>Clean with detergents. Avoid solvents.</li> <li>Retain and dispose of contaminated wash water.</li> </ul>
-------------------------	---

#### 6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

#### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling					
	Advice on safe handling :		Avoid contact with skin and eyes. When using do not eat, drink or smoke. Use only in an area containing flame proof equipment. Take precautionary measures against static discharges. For personal protection see section 8.		
7.2	Conditions for safe storage, in	cl	uding any incompatibilities		
	Requirements for storage : areas and containers		Keep containers tightly closed in a dry, cool and well- ventilated place. Keep out of the reach of children. Keep away from combustible material. Keep in an area equipped with sprinklers. Keep away from food, drink and animal feedingstuffs. No smoking.		
	Further information on : storage stability		Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.		
7.3	Specific end use(s)				
	Specific use(s) :		For proper and safe use of this product, please refer to the approval conditions laid down on the product label.		



Version 14.0 Revision Date: 09.03.2022

SDS Number: S1416777088

This version replaces all previous versions.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
trinexapac-ethyl (ISO)	95266-40-3	TWA	5 mg/m3	Syngenta

#### Derived No Effect Level (DNEL):

		-		
Substance name	End Use	Exposure routes	Potential health effects	Value
fatty acids, C8-10, Me esters	Workers	Dermal	Long-term systemic effects	103.6 mg/kg
	Workers	Inhalation	Long-term systemic effects	73.6 mg/m3
	Consumers	Oral	Long-term systemic effects	3.7 mg/kg
	Consumers	Dermal	Long-term systemic effects	51.8 mg/kg
	Consumers	Inhalation	Long-term systemic effects	12.86 mg/m3
castor oil, ethoxylated	Workers	Inhalation	Long-term systemic effects	16.4 mg/m3
	Workers	Dermal	Long-term systemic effects	4.67 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2.9 mg/m3
	Consumers	Dermal	Long-term systemic effects	1.67 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	1.67 mg/kg bw/day

#### Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
fatty acids, C8-10, Me esters	Fresh water	0.0011 mg/l
	Fresh water sediment	0.0265 mg/kg
	Marine water	0.00011 mg/l
	Marine sediment	0.00265 mg/kg
	Sewage treatment plant	3.92 mg/l
	Soil	0.00871 mg/kg
castor oil, ethoxylated	Fresh water sediment	0.0129 mg/kg dry weight (d.w.)
	Marine sediment	0.00129 mg/kg
		dry weight (d.w.)
	Soil	0.00258 mg/kg dry weight (d.w.)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## SCITEC

Version 14.0 Revision Date: 09.03.2022

SDS Number: S1416777088

This version replaces all previous versions.

#### 8.2 Exposure controls

#### Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

#### Personal protective equipment

Eye protection Hand protection	:	No special protective equipment required.
Material Break through time Glove thickness	:	Nitrile rubber > 480 min 0.5 mm
Remarks	:	Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Remove and wash contaminated clothing before re-use. Wear as appropriate: Impervious clothing
Respiratory protection	:	No personal respiratory protective equipment normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Protective measures	:	The use of technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice.



According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

## SCITEC

Version 14.0	Revision Date: 09.03.2022	SDS Number: S1416777088	This version replaces all previous versions.
14.0	09.03.2022	S1416777088	

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance Colour	:	liquid brown orange
Odour Odour Threshold	:	unpleasant No data available
рН	:	2 - 6 Concentration: 1 % w/v
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	80 °C Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Relative vapour density	:	No data available
Density	:	0.96 - 1.00 g/cm3 (20 °C)
Solubility(ies) Solubility in other solvents	:	No data available
Partition coefficient: n-	:	No data available
octanol/water Auto-ignition temperature	:	250 °C
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	10.01 mPa.s (20 °C)
		5.45 mPa.s (40 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive



SCITE	С					
Version 14.0	Revision Date: 09.03.2022		S Number: 416777088	This version replaces all previous versions.		
Oxidiz	ing properties	:	The substance of	or mixture is not classified as oxidizing.		
9.2 Other i	information					
Surfac	ce tension	:	28.2 - 28.5 mN/m, 20 °C			
Partic	le size	:	No data availab	le		
SECTION	10: Stability and rea	icti	vity			
10.1 React	t <b>ivity</b> reasonably foreseeable.					
	nical stability					
	e under normal condition	s.				
	bility of hazardous rea	ctio				
Hazar	dous reactions	:	No dangerous r	eaction known under conditions of normal use.		
10.4 Cond	itions to avoid					
Condi	tions to avoid	:	No decomposition if used as directed.			
10.5 Incon	npatible materials					
	ials to avoid	:	: None known.			
10.6 Hazar	dous decomposition p	oroc	lucts			
	dous decomposition	:		lecomposition products are known.		
SECTION	11: Toxicological in	for	mation			
11.1 Inforr	nation on toxicologica	l eff	ects			
	nation on likely routes of	:	Ingestion			
expos	ure		Inhalation Skin contact Eye contact			
Acute	toxicity					
<u>Produ</u>	<u>ict:</u>					
Acute	oral toxicity	:	LD50 (Rat, male	and female): > 5,000 mg/kg		
Acute	inhalation toxicity	:	LC50 (Rat, male and female): > 2.51 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity			



SCITEC	
Version Revision Date: 14.0 09.03.2022	SDS Number: This version replaces all previous versions. S1416777088
Acute dermal toxicity	: LD50 (Rat, male and female): > 4,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity
Components:	
trinexapac-ethyl (ISO):	
Acute oral toxicity	: LD50 (Rat, male and female): 4,460 mg/kg
Acute inhalation toxicity	<ul> <li>LC50 (Rat, male and female): &gt; 5.69 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity</li> </ul>
Acute dermal toxicity	: LD50 (Rat, male and female): > 4,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity
poly(oxy-1,2-ethanediyl), al	oha-isotridecyl-omega-hydroxy-:
Acute oral toxicity	
Skin corrosion/irritation	
Product:	
Species Result	: Rabbit : No skin irritation
Species Result	: Rabbit : Repeated exposure may cause skin dryness or cracking.
Result	. Repeated exposure may cause skill dryness of clacking.
Components:	
trinexapac-ethyl (ISO):	
Species Result	: Rabbit : No skin irritation
Serious eye damage/eye irr	itation
Product:	
Species Result	: Rabbit : No eye irritation
Components:	
trinexapac-ethyl (ISO):	
Species Result	: Rabbit : No eye irritation



SCITEC         Version       Revision Date:       SDS Number:       This version replaces all previous versions.         14.0       09.03.2022       S1416777088         poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:       Species         Species       :       Rabbit         Result       :       Inreversible effects on the eye         Product:       Species       :         Species       :       Outpect         Species       :       May cause sensitisation by skin contact.         Product:       Species       :         Species       :       May cause sensitisation by skin contact.         Components:       trinexapac-ethyl (ISO):       Test Type         Test Type       :       Local lymph node assay (LLNA)         Species       :       Mouse         Result       :       Did not cause sensitisation on laboratory animals.         Germ cell mutagenicity       :       Animal testing did not show any mutagenic effects.         Assessment       :       In vitro tests did not show mutagenic effects.         Assessment       :       In vitro tests did not show mutagenic effects.         Assessment       :       No evidence of carcinogenicity in animal studies.         Assessm						
14.0       09.03.2022       S1416777088         poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:       Species       Rabbit         Result       :       Irreversible effects on the eye         Result       :         Product:         Species       :       Guinea pig         Result       :       May cause sensitisation by skin contact.         Components:         trinexapac-ethyl (ISO):         Test Type       :       Local lymph node assay (LLNA)         Species       :       Mouse         Result       :       Did not cause sensitisation on laboratory animals.         Germ cell mutagenicity         Species       :       Animal testing did not show any mutagenic effects.         Assessment       :       In vitro tests did not show mutagenic effects         Assessment       :       In vitro tests did not show mutagenic effects         Assessment       :       In vitro tests did not show mutagenic effects         Assessment       :       No evidence of carcinogenicity in animal studies.         Assessment       :       No toxicity to reproduction         Assessment       :       No toxicity to reproduction         Assessment       : </td <td>SCIT</td> <td>TEC</td> <td></td> <td></td> <td></td>	SCIT	TEC				
Species       : Rabbit         Result       : Irreversible effects on the eye         Respiratory or skin sensitisation         Product:         Species       : Guinea pig         Result       : May cause sensitisation by skin contact.         Components:       it inexapac-ethyl (ISO):         Test Type       : Local lymph node assay (LLNA)         Species       : Mouse         Result       : Did not cause sensitisation on laboratory animals.         Gern cell mutagenicity       : Animal testing did not show any mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment <td></td> <td></td> <td></td> <td></td> <td>This version replaces all previous versions.</td>					This version replaces all previous versions.	
Result       : Irreversible effects on the eye         Respiratory or skin sensitisation         Product:         Species       : Guinea pig         Result       : May cause sensitisation by skin contact.         Components:         trinexapac-ethyl (ISO):         Test Type       : Local lymph node assay (LLNA)         Species       : Mouse         Result       : Did not cause sensitisation on laboratory animals.         Gern cell mutagenicity       Components:         trinexapac-ethyl (ISO):       .         Gern cell mutagenicity-       : Animal testing did not show any mutagenic effects.         Assessment       .         poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:         Gern cell mutagenicity-       : In vitro tests did not show mutagenic effects.         Assessment       .         poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:         Gern cell mutagenicity-       : In vitro tests did not show mutagenic effects         Assessment       .         Carcinogenicity       : No evidence of carcinogenicity in animal studies.         Assessment       .         Reproductive toxicity       .         Reproductive toxicity       .         Reproductive toxicity -       .	ро	oly(oxy-1,2-ethanediyl), alp	oha∙	isotridecyl-omeg	a-hydroxy-:	
Respiratory or skin sensitisation         Product:         Species       ::         Result       ::         May cause sensitisation by skin contact.         Components:         trinexapac-ethyl (ISO):         Test Type       ::         Species       ::         Result       :         Species       ::         Mouse       :         Result       :         Components:       :         Trinexapac-ethyl (ISO):       :         Result       :         Components:       :         trinexapac-ethyl (ISO):       :         Cern cell mutagenicity-       :         Assessment       :         poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:         Gern cell mutagenicity-       :         Assessment       :         Doponents:       :         trinexapac-ethyl (ISO):       :         Carcinogenicity       :         Assessment       :         Reproductive toxicity       :         Moterial carcingenicity:       :         Assessment       :         Reproductive toxicity:       : <t< td=""><td></td><td></td><td>:</td><td></td><td></td></t<>			:			
Product:         Species       : Guinea pig         Result       : May cause sensitisation by skin contact.         Components:         trinexapac-ethyl (ISO):         Test Type       : Local lymph node assay (LLNA)         Species       : Mouse         Result       : Did not cause sensitisation on laboratory animals.         Germ cell mutagenicity       : Did not cause sensitisation on laboratory animals.         Germ cell mutagenicity-       : Animal testing did not show any mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects.	Re	esult	: Irreversible effects on the eye			
Species       : Guinea pig         Result       : May cause sensitisation by skin contact.         Components:       :         trinexapac-ethyl (ISO):       :         Test Type       : Local lymph node assay (LLNA)         Species       : Mouse         Result       : Did not cause sensitisation on laboratory animals.         Germ cell mutagenicity       : Did not cause sensitisation on laboratory animals.         Germ cell mutagenicity       : Animal testing did not show any mutagenic effects.         Assessment       : Species         poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:         Germ cell mutagenicity-       : In vitro tests did not show mutagenic effects         Assessment       : In vitro tests did not show mutagenic effects         Assessment       : In vitro tests did not show mutagenic effects         Assessment       : In vitro tests did not show mutagenic effects         Assessment       : In vitro tests did not show mutagenic effects         Assessment       : In vitro tests did not show mutagenic effects         Carcinogenicity       : No evidence of carcinogenicity in animal studies.         Assessment       : Reproductive toxicity         Carcinogenicity - : : No toxicity to reproduction       Assessment         STOT - repeated exposure       : No toxicity to	Re	espiratory or skin sensitis	atio	n		
Result       : May cause sensitisation by skin contact.         Components:       : Trinexapac-ethyl (ISO):         Test Type       : Local lymph node assay (LLNA)         Species       : Mouse         Result       : Did not cause sensitisation on laboratory animals.         Germ cell mutagenicity       : Did not cause sensitisation on laboratory animals.         Germ cell mutagenicity       : Animal testing did not show any mutagenic effects.         Assessment       : Animal testing did not show any mutagenic effects.         Assessment       : In vitro tests did not show mutagenic effects         Poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:       : Germ cell mutagenicity- : In vitro tests did not show mutagenic effects         Assessment       : Oneponents:       : No evidence of carcinogenicity in animal studies.         Assessment       : No evidence of carcinogenicity in animal studies.         Assessment       : No evidence of carcinogenicity in animal studies.         Assessment       : No toxicity to reproduction         Assessment       : No toxicity to reproduction         Assessment       : No toxicity to reproduction         Assessment       : STOT - repeated exposure         Components:       : The substance or mixture is not classified as specific target						
Components:         trinexapac-ethyl (ISO):         Test Type       i. Local lymph node assay (LLNA).         Species       ii Mouse         Result       ii Did not cause sensitisation on laboratory animals.         Germ cell mutagenicity       Did not cause sensitisation on laboratory animals.         Germ cell mutagenicity       Gomponents:         trinexapac-ethyl (ISO):       Germ cell mutagenicity-         Germ cell mutagenicity-       i. Animal testing did not show any mutagenic effects.         Assessment       Germ cell mutagenicity-         poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:       Germ cell mutagenicity-         Germ cell mutagenicity-       i. In vitro tests did not show mutagenic effects.         Assessment       Garcinogenicity         Carcinogenicity       i. In vitro tests did not show mutagenic effects.         Assessment       No evidence of carcinogenicity in animal studies.         Assessment       No evidence of carcinogenicity in animal studies.         Assessment       Reproductive toxicity         Gomponents:       No evidence of carcinogenicity in animal studies.         Assessment       StoT - repeated exposure         StoT - repeated exposure       No toxicity to reproduction         Assessment       StoT - repeated exposure			:			
trinexapac-ethyl (ISO):         Test Type       :       Local lymph node assay (LLNA)         Species       :       Mouse         Result       :       Did not cause sensitisation on laboratory animals.         Germ cell mutagenicity       :       Did not cause sensitisation on laboratory animals.         Germ cell mutagenicity       :       Animal testing did not show any mutagenic effects.         Assessment       poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:         Germ cell mutagenicity-       :       In vitro tests did not show mutagenic effects         Assessment       :       In vitro tests did not show mutagenic effects         Assessment       :       In vitro tests did not show mutagenic effects         Carcinogenicity       :       In vitro tests did not show mutagenic effects         Assessment       :       No evidence of carcinogenicity in animal studies.         Assessment       :       No evidence of carcinogenicity in animal studies.         Assessment       :       No evidence of carcinogenicity in animal studies.         Assessment       :       No evidence of carcinogenicity in animal studies.         Assessment       :       No toxicity to reproduction         Assessment       :       No toxicity to reproduction         Assessment	Re	esult	:	May cause sensit	isation by skin contact.	
Test Type       :       Local lymph node assay (LLNA)         Species       :       Mouse         Result       :       Did not cause sensitisation on laboratory animals.         Germ cell mutagenicity       :       Did not cause sensitisation on laboratory animals.         Germ cell mutagenicity       :       Did not cause sensitisation on laboratory animals.         Germ cell mutagenicity       :       Animal testing did not show any mutagenic effects.         Assessment       :       Animal testing did not show any mutagenic effects.         Assessment       :       In vitro tests did not show mutagenic effects.         Assessment       :       In vitro tests did not show mutagenic effects.         Assessment       :       In vitro tests did not show mutagenic effects.         Assessment       :       In vitro tests did not show mutagenic effects.         Assessment       :       In vitro tests did not show mutagenic effects.         Assessment       :       No evidence of carcinogenicity in animal studies.         Assessment       :       No evidence of carcinogenicity in animal studies.         Assessment       :       No toxicity to reproduction         Assessment       :       No toxicity to reproduction         Assessment       :       No toxicity to reproduction <td><u>Cc</u></td> <td>omponents:</td> <td></td> <td></td> <td></td>	<u>Cc</u>	omponents:				
Species       : Mouse         Result       : Did not cause sensitisation on laboratory animals.         Germ cell mutagenicity       Components:         trinexapac-ethyl (ISO):       Germ cell mutagenicity-         Germ cell mutagenicity-       : Animal testing did not show any mutagenic effects.         Assessment       poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:         Germ cell mutagenicity-       : In vitro tests did not show mutagenic effects.         Assessment       Carcinogenicity         Carcinogenicity       : In vitro tests did not show mutagenic effects.         Assessment       Carcinogenicity         Carcinogenicity       : No evidence of carcinogenicity in animal studies.         Assessment       Reproductive toxicity         Reproductive toxicity       : No toxicity to reproduction         Assessment       : STOT - repeated exposure         Components:       : The substance or mixture is not classified as specific target						
Result       : Did not cause sensitisation on laboratory animals.         Germ cell mutagenicity       Components:         trinexapac-ethyl (ISO):       Germ cell mutagenicity- : Animal testing did not show any mutagenic effects. Assessment         poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:       Germ cell mutagenicity- : In vitro tests did not show mutagenic effects         Assessment       Carcinogenicity         Carcinogenicity       : In vitro tests did not show mutagenic effects         Assessment       Carcinogenicity         Carcinogenicity       : No evidence of carcinogenicity in animal studies.         Assessment       Reproductive toxicity         Components:       : No evidence of carcinogenicity in animal studies.         Assessment       : No evidence of carcinogenicity in animal studies.         Assessment       : No evidence of carcinogenicity in animal studies.         Assessment       : No evidence of carcinogenicity in animal studies.         Assessment       : No toxicity to reproduction         Assessment       : No toxicity to reproduction         Assessment       : STOT - repeated exposure         Components:       : The substance or mixture is not classified as specific target			:		e assay (LLNA)	
Germ cell mutagenicity         Components:         trinexapac-ethyl (ISO):         Germ cell mutagenicity-       : Animal testing did not show any mutagenic effects.         Assessment         poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:         Germ cell mutagenicity-       : In vitro tests did not show mutagenic effects.         Assessment         Carcinogenicity       : In vitro tests did not show mutagenic effects.         Assessment         Carcinogenicity         Carcinogenicity -         Carcinogenicity -         Carcinogenicity -         Carcinogenicity -         Carcinogenicity -         Reproductive toxicity         Components:         trinexapac-ethyl (ISO):         Reproductive toxicity -         STOT - repeated exposure         Components:         STOT - repeated exposure         Components:         trinexapac-ethyl (ISO):         Assessment         STOT - repeated exposure         Components:         trinexapac-ethyl (ISO):         Assessment         trinexapac-ethyl (ISO):         Assessment         trinexapac-ethyl (ISO):         Assessment         trinexap			÷		sitisation on laboratory animals	
Components:         trinexapac-ethyl (ISO):         Germ cell mutagenicity-       : Animal testing did not show any mutagenic effects.         Assessment         poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:         Germ cell mutagenicity-       : In vitro tests did not show mutagenic effects         Assessment         Carcinogenicity       : In vitro tests did not show mutagenic effects         Assessment         Carcinogenicity         Carcinogenicity         Carcinogenicity         Carcinogenicity -         Reproductive toxicity         Reproductive toxicity -         Reproductive toxicity -         STOT - repeated exposure         Components:         trinexapac-ethyl (ISO):         Assessment         STOT - repeated exposure         Components:         trinexapac-ethyl (ISO):         Assessment         Torepeated e			•			
trinexapac-ethyl (ISO):         Germ cell mutagenicity- Assessment       Animal testing did not show any mutagenic effects.         poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:         Germ cell mutagenicity- Assessment       In vitro tests did not show mutagenic effects         Germ cell mutagenicity- Assessment       In vitro tests did not show mutagenic effects         Carcinogenicity       In vitro tests did not show mutagenic effects         Assessment       Carcinogenicity         Carcinogenicity       In vitro tests did not show mutagenic effects         Assessment       Carcinogenicity         Carcinogenicity       In vitro tests did not show mutagenic effects         Assessment       Carcinogenicity         Carcinogenicity       In vitro tests did not show mutagenic effects         Assessment       Carcinogenicity         Carcinogenicity       In vitro tests did not show mutagenic effects         Assessment       No evidence of carcinogenicity in animal studies.         Assessment       Reproductive toxicity         Reproductive toxicity       In vitro testicity to reproduction         Assessment       STOT - repeated exposure         Components:       In vitro testicity to reproduction         Assessment       Stop - repeated exposure         Carcinogenetis:       In						
Germ cell mutagenicity- Assessment       Animal testing did not show any mutagenic effects. Assessment         poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-: Germ cell mutagenicity- Assessment       In vitro tests did not show mutagenic effects Assessment         Carcinogenicity       In vitro tests did not show mutagenic effects         Assessment       Carcinogenicity         Carcinogenicity       In vitro tests did not show mutagenic effects         Assessment       Carcinogenicity         Carcinogenicity       In vitro tests did not show mutagenic effects         Assessment       Carcinogenicity         Carcinogenicity       In vitro tests did not show mutagenic effects         Assessment       Components:         trinexapac-ethyl (ISO):       No evidence of carcinogenicity in animal studies.         Assessment       No toxicity to reproduction         Assessment       STOT - repeated exposure         Components:       Trinexapac-ethyl (ISO):         Assessment       The substance or mixture is not classified as specific target						
Assessment         poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:         Germ cell mutagenicity-         Assessment         Carcinogenicity         Carcinogenicity         Components:         trinexapac-ethyl (ISO):         Carcinogenicity -         Carcinogenicity -         Carcinogenicity -         Carcinogenicity -         Keproductive toxicity         Components:         trinexapac-ethyl (ISO):         Reproductive toxicity -         Stot - repeated exposure         Components:         trinexapac-ethyl (ISO):         Assessment         Stot - repeated exposure         Components:         trinexapac-ethyl (ISO):         Assessment         Stot - repeated exposure         Components:         trinexapac-ethyl (ISO):         Assessment         Stot - repeated exposure         Components:         trinexapac-ethyl (ISO):         Assessment       : The substance or mixture is not classified as specific target						
Germ cell mutagenicity- Assessment       : In vitro tests did not show mutagenic effects         Assessment       : Carcinogenicity         Components:       : trinexapac-ethyl (ISO):         Carcinogenicity - Assessment       : No evidence of carcinogenicity in animal studies.         Reproductive toxicity       : No evidence of carcinogenicity in animal studies.         Reproductive toxicity       : No toxicity to reproduction         Resessment       : No toxicity to reproduction         Assessment       : No toxicity to reproduction         Assessment       : The substance or mixture is not classified as specific target			:	Animal testing did	a not snow any mutagenic effects.	
Assessment       Carcinogenicity         Components:       trinexapac-ethyl (ISO):         Carcinogenicity -       : No evidence of carcinogenicity in animal studies.         Assessment       Reproductive toxicity         Components:       trinexapac-ethyl (ISO):         Reproductive toxicity -       : No toxicity to reproduction         Assessment       STOT - repeated exposure         Components:       trinexapac-ethyl (ISO):         Reproductive toxicity -       : No toxicity to reproduction         Assessment       STOT - repeated exposure         Components:       trinexapac-ethyl (ISO):         Assessment       : The substance or mixture is not classified as specific target	ро	oly(oxy-1,2-ethanediyl), alp	oha∙	isotridecyl-omeg	a-hydroxy-:	
Components:         trinexapac-ethyl (ISO):         Carcinogenicity -         Assessment         Reproductive toxicity         Components:         trinexapac-ethyl (ISO):         Reproductive toxicity -         Stort - repeated exposure         Components:         trinexapac-ethyl (ISO):         Assessment         Stort - repeated exposure         Components:         trinexapac-ethyl (ISO):         Assessment         Stort - repeated exposure         Camponents:         trinexapac-ethyl (ISO):         Assessment         The substance or mixture is not classified as specific target		0,	:	In vitro tests did n	ot show mutagenic effects	
trinexapac-ethyl (ISO):Carcinogenicity - Assessment: No evidence of carcinogenicity in animal studies.Reproductive toxicity: No evidence of carcinogenicity in animal studies.Components:: No toxicity of carcinogenicity in animal studies.trinexapac-ethyl (ISO):: No toxicity to reproductionAssessment: No toxicity to reproductionSTOT - repeated exposure: No toxicity to reproductionComponents:: The substance or mixture is not classified as specific target	Ca	arcinogenicity				
Carcinogenicity - Assessment       : No evidence of carcinogenicity in animal studies.         Reproductive toxicity       :         Components: trinexapac-ethyl (ISO): Reproductive toxicity - Assessment       : No toxicity to reproduction Assessment         STOT - repeated exposure       :         Components: trinexapac-ethyl (ISO): Assessment       : No toxicity to reproduction Assessment         STOT - repeated exposure       :         Components: trinexapac-ethyl (ISO): Assessment       : The substance or mixture is not classified as specific target	<u>Cc</u>	omponents:				
Assessment       Reproductive toxicity         Components:       trinexapac-ethyl (ISO):         Reproductive toxicity -       :         Assessment       :         STOT - repeated exposure         Components:         trinexapac-ethyl (ISO):         Assessment         STOT - repeated exposure         Components:         trinexapac-ethyl (ISO):         Assessment         :       The substance or mixture is not classified as specific target	tri	nexapac-ethyl (ISO):				
Components:         trinexapac-ethyl (ISO):         Reproductive toxicity -       : No toxicity to reproduction         Assessment         STOT - repeated exposure         Components:         trinexapac-ethyl (ISO):         Assessment         : The substance or mixture is not classified as specific target			:	No evidence of ca	arcinogenicity in animal studies.	
trinexapac-ethyl (ISO):	Re	eproductive toxicity				
Reproductive toxicity -       : No toxicity to reproduction         Assessment       : No toxicity to reproduction         STOT - repeated exposure       : Components:         trinexapac-ethyl (ISO):       : The substance or mixture is not classified as specific target	<u>Cc</u>	omponents:				
Reproductive toxicity -       : No toxicity to reproduction         Assessment       : No toxicity to reproduction         STOT - repeated exposure       : Components:         trinexapac-ethyl (ISO):       : The substance or mixture is not classified as specific target	tri	nexapac-ethyl (ISO):				
Assessment STOT - repeated exposure Components: trinexapac-ethyl (ISO): Assessment The substance or mixture is not classified as specific target			:	No toxicity to repr	oduction	
Components:         trinexapac-ethyl (ISO):         Assessment       : The substance or mixture is not classified as specific target			-			
trinexapac-ethyl (ISO): Assessment : The substance or mixture is not classified as specific target	ST	OT - repeated exposure				
Assessment : The substance or mixture is not classified as specific target	<u>Cc</u>	omponents:				
Assessment : The substance or mixture is not classified as specific target	tri	nexapac-ethyl (ISO):				
			:	The substance or	mixture is not classified as specific target	

#### **SAFETY DATA SHEET** According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## SCITEC

Version

14.0

Revision Date: 09.03.2022

SDS Number: S1416777088

This version replaces all previous versions.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna Straus): 2.9 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Anabaena flos-aquae (cyanobacterium)): 8.3 mg/l Exposure time: 96 h
		ErC50 (Lemna gibba (gibbous duckweed)): 55 mg/l Exposure time: 7 d
		NOEC (Anabaena flos-aquae (cyanobacterium)): 8.0 mg/l End point: Growth rate Exposure time: 96 h
		NOEC (Lemna gibba (gibbous duckweed)): 8.0 mg/l End point: Frond growth Exposure time: 7 d
Components:		
trinexapac-ethyl (ISO):		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 68 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Americamysis): 6.5 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 24.5 mg/l Exposure time: 96 h
		NOEC (Raphidocelis subcapitata (freshwater green alga)): 8.0 mg/l End point: Growth rate Exposure time: 96 h
		ErC50 (Myriophyllum spicatum (Eurasian watermilfoil)): 1.2 mg/l Exposure time: 14 d
		EC10 (Myriophyllum spicatum (Eurasian watermilfoil)): 0.011 mg/l End point: Growth rate Exposure time: 14 d

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## SCITEC

		•			
Vers 14.0		Revision Date: 09.03.2022	-	S Number: 416777088	This version replaces all previous versions.
	Toxicity	to microorganisms	:	EC50 (activated sl Exposure time: 3 h	
	Toxicity toxicity)	to fish (Chronic	:	Exposure time: 35	d les promelas (fathead minnow)
	aquatic	to daphnia and other invertebrates c toxicity)	:	Exposure time: 21	d magna (Water flea)
	M-Facto toxicity)	or (Chronic aquatic	:	1	
	Ecotox	icology Assessment			
		quatic toxicity	:	Toxic to aquatic lif	e.
	polv(ox	y-1,2-ethanediyl), alp	ha-	isotridecvl-omeaa	a-hvdroxv-:
	Toxicity		:		(zebra fish)): > 1 - 10 mg/l
		to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 5 - 10 mg/l h
	Ecotox	icology Assessment			
		quatic toxicity	:	This product has r	no known ecotoxicological effects.
	Chronic	aquatic toxicity	:	Harmful to aquatic	life with long lasting effects.
12.2	Persist	ence and degradabili	ty		
	<u>Compo</u>	nents:			
	trinexa	pac-ethyl (ISO):			
		adability	:	Result: Not readily	biodegradable.
	Stability	in water	:	Degradation half li Remarks: Product	
12.3	Bioacc	umulative potential			
	<u>Compo</u>	nents:			
	trinexa	pac-ethyl (ISO):			
		imulation	:	Remarks: Does no	ot bioaccumulate.
	Partitior octanol/	n coefficient: n- Water	:	log Pow: -2.1 (25	°C)
				log Pow: -0.29 (25	°C)



SC	CITEC				
Ver: 14.(	sion )	Revision Date: 09.03.2022		DS Number: 416777088	This version replaces all previous versions.
				log Pow: 1.5 (25 °	C)
12.4	4 Mobili	ty in soil			
	Compo	onents:			
	trinexa	pac-ethyl (ISO):			
	Distribu	ution among mental compartments	:	Remarks: Modera	tely mobile in soils
		y in soil	:	Dissipation time: · Percentage dissip Remarks: Produc	ation: 50 % (DT50)
12.5	5 Result	s of PBT and vPvB as	se	ssment	
	<u>Produc</u>	<u>ct:</u>			
	Assess	ment	:	to be either persis	ixture contains no components considered tent, bioaccumulative and toxic (PBT), or d very bioaccumulative (vPvB) at levels of
	Compo	onents:			
	trinexa	pac-ethyl (ISO):			
	Assess	sment	:	bioaccumulating a	not considered to be persistent, and toxic (PBT) This substance is not very persistent and very bioaccumulating
12.6	6 Other	adverse effects			
	Produc	<u>ct:</u>			
	Endocr potenti	ine disrupting al	:	considered to hav to REACH Article	xture does not contain components e endocrine disrupting properties according 57(f) or Commission Delegated regulation r Commission Regulation (EU) 2018/605 at higher.
SECTION 13: Disposal considerations					
13 1	1 Waste	treatment methods			
	Produc		:	chemical or used Do not dispose of Where possible re incineration.	te ponds, waterways or ditches with container. waste into sewer. ecycling is preferred to disposal or practicable, dispose of in compliance with
	Contan	ninated packaging	:	Empty remaining	contents.



SCITE	C			
Version 14.0	Revision Date: 09.03.2022		OS Number: 416777088	This version replaces all previous versions.
			handling site	ontainers. ners should be taken to an approved waste for recycling or disposal. e empty containers.
SECTION	14: Transport inform	nat	ion	
14.1 UN nu	ımber			
ADR		:	UN 3082	
RID		:	UN 3082	
IMDG		:	UN 3082	
ΙΑΤΑ		:	UN 3082	
14.2 UN pr	oper shipping name			
ADR		:	ENVIRONME N.O.S. (TRINEXAPA	NTALLY HAZARDOUS SUBSTANCE, LIQUID, C-ETHYL)
RID		:	ENVIRONME N.O.S. (TRINEXAPA	NTALLY HAZARDOUS SUBSTANCE, LIQUID, C-ETHYL)
IMDG		:	ENVIRONME N.O.S. (TRINEXAPA	NTALLY HAZARDOUS SUBSTANCE, LIQUID, C-ETHYL)
ΙΑΤΑ		:	Environmenta (TRINEXAPA	ally hazardous substance, liquid, n.o.s. C-ETHYL)
14.3 Trans	port hazard class(es)			
ADR		:	9	
RID		:	9	
IMDG		:	9	
ΙΑΤΑ		:	9	
14.4 Packii	ng group			
Classif Hazard Labels Tunne <b>RID</b> Packin Classif	l restriction code ng group fication Code d Identification Number	:	III M6 90 9 (-) III M6 90 9	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## SCITEC

••••				
Version 14.0	Revision Date: 09.03.2022		DS Number: 416777088	This version replaces all previous versions.
Lat	<b>DG</b> cking group bels nS Code	:	III 9 F-A, S-F	
Pa airc Pa Pa	<b>FA (Cargo)</b> cking instruction (cargo craft) cking instruction (LQ) cking group bels		964 Y964 III Miscellaneous	
Pa (pa Pa Pa	<b>FA (Passenger)</b> cking instruction assenger aircraft) cking instruction (LQ) cking group bels		964 Y964 III Miscellaneous	
14.5 En	vironmental hazards			
<b>AD</b> En	<b>PR</b> vironmentally hazardous	:	yes	
<b>RII</b> En	<b>D</b> vironmentally hazardous	:	yes	
<b>IM</b> I Ma	<b>DG</b> Irine pollutant	:	yes	
	<b>ΓΑ (Passenger)</b> vironmentally hazardous	:	yes	
<b>IA</b> T En	<b>FA (Cargo)</b> vironmentally hazardous	:	yes	

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on	:	Conditions of restriction for the
the market and use of certain dangerous substances,		following entries should be
mixtures and articles (Annex XVII)		considered:
		Number on list 3



Version 14.0	Revision Date: 09.03.2022	SDS Number: S1416777088	This	s ve	rsion replaces all previous versions.
	H - Candidate List of Si rn for Authorisation (Ar	ubstances of Very High ticle 59).	1	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer				:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)				:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)				:	Not applicable
	port and import of haza ed Consent (PIC) Regu	rdous chemicals - Prio Ilation	r	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL	100 t	200 t
	HAZARDS		

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

#### **SECTION 16: Other information**

#### Full text of H-Statements

	Harmful if swallowed. May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H373 :	May cause damage to organs through prolonged or repeated exposure.
	Very toxic to aquatic life with long lasting effects.
H412 :	Harmful to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. :	Acute toxicity
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Eye Dam. :	Serious eye damage
Skin Sens. :	Skin sensitisation
STOT RE :	Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory



Version	Revision Date:
14.0	09.03.2022

SDS Number: S1416777088 This version replaces all previous versions.

concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information		
Classification of the mixture:		Classification procedure:
Skin Sens. 1	H317	Based on product data or assessment
Aquatic Chronic 1	H410	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN