

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ACTELLIC 50 EC
Design code : A5832C
Product Registration Number : MAPP 19325
Unique Formula Identifier (UFI) : 1P3P-N2SM-G007-EWTU

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Insecticide
Recommended restrictions on use : professional use

1.3 Details of the supplier of the safety data sheet

Company : Syngenta UK Limited
CPC4, Capital Park
Fulbourn, Cambridge CB21 5XE
United Kingdom
Telephone : +44 (0) 1223 883400
Telefax : +44 (0) 1223 882195
E-mail address of person responsible for the SDS : customer.services@syngenta.com

1.4 Emergency telephone number

Emergency telephone number : +44 1484 538444

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758








ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single exposure, Category 1, Central nervous system	H370: Causes damage to organs.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.
Specific target organ toxicity - repeated exposure, Category 1, Nervous system	H372: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms	:					
Signal word	:	Danger				
Hazard statements	:	H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H351 Suspected of causing cancer. H370 Causes damage to organs (Central nervous system). H372 Causes damage to organs (Nervous system) through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.				
Supplemental Hazard Statements	:	EUH066 Repeated exposure may cause skin dryness or cracking.				
Precautionary statements	:	Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 Do not breathe mist or vapours. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.				

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty triple rinsed clean containers which can be disposed of as non-hazardous waste.

Hazardous components which must be listed on the label:

pirimiphos-methyl (ISO)
Hydrocarbons, C9, Aromatics
calcium dodecylbenzenesulphonate
4-methylpentan-2-one

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

This product contains an anticholinesterase compound. Do not use if under medical advice not to work with such compounds.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
pirimiphos-methyl (ISO)	29232-93-7 249-528-5 015-134-00-5	Acute Tox. 4; H302 STOT SE 1; H370 (Central nervous system) STOT RE 1; H372 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1;	>= 30 - < 50

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

		H410 M-Factor (Acute aquatic toxicity): 1,000 M-Factor (Chronic aquatic toxicity): 1,000	
Hydrocarbons, C9, Aromatics	128601-23-0 265-199-0 01-2119455851-35	Flam. Liq. 3; H226 STOT SE 3; H335 (Respiratory system) STOT SE 3; H336 (Central nervous system) Asp. Tox. 1; H304 Aquatic Chronic 2; H411 EUH066	>= 30 - < 50
calcium dodecylbenzenesulphonate	26264-06-2 247-557-8	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 3 - < 10
4-methylpentan-2-one	108-10-1 203-550-1 606-004-00-4 01-2119473980-30	Flam. Liq. 2; H225 Acute Tox. 4; H332 Eye Irrit. 2; H319 Carc. 2; H351 STOT SE 3; H336 (Central nervous system) EUH066	>= 1 - < 10
2-methylpropan-1-ol	78-83-1 201-148-0 603-108-00-1 01-2119484609-23	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H336 (Central nervous system) STOT SE 3; H335 (Respiratory system)	>= 1 - < 3

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

- If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Poisoning produces effects associated with anticholinesterase activity which may include:
Nausea
Diarrhoea
Vomiting
- Aspiration may cause pulmonary oedema and pneumonitis.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Consider taking venous blood for determination of blood cholinesterase activity (use heparin tube).
Administer atropine sulphate as antidote.
Specific antidotes are oximes (e.g. Pralidoxime) or Toxogonin.
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.
Flash back possible over considerable distance.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.
Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.
Keep people away from and upwind of spill/leak.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Remove all sources of ignition.
Pay attention to flashback.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
Use only in an area containing flame proof equipment.
Take precautionary measures against static discharges.
For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from combustible material. Keep in an area equipped with sprinklers. Keep away from food, drink and animal feedingstuffs. No smoking.

Further information on storage stability : Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
pirimiphos-methyl (ISO)	29232-93-7	TWA	3 mg/m ³ (Skin)	Syngenta
Hydrocarbons, C9, Aromatics	128601-23-0	TWA	19 ppm 100 mg/m ³	Supplier
4-methylpentan-2-one	108-10-1	TWA	50 ppm 208 mg/m ³	GB EH40
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL	100 ppm 416 mg/m ³	GB EH40
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		TWA	20 ppm 83 mg/m ³	2000/39/EC
	Further information: Indicative			
		STEL	50 ppm 208 mg/m ³	2000/39/EC

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

Further information: Indicative				
2-methylpropan-1-ol	78-83-1	TWA	50 ppm 154 mg/m ³	GB EH40
		STEL	75 ppm 231 mg/m ³	GB EH40

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
4-methylpentan-2-one	108-10-1	4-methylpentan-2-one: 20 micromol per litre (Urine)	After shift	GB EH40 BAT

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value	
Hydrocarbons, C9, Aromatics	Workers	Inhalation	Long-term systemic effects	150 mg/m ³	
	Workers	Dermal	Long-term systemic effects	25 mg/kg	
	Consumers	Inhalation	Long-term systemic effects	32 mg/m ³	
	Consumers	Dermal	Long-term systemic effects	11 mg/kg	
	Consumers	Oral	Long-term systemic effects	11 mg/kg	
	castor oil, ethoxylated	Workers	Inhalation	Long-term systemic effects	16.4 mg/m ³
Workers		Dermal	Long-term systemic effects	4.67 mg/kg bw/day	
Consumers		Inhalation	Long-term systemic effects	2.9 mg/m ³	
Consumers		Dermal	Long-term systemic effects	1.67 mg/kg bw/day	
Consumers		Oral	Long-term systemic effects	1.67 mg/kg bw/day	
calcium dodecylbenzenesulphonate		Workers	Dermal	Long-term systemic effects	1.7 mg/kg
	Consumers	Dermal	Acute systemic effects	85 mg/kg	
	Consumers	Oral	Long-term local effects	89 mg/kg	
	4-methylpentan-2-one	Workers	Inhalation	Long-term systemic effects	83 mg/m ³
		Workers	Inhalation	Acute systemic effects	208 mg/m ³
		Workers	Inhalation	Long-term local effects	83 mg/m ³
Workers		Inhalation	Acute local effects	208 mg/m ³	
Workers	Dermal	Long-term systemic effects	11.8 mg/kg		

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version
1.1

Revision Date:
28.03.2022

SDS Number:
S145121155

This version replaces all previous versions.

	Consumers	Inhalation	Long-term systemic effects	14.7 mg/m ³
	Consumers	Inhalation	Acute systemic effects	155.2 mg/m ³
	Consumers	Inhalation	Long-term local effects	14.7 mg/m ³
	Consumers	Inhalation	Acute local effects	155.2 mg/m ³
	Consumers	Dermal	Long-term systemic effects	4.2 mg/kg
	Consumers	Oral	Long-term systemic effects	4.2 mg/kg
2-methylpropan-1-ol	Workers	Inhalation	Long-term systemic effects, Long-term local effects	310 mg/m ³
	Consumers	Inhalation	Long-term systemic effects, Long-term local effects	55 mg/m ³
	Consumers	Oral	Long-term systemic effects, Long-term local effects	25 mg/kg

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
castor oil, ethoxylated	Fresh water sediment	0.0129 mg/kg dry weight (d.w.)
	Marine sediment	0.00129 mg/kg dry weight (d.w.)
	Soil	0.00258 mg/kg dry weight (d.w.)
calcium dodecylbenzenesulphonate	Fresh water	0.023 mg/l
	Marine water	0.0023 mg/l
	Intermittent use/release	0.01 mg/l
	Fresh water sediment	0.174 mg/kg
	Marine sediment	0.0174 mg/kg
	Sewage treatment plant	3 mg/kg
4-methylpentan-2-one	Soil	0.62 mg/kg
	Fresh water	0.6 mg/l
	Marine water	0.06 mg/l
	Freshwater - intermittent	1.5 mg/l
	Sewage treatment plant	27.5 mg/l
	Fresh water sediment	8.27 mg/kg
2-methylpropan-1-ol	Marine sediment	0.83 mg/kg
	Soil	1.3 mg/kg
	Fresh water	0.4 mg/l
	Sewage treatment plant	10 mg/l
	Soil	0.0699 mg/kg
	Marine sediment	0.152 mg/kg
	Fresh water sediment	1.52 mg/kg
	Marine water	0.04 mg/l

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

- Eye protection : Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
Tightly fitting safety goggles
Face-shield
- Hand protection
- Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0.5 mm
- Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing
- Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Suitable respiratory equipment:
Respirator with a half face mask
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
- Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid, clear
Colour	:	light yellow to brown
Odour	:	aromatic
Odour Threshold	:	No data available
pH	:	4 - 8 Concentration: 1 % w/v
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	46 °C Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Relative vapour density	:	No data available
Density	:	1.02 g/cm ³ (25 °C)
Solubility(ies)	:	
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	410 °C
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	4.61 mPa.s (40 °C) 8.08 mPa.s (20 °C)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

Viscosity, kinematic : No data available
Explosive properties : Not explosive
Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Surface tension : 35.3 mN/m, 25 °C
Particle size : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): > 300 - 2,000 mg/kg
Assessment: The component/mixture is moderately toxic after single ingestion.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Components:

pirimiphos-methyl (ISO):

Acute oral toxicity : LD50 (Rat, male and female): 1,414 mg/kg

Acute toxicity estimate: 1,414 mg/kg
Method: Acute toxicity estimate according to Regulation (EC)
No. 1272/2008

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.04 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Hydrocarbons, C9, Aromatics:

Acute oral toxicity : LD50 (Rat, female): 3,492 mg/kg

4-methylpentan-2-one:

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after short term inhalation.

2-methylpropan-1-ol:

Acute oral toxicity : LD50 (Rat): 2,830 - 3,350 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 24.6 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 - 2,460 mg/kg

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

Skin corrosion/irritation

Product:

Species : Rabbit
Assessment : Repeated exposure does not cause skin dryness or cracking.
Result : No skin irritation

Components:

pirimiphos-methyl (ISO):

Species : Rabbit
Result : No skin irritation

Hydrocarbons, C9, Aromatics:

Result : Repeated exposure may cause skin dryness or cracking.

Species : Rabbit
Result : Mild skin irritation

calcium dodecylbenzenesulphonate:

Result : Irritating to skin.

2-methylpropan-1-ol:

Result : Irritating to skin.

Serious eye damage/eye irritation

Product:

Species : Rabbit
Result : Risk of serious damage to eyes.

Components:

pirimiphos-methyl (ISO):

Species : Rabbit
Result : No eye irritation

calcium dodecylbenzenesulphonate:

Result : Irreversible effects on the eye

4-methylpentan-2-one:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

2-methylpropan-1-ol:

Result : Risk of serious damage to eyes.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

Respiratory or skin sensitisation

Product:

Test Type : Buehler Test
Species : Guinea pig
Result : May cause sensitisation by skin contact.

Components:

pirimiphos-methyl (ISO):

Species : Guinea pig
Result : Did not cause sensitisation on laboratory animals.

2-methylpropan-1-ol:

Species : Guinea pig
Result : Did not cause sensitisation on laboratory animals.
Remarks : Information given is based on data obtained from similar substances.

Germ cell mutagenicity

Components:

pirimiphos-methyl (ISO):

Germ cell mutagenicity-
Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Components:

pirimiphos-methyl (ISO):

Carcinogenicity -
Assessment : No evidence of carcinogenicity in animal studies.

4-methylpentan-2-one:

Carcinogenicity -
Assessment : Limited evidence of carcinogenicity in animal studies

Reproductive toxicity

Components:

pirimiphos-methyl (ISO):

Reproductive toxicity -
Assessment : No toxicity to reproduction

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

STOT - single exposure

Components:

pirimiphos-methyl (ISO):

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 1.

Hydrocarbons, C9, Aromatics:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.,
The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

4-methylpentan-2-one:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

2-methylpropan-1-ol:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT - repeated exposure

Components:

pirimiphos-methyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Components:

Hydrocarbons, C9, Aromatics:

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 6.2 mg/l

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.00048 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)):
8.27 mg/l
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):
0.22 mg/l
End point: Growth rate
Exposure time: 72 h

Components:

pirimiphos-methyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.404 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.000314 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)):
3.38 mg/l
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.3 mg/l
End point: Growth rate
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1,000

Toxicity to microorganisms : IC50 (Pseudomonas putida): > 4.5 mg/l
Exposure time: 6 h

Toxicity to fish (Chronic toxicity) : NOEC: < 0.025 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.00005 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1,000

Hydrocarbons, C9, Aromatics:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 3.2 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 2.9 mg/l
Exposure time: 72 h
- NOELR (Raphidocelis subcapitata (freshwater green alga)): 1.0 mg/l
End point: Growth rate
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOELR: 1.228 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR: 2.144 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

calcium dodecylbenzenesulphonate:

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

2-methylpropan-1-ol:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,430 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 1,100 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 1,799 mg/l
Exposure time: 72 h
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 20 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

12.2 Persistence and degradability

Components:

pirimiphos-methyl (ISO):

Stability in water : Degradation half life: 4 - 6 d

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

Remarks: Product is not persistent.

Hydrocarbons, C9, Aromatics:

Biodegradability : Result: Readily biodegradable.

2-methylpropan-1-ol:

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Components:

pirimiphos-methyl (ISO):

Bioaccumulation : Remarks: High bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 3.9 (20 °C)
pH: 4

log Pow: 4.2 (20 °C)
pH: 5 - 7

12.4 Mobility in soil

Components:

pirimiphos-methyl (ISO):

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 8.3 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

pirimiphos-methyl (ISO):

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

4-methylpentan-2-one:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

2-methylpropan-1-ol:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

ADR : UN 1993
RID : UN 1993
IMDG : UN 1993
IATA : UN 1993

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

14.2 UN proper shipping name

ADR : FLAMMABLE LIQUID, N.O.S.
(METHYL ISOBUTYL KETONE AND SOLVENT NAPHTHA)

RID : FLAMMABLE LIQUID, N.O.S.
(METHYL ISOBUTYL KETONE AND SOLVENT NAPHTHA)

IMDG : FLAMMABLE LIQUID, N.O.S.
(METHYL ISOBUTYL KETONE AND SOLVENT
NAPHTHA)

IATA : Flammable liquid, n.o.s.
(METHYL ISOBUTYL KETONE AND SOLVENT NAPHTHA)

14.3 Transport hazard class(es)

ADR : 3

RID : 3

IMDG : 3

IATA : 3

14.4 Packing group

ADR
Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3
Tunnel restriction code : (D/E)

RID
Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3

IMDG
Packing group : III
Labels : 3
EmS Code : F-E, S-E

IATA (Cargo)
Packing instruction (cargo aircraft) : 366
Packing instruction (LQ) : Y344
Packing group : III
Labels : Flammable Liquids

IATA (Passenger)
Packing instruction (passenger aircraft) : 355
Packing instruction (LQ) : Y344
Packing group : III
Labels : Flammable Liquids

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3 4-methylpentan-2-one
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
H3	STOT SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE	50 t	200 t
P5c	FLAMMABLE LIQUIDS	5,000 t	50,000 t
E1	ENVIRONMENTAL	100 t	200 t

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

HAZARDS

Other regulations:

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H225	: Highly flammable liquid and vapour.
H226	: Flammable liquid and vapour.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H335	: May cause respiratory irritation.
H336	: May cause drowsiness or dizziness.
H351	: Suspected of causing cancer.
H370	: Causes damage to organs.
H372	: Causes damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Carc.	: Carcinogenicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Skin Irrit.	: Skin irritation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
2000/39/EC	: Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
GB EH40 BAT	: UK. Biological monitoring guidance values
2000/39/EC / TWA	: Limit Value - eight hours
2000/39/EC / STEL	: Short term exposure limit
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version 1.1 Revision Date: 28.03.2022 SDS Number: S145121155 This version replaces all previous versions.

Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Flam. Liq. 3	H226
Acute Tox. 4	H302
Eye Dam. 1	H318
Skin Sens. 1	H317
Carc. 2	H351
STOT SE 1	H370
STOT SE 3	H335
STOT SE 3	H336
STOT RE 1	H372
Asp. Tox. 1	H304
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Based on product data or assessment
Calculation method

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



ACTELLIC 50 EC

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.1	28.03.2022	S145121155	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN