2996/2016

Palisade®

syngenta

PALISADE® is a growth regulator for crop height reduction which can lead to lodging control and yield protection in all varieties of winter and spring wheat winter and spring barley, winter and spring oats, rye, triticale, durum wheat and rvegrass seed crops

PALISADE® is an emulsifiable concentrate containing 250g/l trinexapac-ethyl.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

Syngenta UK Limited CPC4, Capital Park, Fulbourn, Cambridge, CB21 5XE Tel: Cambridge (01223) 883400

PPE 4163175

GBRI/06A

1089874

 \mathcal{V}

The

Initiative

In case of toxic or transport emergency ring +44 (0) 1484 538444 any time.



An emulsifiable concentrate formulation containing 250 g/l trinevanac-ethyl Warning

May cause an allergic skin reaction.

Very toxic to aquatic life with long lasting effects.

Keen out of reach of children Avoid breathing dust/fume/gas/mist/vapours/spray

Wear protective gloves/protective clothing

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/ attention

Take off contaminated clothing and wash it before reuse

Collect spillage.

Disnose of contents/container to a licensed bazardous-waste disposal contractor or collection site except for empty triple rinsed clean containers which can be disposed of as non-bazardous waste

Repeated exposure may cause skin dryness or cracking. To avoid risks to human health and the environment comply with the instructions for use

MAPP 17860 UEL: 0EG3-K0EV-P00V-HDU3

IMPORTANT INFORMATION

FOR LISE ONLY AS AN AGRICULTURAL PLANT GROWTH REGULATOR

Engineering control of operator exposure must be used where

reasonably practicable in addition to the following personal

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND

SUITABLE PROTECTIVE GLOVES when handling the concentrate.

However engineering controls may replace personal protective

equipment if a COSHH assessment shows they provide an equal

or higher standard of protection. AVOID ALL CONTACT WITH EYES, WASH HANDS before meals and after work.

Сгор	Maximum Individual Dose (product per hectare)	Maximum Total Dose (product per hectare per crop)	Latest Time of Application*
Winter Wheat	0.4	0.4	Before flag leaf sheath extending stage (GS 41)
Spring Wheat	0.4	0.4	Before third node detectable stage (GS 33)
Winter Barley	0.6	0.6	Before flag leaf sheath extending stage (GS 41)
Spring Barley	0.5	0.5	Before third node detectable stage (GS 33)
Winter and Spring Oats	0.4	0.4	Before second node detectable stage (GS 32)
Rye, Triticale, Durum Wheat	0.4	0.4	Before third node detectable stage (GS 33)
Grassland (seed crop)	0.8	0.8	Before second node detectable stage (GS 32)

*see the DIRECTIONS FOR LISE text, under CROPS for details of the earliest and latest time of application for each recommendation Other Specific Restrictions:

This product must not be used on grass seed crops that will be grazed by livestock or cut for fodder. Treated grassland must not be grazed or cut for fodder.

READ THE LABEL BEFORE USE, USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE, FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

SAFETY PRECAUTIONS (a) Operator protection

protective equipment:

(b) Environmental protection

Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmvards and roads.

(c) Storage and disposal

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place. RINSE OUT CONTAINER THROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of safely.

PPE 4163175 GBRI/06A L1089874 This leaflet is part of the approved Product Label.

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be carefully read in order to obtain safe and successful use of this product.

RESTRICTIONS

Avoid spray drift onto neighbouring crops. Only use on crops at risk of lodging. Do not apply if rain or frost is expected or if the crop is wet. Do not spray crops under stress or to crops suffering from waterlogging, pest attack, disease or frost.

GENERAL INFORMATION

PALISADE is an emulsifiable concentrate formulation containing 250 g/l trinexapac-ethyl. It is a growth regulator for crop height reduction, which can lead to lodging control and yield protection in all varieties of winter & spring wheat, winter & spring barley, winter & spring oats, rye, triticale, durum wheat and ryegrass seed crops.

Treatment may lead to ears remaining erect through to harvest.

CROPS

Winter Wheat

Apply PALISADE at 0.4 l/ha between the leaf sheath erect stage and the flag leaf fully emerged stage (GS 30-39).

Spring Wheat

Apply PALISADE at 0.4 l/ha between the leaf sheath erect stage and the second node detectable stage (GS 30-32).

Winter Barley

Apply PALISADE at 0.4 l/ha between leaf sheath erect stage and second node detectable stage (GS 30-32).

OR

Apply PALISADE at 0.6 l/ha between the flag leaf just visible stage and flag leaf fully emerged stage (GS 37-39).

Spring Barley

Apply PALISADE at 0.5 l/ha between the leaf sheath erect stage and the second node detectable stage (GS 30-32).

Winter and Spring Oats

Apply PALISADE at 0.4 I/ha between the leaf sheath erect stage and the first node detectable stage

(GS 30-31).

Rye, Triticale and Durum Wheat

Apply PALISADE at 0.4 l/ha between the leaf sheath erect stage and the second node detectable stage (GS 30-32).

Ryegrass Seed Crops

Apply PALISADE at 0.8 l/ha between the leaf sheath erect stage and the first node detectable stage (GS 30-31).

MIXING AND SPRAYING

Spray Volume

Apply PALISADE in a recommended 200 l/ha of water. Increased penetration will be obtained with an increase in water volume but the necessity for this will be dependent on crop growth stage and habit.

Spray Nozzles

Apply PALISADE in a minimum of 200 litres water per hectare. Increased water volume may assist spray penetration in larger or denser crop canopies.

Mixing and Spraying

Make sure the sprayer is set to give an even application at the correct volume.

Fill the spray tank with half the required volume of clean water and start agitation. Add the required amount of PALISADE and continue agitation whilst adding the rest of the water. Agitate the mixture thoroughly before use and continue agitation during spraying.

Take particular care to avoid overlapping of spray swaths.

Thoroughly wash all spray and measuring equipment with water and a wetting agent immediately after use.

SAFETY PRECAUTIONS

(a) Operator protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES when handling the concentrate.

However engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

AVOID ALL CONTACT WITH EYES.

WASH HANDS before meals and after work.

(b) Environmental protection

Do not contaminate water with the product or its container.

Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

(c) Storage and disposal

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place. RINSE OUT CONTAINER THROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to spraver at time of filling and dispose of safely.

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/ UNDERTAKING 1.1 Product identifier Trade name: PALISADE Design code: A7725M Product Registration number: MAPP 17860 1.2 Relevant identified uses of the substance or mixture and uses advised against Use of the Substance/Mixture: Plant growth regulator 1.3 Details of the supplier of the safety data sheet Company: Syngenta UK Limited CPC4, Capital Park Fulbourn, Cambridge CB21 5XE United Kingdom Telephone: +44 (0) 1223 883400

Telefax: +44 (0) 1223 882195

E-mail address of person responsible for the SDS: customer.services@syngenta.com

1.4 Emergency telephone number

Emergency telephone number: +44 1484 538444

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 Chronic aquatic toxicity, Category 1 H317: May cause an allergic skin reaction. H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Warning	
H317	May cause an allergic skin reaction.
H410	Very toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH401	To avoid risks to human health and the environment comply with the instructions for use.
P102	Keep out of reach of children.
Prevention:	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/ protective clothing.
Response:	
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P333+P313	If skin irritation or rash occurs: Get medical advice/ attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents/container to a licensed hazardous-wasted disposal contractor or collection site except for empty triple rinsed clean containers which can be disposed of as non-
	Warning H317 H410 EUH066 EUH401 P102 Prevention: P261 P280 Response: P302+P352 P303+P313 P362+P364 P391 P501

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous Components

Chemical Name	CAS No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
trinexapac-ethyl	95266-40-3	Aquatic Chronic 1; H410	>= 25 - < 30
poly(oxy1,2ethanediyl), alpha isotridecyl-o-mega hydroxy	9043-30-5 500-027-2	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 20 - < 25

For explanation of abbreviations see section 16.

4. FIRST-AID MEASURES

4.1 Description of first aid measures

General advice: Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled: Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control centre immediately.

In case of skin contact: Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use. In case of eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.

If swallowed: If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: Nonspecific

No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: There is no specific antidote available. Treat symptomatically.

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media:

Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or car-bon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam or Water spray

Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting: As the product contains combustible organic components, fire will produce dense black smoke containing hazardous prod-ucts of combustion (see section 10). Exposure to decomposition products may be a hazard to health.

5.3 Advice for firefighters

Special protective equipment for firefighters: Wear full protective clothing and self-contained breathing apparatus.

Further information: Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, ver-miculite) and place in container for disposal according to local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents. Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling: No special protective measures against fire required. Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers: No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

Further information on storage stability: Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.

7.3 Specific end use(s)

Specific use(s): For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
trinexapac-ethyl	95266-40-3	TWA	5 mg/m³	SYNGENTA

8.2 Exposure controls Engineering Measures:

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye protection: No special protective equipment required. Hand protection Material: Nitrile rubber

Break through time: > 480 min

Glove thickness: 0.5 mm

Remarks: Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local condi-tions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

The selected protective gloves have to satisfy the specifica-tions of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin and body protection: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

Respiratory protection: No personal respiratory protective equipment normally required.

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Protective measures: The use of technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance: liauid vellow to red brown Colour: Odour. unpleasant No data available Odour Threshold: pH: 2 - 6 Concentration: 1 % w/v Melting point/range: No data available Boiling point/boiling range: No data available Flash point: 79 °C(1.013 hPa) Method: Pensky-Martens closed cup Evaporation rate: No data available

Flammability (solid gas): No data available Upper explosion limit / Linner flammability limit No data available Lower explosion limit / Lower flammability limit No data available Vapour pressure: No data available Relative vanour density: No data available Density[.] 0.98 g/cm3 (25 °C) Solubility(ies) Solubility in other solvents: No data available Partition coefficient n-octanol/water No data available Auto-ignition temperature: 250 °C Decomposition temperature: No data available Viscositv Viscosity dynamic: 10.01 mPa s (20 °C) 5.45 mPa.s (40 °C) Explosive properties: Not explosive

Explosive properties: Oxidizing properties: 9.2 Other Information Surface tension:

28 2 - 28 5 mN/m 20°C

The substance or mixture is not classified as oxidizing.

10. STABILITY AND REACTIVITY

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions: No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid: No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid: None known.

10.6 Hazardous decomposition products

Hazardous decomposition products: No hazardous decomposition products are known.

11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Product:	
Acute oral toxicity:	LD50 (Mouse, male and female): > 5,000 mg/kg
-	Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity:	LC50 (Rat): > 2.51 mg/l
-	Exposure time: 4 h
	Test atmosphere: dust/mist
	Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity:	LD50 (Rat, male and female): > 4,000 mg/kg
-	Assessment: The substance or mixture has no acute dermal toxicity
Components:	
trinexapac-ethyl:	
Acute oral toxicity:	LD50 (Rat, male and female): 4,460 mg/kg
Acute inhalation toxicity:	LC50 (Rat, male and female): > 5.69 mg/l
-	Exposure time: 4 h
	Test atmosphere: dust/mist
	Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity:	LD50 (Rat, male and female): > 4,000 mg/kg
	Assessment: The substance or mixture has no acute dermal toxicity
poly(oxy-1,2-ethanediyl)), alpha-isotridecyl-omega-hydroxy-:
Acute oral toxicity:	LD50 (Rat): 1,940 mg/kg
Acute dermal toxicity:	LD50 (Rat): > 2,000 mg/kg
	Assessment: The substance or mixture has no acute dermal toxicity
Skin corrosion/irritation	
Product:	
Species: Rabbit	
Result: No skin irritation	
Components:	
trinexapac-ethyl:	
Species: Rabbit	
Result: No skin irritation	
Serious eye damage/ey	e irritation
Product:	
Species: Habbit	
Result: No eye irritation	
<u>Components:</u>	
trinexapac-ethyl:	
Species: Habbit	

Result: No eve irritation poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-: Snecies: Rabbit Result: Irreversible effects on the eve Respiratory or skin sensitisation Product: Species: Guinea nig Result: May cause sensitisation by skin contact. Components: trinexapac-ethyl: Test Type: mouse lymphoma cells Species: Mouse . Result: Did not cause sensitisation on laboratory animals. Germ cell mutagenicity Components: trinexapac-ethyl: Germ cell mutagenicity- Assessment: Animal testing did not show any mutagenic effects. polv(oxv-1.2-ethanedivl), alpha-isotridecvl-omega-hvdroxv-: Germ cell mutagenicity- Assessment: In vitro tests did not show mutagenic effects Carcinogenicity Components: trinexapac-ethyl: Carcinogenicity - Assessment: No evidence of carcinogenicity in animal studies. Reproductive toxicity Components: trinexapac-ethyl: Reproductive toxicity - Assessment: No toxicity to reproduction Repeated dose toxicity Components: trinexapac-ethyl: Remarks: No adverse effect has been observed in chronic toxicity tests. 12. ECOLOGICAL INFORMATION 12.1 Toxicity Product: Toxicity to fish: LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l Exposure time: 96 h Toxicity to daphnia and

> EC50 (Daphnia magna Straus): 2.9 mg/l Exposure time: 48 h

other aquatic invertebrates:

Toxicity to algae:	ErC50 (Anabaena flos-aquae (bluegreen algae)): 8.3 mg/l Exposure time: 96 h ErC50 (Lemna gibba (gibbous duckweed)): 55 mg/l	poly(oxy-1,2-ethanediyl), alpha-isod Toxicity to fish: E
Factoria dam. Accessment	Exposure time: 7 d	Toxicity to daphnia and other
Aguta aquatia taxiaitur	Taxis to aquatic life. Classification of the product is based on the	aquatic invertebrates:
Acute aqualic toxicity.	summation of the concentrations of classified components	E
Chronic aquatic toxicity:	Very toxic to aquatic life with long lasting effects. Classification of	Ecotoxicology Assessment
Onionic aquatic toxicity.	the product is based on the summation of the concentrations of	Acute aquatic toxicity:
	classified components	Chronic aquatic toxicity:
Components:	oldoolled compensite.	12.2 Persistence and degradability
trinexapac-ethyl:		Components:
Toxicity to fish:	LC50 (Oncorhynchus mykiss (rainbow trout)): 68 mg/l	trinexapac-etnyi: Diadagradability: Dagulty Nat readily I
T . 100 (100) (100) (100) (100)	Exposure time: 96 h	Biodegradability: Result: Not readily
I oxicity to daphnia and other		Stability in water: Degradation half lif
aquatic invertebrates:	EC50 (Daphnia magna (Water flea)): > 142 mg/l	Remarks: Product is not persistent.
	Exposure time: 48 h	12.3 Bioaccumulative potential
	LC50 (Americamysis): 6.5 mg/l	Components:
	Exposure time: 96 h	trinexapac-ethyl:
loxicity to algae:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 24.5 mg/l	Bioaccumulation: Remarks: Does not
	Exposure time: 96 h	Partition coefficient: n-octanol/water:
	ErC50 (Myriophyllum spicatum (Eurasian watermilfoil)): 1.2 mg/l	
	Exposure time: 14 d	
	EC10 (Myriophyllum spicatum (Eurasian watermilfoil)): 0.011 mg/l	12.4 Mobility in soil
	Exposure time: 14 d	Components:
	NOEC (Myriophyllum spicatum (Eurasian watermilfoil)): 0.025 mg/l	trinexapac-ethyl:
	Exposure time: 14 d	Distribution among environmental co
I oxicity to microorganisms:	EC50 (activated sludge): > 100 mg/l	Stability in soil: Dissipation time: < 0.
	Exposure time: 3 h	Percentage dissipation
Toxicity to fish (Chronic toxicity):	NOEC: 0.41 mg/l	Remarks: Product is
	Exposure time: 35 d	12.5 Results of PBT and vPvB asse
	Species: Pimephales promelas (fathead minnow)	Product:
Toxicity to daphnia and other		Assessment: This substance/mixture
aquatic invertebrates		bioaccumulative and toxic (PBT), or v
(Chronic toxicity):	NOEC: 2.4 mg/l	or higher.
	Exposure time: 21 d	Components:
	Species: Daphnia magna (Water flea)	trinexapac-ethyl:
M-Factor (Chronic aquatic toxicity): 1	Assessment: This substance is not co
Ecotoxicology Assessment		substance is not considered to be ve
Acute aquatic toxicity:	Toxic to aquatic life.	12.6 Other adverse effects
Chronic aquatic toxicity:	Very toxic to aquatic life with long lasting effects.	No data available

anedivl), alpha-isotridecvl-omega-hydroxy-:

IC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l Exposure time: 96 h

EC50 (Daphnia magna (Water flea)): 5 - 10 mg/l Exposure time: 48 h

This product has no known ecotoxicological effects. Harmful to aquatic life with long lasting effects.

Result: Not readily biodegradable. Degradation half life: 3.9 - 5.5 d is not persistent.

lative potential

Remarks: Does not bioaccumulate nt: n-octanol/water: log Pow: -2.1 (25 °C)

log Pow: -0.29 (25 °C) log Pow: 1.5 (25 °C)

soil

a environmental compartments: Remarks: Moderately mobile in soils issipation time: < 0.2 d

ercentage dissipation: 50 % (DT50) emarks: Product is not persistent.

BT and vPvB assessment

substance/mixture contains no components considered to be either persistent, and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1%

substance is not considered to be persistent, bioaccumulating and toxic (PBT). This considered to be very persistent and very bioaccumulating (vPvB).

se effects

13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product: Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging: Empty remaining contents Triple rinse containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers

Waste Code: uncleaned packagings

150110, packaging containing residues of or contaminated by dangerous substances

14 TRANSPORT INFORMATION

14.1 UN number ADN: UN 3082 LIN 3082 RID: UN 3082 IMDG: UN 3082 IATA · UN 3082 14.2 UN proper shipping name ADN: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRINEXAPAC-ETHYL) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRINEXAPAC-ETHYL) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. RID: (TRINEXAPAC-ETHYL) IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRINEXAPAC-ETHYL) IATA: Environmentally hazardous substance, liquid, n.o.s. (TRINEXAPAC-ETHYL) 14.3 Transport hazard class(es) ADN: 9 ADR: 9 RID: 9 IMDG: 9 IATA: 9 14.4 Packing group ADN Packing group: III Classification Code: M6 Hazard Identification Number: 90 Labels: 9

Packing group: III Classification Code: M6 Hazard Identification Number: 90 Labole: Q Tunnel restriction code: (-) RID Packing group: III Classification Code: M6 Hazard Identification Number: 90 I ahole 9 Packing group: III I ahole 9 EmS Code: E-A S-E IATA (Cargo) Packing instruction (cargo aircraft): 964 Packing instruction (LQ): Y964 Packing group: III Labels: Miscellaneous IATA (Passenger) Packing instruction (passenger aircraft): 964 Packing instruction (LQ): Y964 Packing group: III Labels: Miscellaneous 14.5 Environmental hazards Environmentally hazardous: ves ADR Environmentally hazardous: yes RID Environmentally hazardous: ves IMDG Marine pollutant: ves IATA (Passenger) Marine pollutant: ves IATA (Cargo) Marine pollutant: ves 14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulation/legislation specific for the substance or mixture Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals: Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).: Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer: Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of majoraccident hazards involving dangerous substances.

Quantity 1 Quantity 2 E1 ENVIRONMENTAL HAZARDS 100 t 200 t

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Use plant protection products safely. Always read the label and product information before use. Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

16. OTHER INFORMATION

Full text of H-Statements

H302: Harmful if swallowed.

H318: Causes serious eye damage.

H410: Very toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.: Acute toxicity Aquatic Chronic: Chronic aquatic toxicity Eye Dam.: Serious eye damage

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the

German Institute for Standardisation: DSI - Domestic Substances List (Cana-da): ECHA - European Chemicals Agency: EC-Number - European Community number: ECx - Concentration associated with x% response: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response: GHS - Globally Harmonized System: GLP - Good Laboratory Practice: IABC - International Agency for Research on Cancer: IATA - In-ternational Air Transport Association: IBC - International Code for the Construction and Equip-ment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentra-tion: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Mari-time Organization: ISHI - Industrial Safety and Health Law (Japan): ISQ - International Organisa-tion for Standardization: KECI - Korea Existing Chemicals Inventory: I C50 - Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Shins: n o.s. - Not Otherwise Specified: NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A) EL - No Observed (Adverse) Effect Level: NOELB - No Observable Effect Loading Bate: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention PBT - Persistent Bioaccumu-lative and Toxic substance PICCS - Philippines Inventory of Chemicals and Chemical Substances (Q) SAR - (Quantitative) Structure Activity Relationship: REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration. Evalua-tion. Authorisation and Restriction of Chemicals: RID - Regulations concerning the International Carriage of Dangerous Goods by Rail: SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet: TCSI - Taiwan Chemical Substance Inventory: TRGS - Technical Rule for Hazardous Substances: TSCA -Toxic Substances Control Act (United States): UN - United Nations: vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the	mixture:	Classification procedure:	
Skin Sens. 1	H317	Based on product data or assessment	
Aquatic Chronic 1	H410	Based on product data or assessment	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, infor-mation and belief at the date of its publication. The information given is designed only as a guid-ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Product names are a trademark or registered trademark of a Syngenta Group Company.