According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVOLYA

Version **Revision Date:** SDS Number: This version replaces all previous versions.

S00007620133 6.2 28.07.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **EVOLYA**

Design code A14203B

Product Registration Number : MAPP 20583

Unique Formula Identifier

(UFI)

8XK5-S02S-D00F-7VFA

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Herbicide

stance/Mixture

Recommended restrictions

on use

professional use

1.3 Details of the supplier of the safety data sheet

Company Syngenta UK Limited

CPC4, Capital Park

Fulbourn, Cambridge CB21 5XE

United Kingdom

Telephone : +44 (0) 1223 883400

Telefax +44 (0) 1223 882195

E-mail address of person

responsible for the SDS

: customer.services@syngenta.com

1.4 Emergency telephone number

Emergency telephone num-: +44 1484 538444

ber

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Reproductive toxicity, Category 2 Specific target organ toxicity - repeated exposure, Category 2, Nervous system,

Eves

H361d: Suspected of damaging the unborn child. H373: May cause damage to organs through prolonged or repeated exposure.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVOLYA

Version Revision Date: SDS Number: This version replaces all previous versions.

6.2 28.07.2023 S00007620133

Long-term (chronic) aquatic hazard, Cat-

egory 1 effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :

Signal word : Warning

Hazard statements : H361d Suspected of damaging the unborn child.

H373 May cause damage to organs (Nervous system, Eyes)

H410: Very toxic to aquatic life with long lasting

through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.

P260 Do not breathe dust.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container to a licensed hazardouswaste disposal contractor or collection site except for empty

clean

containers which can be disposed of as non-hazardous waste.

Hazardous components which must be listed on the label:

mesotrione (ISO)

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

EUH208 Contains disodium maleate. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

May form combustible dust concentrations in air.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVOLYA

Version Revision Date: SDS Number: This version replaces all previous versions.

6.2 28.07.2023 S00007620133

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
mesotrione (ISO)	104206-82-8 609-064-00-X	Repr. 2; H361d STOT RE 2; H373 (Nervous system, Eyes) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic	>= 50 - < 70
Residues (petroleum), catalytic re- former fractionator, sulfonated, poly- mers with formaldehyde, sodium salts	68425-94-5	aquatic toxicity): 10 Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 10 - < 20
reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda	Not Assigned	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>=1-<3
disodium maleate	371-47-1 206-738-1	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system)	>= 0.1 - < 1
Substances with a workplace exposure limit :			
diatomite	61790-53-2 293-303-4		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVOLYA

Version Revision Date: SDS Number: This version replaces all previous versions. 8.2 28.07.2023 S00007620133

center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.

If breathing is irregular or stopped, administer artificial respira-

tion.

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Nonspecific

No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : There is no specific antidote available.

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous prod-

ucts of combustion (see section 10).

Exposure to decomposition products may be a hazard to

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVOLYA

Version Revision Date: SDS Number: This version replaces all previous versions. 8.2 28.07.2023 S00007620133

health.

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear full protective clothing and self-contained breathing ap-

paratus.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

Avoid dust formation.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, pick up with an electrically protected vacuum

cleaner or by wet-brushing and transfer to a container for dis-

posal according to local regulations (see section 13).

Do not create a powder cloud by using a brush or compressed

air.

Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : This material is capable of forming flammable dust clouds in

air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material. Electrical equipment should be compatible with the flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flamma-

ble solvents.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVOLYAVersion Revision Date: SDS Number: This version replaces all previous versions. 8.2 28.07.2023 S00007620133

This material can become readily charged in most operations.

Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep containers tightly closed in a dry, cool and wellventilated place. Keep out of the reach of children. Keep away

from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the

approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
mesotrione (ISO)	104206-82- 8	TWA	5 mg/m3	Syngenta
diatomite	61790-53-2	TWA (Respirable dust)	1.2 mg/m3	GB EH40

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
sodium sulphate	Workers	Inhalation	Systemic effects	20 mg/m3
	Workers	Inhalation	Local effects	20 mg/m3
	Consumers	Inhalation	Systemic effects	12 mg/m3
	Consumers	Inhalation	Local effects	12 mg/m3
reaction product of naphthalene, butanol, sulfonated and neu- tralized by caustic soda	Workers	Inhalation	Long-term systemic effects	0.549 mg/m3
	Workers	Inhalation	Long-term local ef- fects	0.36 mg/m3
	Workers	Dermal	Long-term systemic effects	1.057 mg/kg
	Consumers	Inhalation	Long-term systemic effects	0.137 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	0.18 mg/m3
	Consumers	Dermal	Long-term systemic effects	0.528 mg/kg
	Consumers	Oral	Long-term systemic	0.528 mg/kg

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version Revision Date: SDS Number: This version replaces all previous versions. 8.2 28.07.2023 S00007620133 effects

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
sodium sulphate	Fresh water	11.09 mg/l
	Freshwater - intermittent	17.66 mg/l
	Marine water	1.109 mg/l
	Sewage treatment plant	800 mg/l
	Fresh water sediment	40.2 mg/kg dry weight (d.w.)
	Marine sediment	4.02 mg/kg dry weight (d.w.)
	Soil	1.54 mg/kg dry weight (d.w.)
reaction product of naphthalene, butanol, sulfonated and neutral- ized by caustic soda	Fresh water	0.2 mg/l
	Freshwater - intermittent	2 mg/l
	Marine water	0.02 mg/l
	Sewage treatment plant	0.016 mg/l
	Fresh water sediment	5.4 mg/kg
	Marine sediment	0.54 mg/kg
	Soil	0.12 mg/kg

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye/face protection Hand protection

No special protective equipment required.

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVOLYA

Version Revision Date: 28.07.2023

SDS Number: S00007620133

This version replaces all previous versions.

and the type of glove and therefore has to be measured for

each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek appro-

priate professional advice.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : granules

Colour : beige to yellowish
Odour : No data available
Odour Threshold : No data available

pH : 3-6

Concentration: 1 %w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form combustible dust concentrations in air.

Burning number : 2 (20 °C)

2 (100 °C)

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVOLYA

Version Revision 6.2 28.07.20

Revision Date: SDS Number: 28.07.2023 S00007620133

This version replaces all previous versions.

Relative vapour density : No data available

Density : 1 g/cm3

Solubility(ies)

Water solubility : No data available Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Minimum ignition temperature : 450 °C Minimum ignition energy : > 1 J

Particle size : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

See section "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Hazardous polymerisation does not occur.

This material may degrade, decompose exothermically, and may even catch fire, when large quantities are exposed to

elevated temperatures.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Hazardous decomposition

products

Thermal decomposition can lead to release of irritating gases

and vapours.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVOLYA

Version **Revision Date:** 6.2

SDS Number: S00007620133 28.07.2023

This version replaces all previous versions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of: exposure

Ingestion Inhalation

> Skin contact Eye contact

Acute toxicity

Product:

Acute oral toxicity LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.58 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity LD50 (Rat, male and female): > 5,000 mg/kg

Components:

mesotrione (ISO):

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

: LC50 (Rat, male and female): > 4.75 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

LD50 (Rat, male and female): > 2,000 mg/kg Acute dermal toxicity

Assessment: The substance or mixture has no acute dermal

toxicity

reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda:

Acute oral toxicity LD50 (Rat): 1,800 mg/kg

Acute inhalation toxicity LC50 (Rat): 4.08 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

LD50 (Rabbit): 3,000 mg/kg Acute dermal toxicity

disodium maleate:

Acute oral toxicity Assessment: The component/mixture is moderately toxic after

single ingestion.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVOLYA

Version Revision Date: SDS Number: This version replaces all previous versions.

6.2 28.07.2023 S00007620133

Skin corrosion/irritation

Product:

Species : Rabbit

Result : No skin irritation

Components:

mesotrione (ISO):

Species : Rabbit

Result : No skin irritation

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Method : in vitro skin corrosion test

Result : Irritating to skin.

disodium maleate:

Result : Irritating to skin.

Serious eye damage/eye irritation

Product:

Species : Rabbit

Result : No eye irritation

Components:

mesotrione (ISO):

Species : Rabbit

Result : No eye irritation

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Method : in vitro eye irritation test

Result : Risk of serious damage to eyes.

reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda:

Species : Rabbit

Result : Risk of serious damage to eyes.

disodium maleate:

Result : Eye irritation

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVOLYA

Version Revision Date: SDS Number: This version replaces all previous versions.

6.2 28.07.2023 S00007620133

Respiratory or skin sensitisation

Product:

Species : Guinea pig

Result : Did not cause sensitisation on laboratory animals.

Components:

mesotrione (ISO):

Species : Guinea pig

Result : Does not cause skin sensitisation.

disodium maleate:

Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Components:

mesotrione (ISO):

Germ cell mutagenicity- As-

sessment

Animal testing did not show any mutagenic effects.

reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda:

Germ cell mutagenicity- As-

sessment

: In vitro tests did not show mutagenic effects

Carcinogenicity

Components:

mesotrione (ISO):

Carcinogenicity - Assess-

ment

: Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Components:

mesotrione (ISO):

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT - single exposure

Components:

reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda:

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVOLYA

Version Revision Date: SDS Number: This version replaces all previous versions. 8.2 28.07.2023 S00007620133

disodium maleate:

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

STOT - repeated exposure

Components:

mesotrione (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

SECTION 12: Ecological information

12.1 Toxicity

Components:

mesotrione (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l

Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): > 97.1 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 900 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 12

mg/l

Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0.75 mg/l

End point: Growth rate Exposure time: 96 h

ErC50 (Lemna gibba (gibbous duckweed)): 0.0301 mg/l

Exposure time: 7 d

EC10 (Lemna gibba (gibbous duckweed)): 0.00187 mg/l

End point: Growth rate Exposure time: 7 d

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC: 12.5 mg/l Exposure time: 36 d

Species: Pimephales promelas (fathead minnow)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVOLYA

Version Revision Date: SDS Number: This version replaces all previous versions.

6.2 28.07.2023 S00007620133

Toxicity to daphnia and other : NOEC: 180 mg/l aquatic invertebrates (Chron- Exposure time: 21 d

ic toxicity) Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic : 10

toxicity)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

200 mg/l

Exposure time: 72 h

Remarks: Information given is based on data obtained from

similar substances.

12.2 Persistence and degradability

Components:

mesotrione (ISO):

Stability in water : Degradation half life: > 30 d (25 °C)

Remarks: Persistent in water.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.

reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda:

Biodegradability: Result: Readily biodegradable.

Remarks: Information given is based on data obtained from

similar substances.

diatomite:

Biodegradability : Result: Not readily biodegradable.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVOLYA

Version Revision Date: SDS Number: This version replaces all previous versions.

6.2 28.07.2023 S00007620133

12.3 Bioaccumulative potential

Components:

mesotrione (ISO):

Bioaccumulation : Remarks: Low bioaccumulation potential.

12.4 Mobility in soil

Components:

mesotrione (ISO):

Distribution among environ-

mental compartments

Stability in soil : Dissipation time: 6 - 105 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

mesotrione (ISO):

Assessment : This substance is not considered to be persistent, bioaccumu-

lating and toxic (PBT).. This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

diatomite:

Assessment : This substance is not considered to be persistent, bioaccumu-

lating and toxic (PBT).. This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

The substance/mixture does not contain components considered to have endocrine disrupting properties according to

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVOLYA

Version Revision Date: SDS Number: This version replaces all previous versions. 8.2 28.07.2023 S00007620133

Product : Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or incinera-

tion.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(MESOTRIONE)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(MESOTRIONE)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(MESOTRIONE)

IATA : Environmentally hazardous substance, solid, n.o.s.

(MESOTRIONE)

14.3 Transport hazard class(es)

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADR

Packing group : III Classification Code : M7

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVOLYA

Version Revision Date: SDS Number: This version replaces all previous versions.

6.2 28.07.2023 S00007620133

Hazard Identification Number : 90 Labels : 9 Tunnel restriction code : (-)

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IMDG

Packing group : III Labels : 9 EmS Code : F-A,

EmS Code : F-A, S-F Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IATA (Passenger)

Packing instruction (passen: 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVOLYA

Version Revision Date: SDS Number: This version replaces all previous versions. 8.2 28.07.2023 S00007620133

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the fol-

lowing entries should be considered: formaldehyde (Number on list 72,

28)

Not applicable

: Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

UK REACH List of substances subject to authorisation : Not applicable

(Annex XIV)

GB Export and import of hazardous chemicals - Prior

Informed Consent (PIC) Regulation

Control of Major Accident Hazards Regulations E1 ENVIRONMENTAL HAZARDS

2015 (COMAH)

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed. H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H335 : May cause respiratory irritation.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVOLYA

Version Revision Date: SDS Number: This version replaces all previous versions. 6.2 28.07.2023 S00007620133

H361d : Suspected of damaging the unborn child.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation

Repr. : Reproductive toxicity

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure GB EH40 : UK. EH40 WEL - Workplace Exposure Limits Syngenta : Syngenta Occupational Exposure Limit

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

Syngenta / TWA : Time weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



EVOLYAVersion Revision Date: SDS Number: This version replaces all previous versions. 8.2 28.07.2023 S00007620133

Further information

Classification of the mixture: Classification procedure:

Repr. 2	H361d	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB/EN