According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# LEIMAY

Versien	Devision Date:		Data of last issues OF 10 2022
Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2022
2.3	17.08.2023	S00049269866	Date of first issue: 07.03.2018

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name	:	LEIMAY
Design code	:	A17578B
Product Registration Number	:	MAPP 19280
Unique Formula Identifier (UFI)	:	P3TJ-WFJ4-9Q09-FXP6

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Fungicide
Recommended restrictions on use	: professional use

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Syngenta UK Limited CPC4, Capital Park Fulbourn, Cambridge CB21 5XE United Kingdom
Telephone	:	+44 (0) 1223 883400
Telefax	:	+44 (0) 1223 882195
E-mail address of person responsible for the SDS	:	customer.services@syngenta.com

#### **1.4 Emergency telephone number**

Emergency telephone num- : +44 1484 538444 ber

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK
SI 2019/720, and UK SI 2020/1567)

Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Short-term (acute) aquatic hazard, Cate-	H400: Very toxic to aquatic life.
gory 1 Long-term (chronic) aquatic hazard, Cat- egory 1	H410: Very toxic to aquatic life with long lasting effects.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# LEIMAY

Version	Revision Date:	SDS Number:	Date of last
2.3	17.08.2023	S00049269866	Date of first

ate of last issue: 05.10.2022 ate of first issue: 07.03.2018

## 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :			
Signal word :	Warning		
Hazard statements :	<ul><li>H351 Suspected of causing cancer.</li><li>H410 Very toxic to aquatic life with long lasting effects.</li></ul>		
Precautionary statements :	<ul> <li>Prevention:</li> <li>P201 Obtain special instructions before use.</li> <li>P202 Do not handle until all safety precautions have been read and understood.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.</li> </ul>		
	<b>Response:</b> P308 + P313 IF exposed or concerned: Get medical advice/ attention. P391 Collect spillage.		
	Disposal:		
	P501 Dispose of contents/container to a licensed hazardous- waste disposal contractor or collection site except for empty clean		
	containers which can be disposed of as non-hazardous waste.		
Hazardous components which must be listed on the label:			

amisulbrom (ISO)

#### **Additional Labelling**

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

# 2.3 Other hazards


This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)





# LEIMAY

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2022
2.3	17.08.2023	S00049269866	Date of first issue: 07.03.2018

	Index-No. Registration number		
amisulbrom (ISO)	348635-87-0 616-224-00-2	Eye Irrit. 2; H319 Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1;	>= 10 - < 20
		H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	: Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.	
If inhaled	<ul> <li>Move the victim to fresh air.</li> <li>If breathing is irregular or stopped, administer artificial respiration.</li> <li>Keep patient warm and at rest.</li> <li>Call a physician or poison control centre immediately.</li> </ul>	
In case of skin contact	<ul> <li>Take off all contaminated clothing immediately.</li> <li>Wash off immediately with plenty of water.</li> <li>If skin irritation persists, call a physician.</li> <li>Wash contaminated clothing before re-use.</li> </ul>	
In case of eye contact	<ul> <li>Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.</li> <li>Remove contact lenses.</li> <li>Immediate medical attention is required.</li> </ul>	
If swallowed	<ul> <li>If swallowed, seek medical advice immediately and show this container or label.</li> <li>Do NOT induce vomiting.</li> </ul>	
4.2 Most important symptoms and effects, both acute and delayed		
Symptoms	: Nonspecific No symptoms known or expected.	
4.3 Indication of any immediate medical attention and special treatment needed		
Treatment	: There is no specific antidote available.	
3/15		

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Version	Revision Date:	SDS Number:	Date of last
2.3	17.08.2023	S00049269866	Date of first

Date of last issue: 05.10.2022 Date of first issue: 07.03.2018

Treat symptomatically.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media					
Suitable extinguishing media	:	Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Extinguishing media - large fires Alcohol-resistant foam or Water spray			
Unsuitable extinguishing media	:	Do not use a solid water stream as it may scatter and spread fire.			
5.2 Special hazards arising from	5.2 Special hazards arising from the substance or mixture				
Specific hazards during fire- fighting	:	As the product contains combustible organic components, fire will produce dense black smoke containing hazardous prod- ucts of combustion (see section 10). Exposure to decomposition products may be a hazard to health.			
5.3 Advice for firefighters					
Special protective equipment for firefighters	:	Wear full protective clothing and self-contained breathing apparatus.			
Further information	:	Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.			

# **SECTION 6: Accidental release measures**

<ul><li>6.1 Personal precautions, protect</li><li>Personal precautions</li><li>6.2 Environmental precautions</li></ul>		e equipment and emergency procedures Refer to protective measures listed in sections 7 and 8.			
0.2 Environmental precautions					
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.			
6.3 Methods and material for containment and cleaning up					
Methods for cleaning up	:	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local			

/ national regulations (see section 13). Clean contaminated surface thoroughly.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# LEIMAY

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2022
2.3	17.08.2023	S00049269866	Date of first issue: 07.03.2018

Clean with detergents. Avoid solvents. Retain and dispose of contaminated wash water.

#### 6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling	<ul> <li>No special protective measures against fire required.</li> <li>Avoid contact with skin and eyes.</li> <li>When using do not eat, drink or smoke.</li> <li>For personal protection see section 8.</li> </ul>
7.2 Conditions for safe storage	e, including any incompatibilities
Requirements for storage areas and containers	: No special storage conditions required. Keep containers tight- ly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.
7.3 Specific end use(s)	
Specific use(s)	: For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

## 8.2 Exposure controls

#### Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

#### Personal protective equipment

Eye/face protection Hand protection	: No special protective equipment required.
Material Break through time Glove thickness	<ul> <li>Nitrile rubber</li> <li>&gt; 480 min</li> <li>0.5 mm</li> </ul>
Remarks	: Wear protective gloves. The choice of an appropriate glove

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



LEIMAY							
Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2022				
2.3	17.08.2023	S00049269866	Date of first issue: 07.03.2018				
Skin al Respir	nd body protection atory protection tive measures	does not only de features and is d Please observe t breakthrough tim gloves. Also take tions under which cuts, abrasion, at depends amongs and the type of g each case. Glove is any indication : Choose body pro- tration and amou cific work-place. Remove and was Wear as appropri Impervious clothi : No personal resp quired. When workers an limit they must us : The use of techn over the use of p	pend on its material but also on other quality ifferent from one producer to the other. he instructions regarding permeability and e which are provided by the supplier of the into consideration the specific local condi- in the product is used, such as the danger of nd the contact time. The break through time st other things on the material, the thickness love and therefore has to be measured for es should be discarded and replaced if there of degradation or chemical breakthrough. otection in relation to its type, to the concen- int of dangerous substances, and to the spe- sh contaminated clothing before re-use. iate: ing biratory protective equipment normally re- re facing concentrations above the exposure se appropriate certified respirators. ical measures should always have priority ersonal protective equipment. bersonal protective equipment, seek appro-				

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

internation on sacre physica	~ ~ ~ ~	a enemieai prepertit
Appearance Colour Odour Odour Threshold	:	liquid off-white odourless No data available
рН	:	8.1
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# LEIMAY

		•				
Ver 2.3	sion	Revision Date: 17.08.2023		S Number: 0049269866	Date of last issue: 05.10.2022 Date of first issue: 07.03.2018	
	Vapour	pressure	:	No data available	2	
	Relative	e vapour density	:	No data available	9	
	Density	,	:	1.13 g/cm3		
		ty(ies) er solubility ıbility in other solvents	:	No data available No data available	-	
	Partition coefficient: n-		:	No data available	9	
	octanol/water Auto-ignition temperature		:	No data available	9	
	Decomposition temperature		:	No data available	9	
	Viscosity Viscosity, dynamic		:	120 - 333 mPa.s	(20 °C)	
				50 - 2,000 mPa.s	s (40 °C)	
	Visc	osity, kinematic	:	No data available	9	
	Explosive properties		:	Not explosive		
	Oxidizing properties		:	The substance o	r mixture is not classified as oxidizing.	
9.2	9.2 Other information					
	Particle size		:	No data available	9	

# **SECTION 10: Stability and reactivity**

<ul> <li>10.1 Reactivity</li> <li>None reasonably foreseeable</li> <li>10.2 Chemical stability</li> <li>Stable under normal condition</li> </ul>		
10.3 Possibility of hazardous rea	actio	
Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
<b>10.4 Conditions to avoid</b> Conditions to avoid	:	No decomposition if used as directed.
<b>10.5 Incompatible materials</b> Materials to avoid	:	None known.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# LEIMAY

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2022
2.3	17.08.2023	S00049269866	Date of first issue: 07.03.2018

## 10.6 Hazardous decomposition products

Hazardous decomposition : No hazardous decomposition products are known. products

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects Information on likely routes of : Ingestion exposure Inhalation Skin contact Eye contact Acute toxicity Product: Acute oral toxicity LD50 (Rat): > 5,000 mg/kg : Acute inhalation toxicity LC50 (Rat): > 6.43 mg/l : Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg Components: amisulbrom (ISO): Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Acute inhalation toxicity : LC50 (Rat): > 2.85 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity LD50 (Rat): > 5,000 mg/kg Acute dermal toxicity 5 Skin corrosion/irritation **Product:** Species Rabbit 2 No skin irritation Result 5 **Components:** amisulbrom (ISO): Species Rabbit 2 No skin irritation Result •

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# LEIMAY

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2022
2.3	17.08.2023	S00049269866	Date of first issue: 07.03.2018
2.0	17.00.2020	000043203000	Date of 113t 133de. 07.00.2010

## Serious eye damage/eye irritation

# Product:

Species	:	Rabbit
Result	:	No eye irritation

## **Components:**

amisulbrom (ISO):		
Species Result	-	Rabbit Irritation to eyes, reversing within 21 days

# Respiratory or skin sensitisation

#### Product:

Species	:	Guinea pig
Result	:	Did not cause sensitisation on laboratory animals.

#### **Components:**

## amisulbrom (ISO):

Species	:	Guinea pig
Result	:	Did not cause sensitisation on laboratory animals.

#### Germ cell mutagenicity

#### **Components:**

amisulbrom (ISO):	
Germ cell mutagenicity- As- sessment	: Animal testing did not show any mutagenic effects.
Coroinogonioity	

#### Carcinogenicity

#### **Components:**

<b>amisulbrom (ISO):</b> Carcinogenicity - Assess- ment	: Limited evidence of carcinogenicity in animal studies
Reproductive toxicity	
Components:	
amisulbrom (ISO):	

# Reproductive toxicity - As- : No toxicity to reproduction sessment

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# LEIMAY

Version	Revision Date:	SDS Number:
2.3	17.08.2023	S00049269866

Date of last issue: 05.10.2022 9866

Date of first issue: 07.03.2018

# **SECTION 12: Ecological information**

## 12.1 Toxicity

# **Product:**

	Floduct.		
	Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): 1.9 mg/l Exposure time: 96 h
	Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.044 mg/l Exposure time: 48 h
	Components:		
	amisulbrom (ISO):		
	Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0515 mg/l Exposure time: 96 h
	Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.0368 mg/l Exposure time: 48 h
	Toxicity to algae/aquatic plants	:	EbC50 (Raphidocelis subcapitata (freshwater green alga)): 0.0225 mg/l Exposure time: 96 h
	M-Factor (Acute aquatic tox- icity)	:	10
	M-Factor (Chronic aquatic toxicity)	:	10
12.2	2 Persistence and degradabil	ity	
	Components:		
	amisulbrom (ISO):		
	Biodegradability	:	Result: Not readily biodegradable.
	Stability in water	:	Degradation half life: 16 - 163 d Remarks: Product is not persistent.
12.3	Bioaccumulative potential		
	Components:		
	amisulbrom (ISO):		
	Bioaccumulation	:	Remarks: Does not bioaccumulate.

Partition coefficient: n-	log Pow: 4.4	
octanol/water	0	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# LEIMAY

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2022
2.3	17.08.2023	S00049269866	Date of first issue: 07.03.2018

# 12.4 Mobility in soil

# Components:

## amisulbrom (ISO):

:	Remarks: immobile
:	Dissipation time: 3 - 13 d Percentage dissipation: 50% (DT50) Remarks: Product is not persistent.
	:

# 12.5 Results of PBT and vPvB assessment

#### Product:

	TTOULOL.	
	Assessment :	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
	Components:	
	amisulbrom (ISO):	
	Assessment :	This substance is not considered to be persistent, bioaccumu- lating and toxic (PBT) This substance is not considered to be very persistent and very bioaccumulating (vPvB).
12.	6 Other adverse effects	
	Product:	
	Endocrine disrupting poten- : tial	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product	<ul> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Do not dispose of waste into sewer.</li> <li>Where possible recycling is preferred to disposal or incineration.</li> <li>If recycling is not practicable, dispose of in compliance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Triple rinse containers.</li> <li>Empty containers should be taken to an approved waste han- dling site for recycling or disposal.</li> <li>Do not re-use empty containers.</li> </ul>

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# LEIMAY

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2022
2.3	17.08.2023	S00049269866	Date of first issue: 07.03.2018

# **SECTION 14: Transport information**

14.1 UN number		
ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
ΙΑΤΑ	:	UN 3082
14.2 UN proper shipping name		
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AMISULBROM)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AMISULBROM)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AMISULBROM)
ΙΑΤΑ	:	Environmentally hazardous substance, liquid, n.o.s. (AMISULBROM)
14.3 Transport hazard class(es)		
		Class Subsidiary risks
ADR	:	9
RID	:	9
IMDG	:	9
ΙΑΤΑ	:	9
14.4 Packing group		
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code Remarks		<ul> <li>III</li> <li>M6</li> <li>90</li> <li>9</li> <li>(-)</li> <li>This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.</li> </ul>
<b>RID</b> Packing group Classification Code Hazard Identification Number	: :	III M6 90

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# LEIMAY

LEIMAY					
Vers 2.3	sion	Revision Date: 17.08.2023		OS Number: 0049269866	Date of last issue: 05.10.2022 Date of first issue: 07.03.2018
	Labels Remark	S	:	single or combina	be subject to exemptions when packaged in tion packagings containing a net quantity per ckaging of 5 L or less for liquids, or having a or less for solids.
	IMDG Packing Labels EmS Co Remark	ode		single or combina	be subject to exemptions when packaged in tion packagings containing a net quantity per ckaging of 5 L or less for liquids, or having a or less for solids.
	aircraft)	nistruction (cargo nistruction (LQ) group	:	single or combina	be subject to exemptions when packaged in tion packagings containing a net quantity per ckaging of 5 L or less for liquids, or having a or less for solids.
	Packing ger airc	g instruction (LQ) g group		single or combina	be subject to exemptions when packaged in tion packagings containing a net quantity per ckaging of 5 L or less for liquids, or having a or less for solids.
14.5	Enviro	nmental hazards			
	RID	mentally hazardous mentally hazardous	:	yes yes	
		pollutant	:	yes	
	Environ	Passenger) mentally hazardous	:	yes	
	IATA (Cargo) Environmentally hazardous : yes				

# 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# LEIMAY

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2022
2.3	17.08.2023	S00049269866	Date of first issue: 07.03.2018

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	: Not applicable
Control of Major Accident Hazards Regulations E1 2015 (COMAH)	ENVIRONMENTAL HAZARDS

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

# **SECTION 16: Other information**

#### Full text of H-Statements

H319 :	Causes serious eye irritation.
H351 :	Suspected of causing cancer.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

•	hort-term (acute) aquatic hazard ong-term (chronic) aquatic hazard
Carc. : C	arcinogenicity ye irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration as-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# LEIMAY

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2022
2.3	17.08.2023	S00049269866	Date of first issue: 07.03.2018

sociated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information				
Classification of the mix	ture:	Classification procedure:		
Carc. 2	H351	Calculation method		
Aquatic Acute 1	H400	Based on product data or assessment		
Aquatic Chronic 1	H410	Calculation method		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN