according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# STEALTH

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.08.2023	S1407285012	Date of first issue: 15.08.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name	:	STEALTH
Design code	:	A12690B
Product Registration Number	:	MAPP 14551
Unique Formula Identifier (UFI)	:	RNC3-A02E-7003-ED68

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	:	Insecticide
stance/Mixture		

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Syngenta UK Limited CPC4, Capital Park Fulbourn, Cambridge CB21 5XE United Kingdom
Telephone	:	+44 (0) 1223 883400
Telefax	:	+44 (0) 1223 882195
E-mail address of person responsible for the SDS	:	customer.services@syngenta.com

### **1.4 Emergency telephone number**

Emergency telephone num- : +44 1484 538444 ber

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Short-term (acute) aquatic hazard, Cate-	H400: Very toxic to aquatic life.
gory 1	
Long-term (chronic) aquatic hazard, Cat-	H410: Very toxic to aquatic life with long lasting
egory 1	effects.

#### 2.2 Label elements

#### **Additional Labelling**

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# STEALTH

Version	Revision Date:	SDS Number:	Date of last issue: -					
1.0	15.08.2023	S1407285012	Date of first issue: 15.08.2023					

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

## Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
lambda-cyhalothrin (ISO)	91465-08-6 415-130-7 607-252-00-6	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10,000 M-Factor (Chronic aquatic toxicity): 10,000	>= 2.5 - < 10
hydrocarbons, C10-C13, aromat- ics, <1% naphthalene	Not Assigned 01-2119451097-39- xxxx	Asp. Tox. 1; H304 Aquatic Chronic 2; H411 EUH066	>= 2.5 - < 10
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60- xxxx	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1;	>= 0.05 - < 0.1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# STEALTH

Version	Revision Date: 15.08.2023	SDS Number:	Date of last issue: -
1.0		S1407285012	Date of first issue: 15.08.2023
			H400 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 >= 0.05 %

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice	:	Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.			
If inhaled	:	Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respira- tion. Keep patient warm and at rest. Call a physician or poison control centre immediately.			
In case of skin contact	:	Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.			
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.			
If swallowed	:	If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.			
4.2 Most important symptoms and effects, both acute and delayed					
Symptoms	:	Aspiration may cause pulmonary oedema and pneumonitis. Skin contact paresthesia effects (itching, tingling, burning or numbness) are transient, lasting up to 24 hours.			
4.3 Indication of any immediate medical attention and special treatment needed					

Treatment : Do not induce vomiting: contains petroleum distillates and/or

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# STEALTH

Version	Revision Date:	
1.0	15.08.2023	

SDS Number: Date of I S1407285012 Date of f

Date of last issue: -Date of first issue: 15.08.2023

aromatic solvents. Treat symptomatically.

## **SECTION 5: Firefighting measures**

5.1	Extinguishing media				
	Suitable extinguishing media	:	Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Extinguishing media - large fires Alcohol-resistant foam or Water spray		
	Unsuitable extinguishing media	:	Do not use a solid water stream as it may scatter and spread fire.		
5.2	5.2 Special hazards arising from the substance or mixture				
	Specific hazards during fire- fighting	:	As the product contains combustible organic components, fire will produce dense black smoke containing hazardous prod- ucts of combustion (see section 10). Exposure to decomposition products may be a hazard to health.		
5.3	5.3 Advice for firefighters				
	Special protective equipment for firefighters	:	Wear full protective clothing and self-contained breathing apparatus.		
	Further information	:	Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.		

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

<ul> <li>6.2 Environmental precautions</li> <li>Environmental precautions</li> <li>Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>	Personal precautions	:	Refer to protective measures listed in sections 7 and 8.
	•	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible ab-
		sorbent material, (e.g. sand, earth, diatomaceous earth, ver-
		miculite) and place in container for disposal according to local
		/ national regulations (see section 13).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# STEALTH

Version	Revision Date:	SDS Number:	Date of last issue: -	
1.0	15.08.2023	S1407285012	Date of first issue: 15.08.2023	

Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents. Retain and dispose of contaminated wash water.

### 6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling


	Advice on safe handling	:	No special protective measures against fire required. Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	No special storage conditions required. Keep containers tight- ly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.
	Further information on stor- age stability	:	Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.
7.3	Specific end use(s)		
	Specific use(s)	:	For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

				1
Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
		Laborate Cara		100
propane-1,2-diol	Workers	Inhalation	Long-term systemic	168 mg/m3
			effects	
	Consumers	Inhalation	Long-term local ef-	10 mg/m3
			fects	
	Consumers	Inhalation	Long-term systemic	30 mg/m3
			effects	
	Workers	Inhalation	Long-term local ef-	10 mg/m3
		innalation	fects	ro mg/mo
	14/ 1			
hydrocarbons, C10-	Workers	Inhalation	Long-term systemic	151 mg/m3
C13, aromatics, <1%			effects	
naphthalene				
Парпаласте	14/	David	1	10 5
	Workers	Dermal	Long-term systemic	12.5 mg/kg
			effects	
	Consumers	Inhalation	Long-term systemic	32 mg/m3





# STEALTH

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.08.2023	S1407285012	Date of first issue: 15.08.2023

			effects	
	Consumers	Dermal	Long-term systemic effects	7.5 mg/kg
	Consumers	Oral	Long-term systemic effects	7.5 mg/kg
1,2-benzisothiazol- 3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m3
	Workers	Dermal	Long-term systemic effects	0.966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0.345 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
propane-1,2-diol	Fresh water	260 mg/l
	Marine water	26 mg/l
	Intermittent use/release	183 mg/l
	Sewage treatment plant	20000 mg/l
	Marine sediment	57.2 mg/kg
	Fresh water sediment	572 mg/kg
	Soil	50 mg/kg
1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l
	Marine water	0.000403 mg/l
	Sewage treatment plant	1.03 mg/l
	Fresh water sediment	0.0499 mg/kg
	Marine sediment	0.00499 mg/kg
	Freshwater - intermittent	0.0011 mg/l
	Marine water - intermittent	0.000110 mg/l
	Soil	3 mg/kg

### 8.2 Exposure controls

### Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

#### Personal protective equipment

Eye/face protection	:	No special protective equipment required.
Hand protection		

Material	: Nitri	ile rubber
Break through time	: > 48	30 min
Glove thickness	: 0.5	mm

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# STEALTH

sion	Revision Date: 15.08.2023	SDS Number: S1407285012	Date of last issue: - Date of first issue: 15.08.2023	
Remarks Skin and body protection Respiratory protection Filter type Protective measures		: Wear protective gloves. The choice of an appropriate g does not only depend on its material but also on other features and is different from one producer to the other Please observe the instructions regarding permeability breakthrough time which are provided by the supplier of gloves. Also take into consideration the specific local of tions under which the product is used, such as the dan cuts, abrasion, and the contact time. The break through depends amongst other things on the material, the thic and the type of glove and therefore has to be measure each case. Gloves should be discarded and replaced if is any indication of degradation or chemical breakthrou The selected protective gloves have to satisfy the spect tions of Regulation (EU) 2016/425 and the standard EN derived from it.		
		tration and am cific work-plac	wash contaminated clothing before re-use. opriate:	
		: When workers limit they must Suitable respir Respirator with The filter class imum expecte (gas/vapour/ac dling the produ	a are facing concentrations above the exposu t use appropriate certified respirators. ratory equipment: h a particle filter (EN 143) for the respirator must be suitable for the ma d contaminant concentration erosol/particulates) that may arise when han- uct. If this concentration is exceeded, self- athing apparatus must be used.	
		<ul> <li>Particulates ty</li> <li>The use of tec over the use o</li> </ul>	pe (P) chnical measures should always have priority f personal protective equipment. g personal protective equipment, seek appro	

Water	:
	Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform
	respective authorities.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	:	suspension
Colour	:	beige to cream
Odour	:	aromatic, weak

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# STEALTH

	I <b>EAL</b> sion	Revision Date: 15.08.2023		S Number: 407285012	Date of last issue: - Date of first issue: 15.08.2023
1.0		10.00.2020	014	101200012	Date of fills 13506. 13.00.2023
	Odour	Threshold	:	No data available	9
	Melting	point/range	:	No data available	9
	Boiling	point/boiling range	:	100 °C	
	Flamma	ability	:	No data available	9
		explosion limit / Upper bility limit	:	No data available	9
		explosion limit / Lower bility limit	:	No data available	2
	Flash p	point	:	Method: Pensky- does not flash	Martens closed cup
	Auto-ig	nition temperature	:	465 °C	
	Decom	position temperature	:	No data available	9
	рН		:	4 - 8 (25 °C) Concentration: 1	%w/v
	Viscosi Visc	ty cosity, kinematic	:	107 mm2/s (20 °	C)
	Solubili Wat	ity(ies) er solubility	:	completely misci	ble
	Solu	ubility in other solvents	:	Solvent: Water	
	Partitio octanol	n coefficient: n- /water	:	No data available	9
	Vapour	pressure	:	No data available	9
	Density	/	:	1.057 g/cm3 (20	°C)
	Relative	e vapour density	:	No data available	9
		characteristics iicle size	:	No data available	9
9.2	<b>Other ir</b> Explosi	nformation ives	:	Not explosive	
	Oxidiziı	ng properties	:	The substance o	r mixture is not classified as oxidizing.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



STEAL	.TH		
Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.08.2023	S1407285012	Date of first issue: 15.08.2023
Evapo	ration rate	: No data ava	ilable
Surfac	e tension	: 37.0 mN/m,	20.00
Sunac		. 37.0 mm/m,	20 0
SECTION	10: Stability and re	activity	
	···· <b>·</b>	,, <b>,</b>	
10.1 React	ivity		
None	reasonably foreseeable	э.	
10.2 Chem	ical stability		
Stable	under normal conditio	ns.	
10.3 Possi	bility of hazardous re	actions	
Hazar	dous reactions	: No dangero	us reaction known under conditions of normal use.
	itions to avoid		
Condit	ions to avoid	: No decompo	osition if used as directed.
10.5 Incom	patible materials		
	als to avoid	: None knowr	ı.
	dous decomposition	-	
Hazaro	dous decomposition cts	: No hazardo	us decomposition products are known.
SECTION	11. Toxicological i	nformation	
SECTION	11: Toxicological i	nformation	

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure	:	Ingestion Inhalation Skin contact Eye contact
Acute toxicity		
Product: Acute oral toxicity	:	LD50 (Rat, male): 334 mg/kg
Acute inhalation toxicity	:	(Rat, male and female): > 2.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The component/mixture is moderately toxic after short term inhalation., The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



rsion Revision Date: SDS Number: Date of last issue: - 15.08.2023 SJS Number: Date of first issue: 15.08.2023 toxicity  Components: lambda-cyhalothrin (ISO): Acute oral toxicity : LD50 (Rat, female): 56 mg/kg Acute inhalation toxicity : LC50 (Rat, male and female): 0.06 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute dermal toxicity : LD50 (Rat, male): 632 mg/kg 1.2-benzisothiazol-3(2H)-one: Acute oral toxicity : LD50 (Rat, male): 670 mg/kg Acute dermal toxicity : No skin irritation  Product: Species : Rabbit Result : Repeated exposure may cause skin dryness or cracking.  Product: Species : Rabbit Acute : Mild skin irritatio	TEAL	TH		
Components:       Iambda-cyhalothrin (ISO):       I. D50 (Rat, female): 56 mg/kg         Acute oral toxicity       :       LC50 (Rat, male and female): 0.06 mg/l Exposure time: 4 h Test atmosphere: dust/mist         Acute dermal toxicity       :       LD50 (Rat, male): 632 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 632 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute oral toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male and female): > 2,000 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male and female): > 2,000 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male and female): > 2,000 mg/kg         Assessment: The substance or mixture has no acute dermal toxicity       :         Skin corrosion/irritation       :       No skin irritation         Components:       :       Rabbit         Result       :       No skin irritation         hydrocarbons, C10-C13, arrowcs, <1% naphthalene:       Result derposation irritation         hydrocarbons, C10-C13, arrowcs, <1% naphthalex       :       Result	rsion	Revision Date:		
Iambda-cyhaiothrin (ISO):       LD50 (Rat, female): 56 mg/kg         Acute oral toxicity       :       LC50 (Rat, male and female): 0.06 mg/l         Exposure time: 4 h       Test atmosphere: dust/mist         Acute dermal toxicity       :       LD50 (Rat, male): 632 mg/kg         1.2-benzisothiazol-3(2H)-one:       Acute oral toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 500 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male and female): > 2,000 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male and female): > 2,000 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male and female): > 2,000 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male and female): > 2,000 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male and female): > 2,000 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male and female): > 2,000 mg/kg         Skin corrosion/irritation       :       Setionset and toxicity         Species       :       Rabbit			toxicity	
Acute oral toxicity       :       LD50 (Rat, female): 56 mg/kg         Acute inhalation toxicity       :       LC50 (Rat, male and female): 0.06 mg/l Exposure time: 4 h Test atmosphere: dust/mist         Acute dermal toxicity       :       LD50 (Rat, male): 632 mg/kg <b>1,2-benzisothiazol-3(2H)-one:</b> .         Acute oral toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute oral toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 670 mg/kg         Skin corrosion/irritation       :       No skin irritation         Product:       :	<u>Comp</u>	onents:		
Exposure time: 4 h         Acute dermal toxicity       :       LD50 (Rat, male): 632 mg/kg         1,2-benzisothiazol-3(2H)-one:         Acute oral toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male and female): > 2,000 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male and female): > 2,000 mg/kg         Assessment: The substance or mixture has no acute dermal toxicity       Skin corrosion/irritation         Product:       Species       :         Species       :       Rabbit         Result       :       No skin irritation         Components:       Iambda-cyhalothrin (ISO):         Species       :       Rabbit         Result       :       No skin irritation         hydrocarbons, C10-C13, aromatics, <1% naphthalene:       Result         Result       :       Rabbit         Result       :       Rabbit         Result       :       Mild skin irritation         Serious eye damage/eye irritation       Serious eye damage/eye irritation         Species       : <td< th=""><th></th><th></th><th>: LD50 (Rat,</th><th>female): 56 mg/kg</th></td<>			: LD50 (Rat,	female): 56 mg/kg
1,2-benzisothiazol-3(2H)-one:       LD50 (Rat, male): 670 mg/kg         Acute oral toxicity       :       LD50 (Rat, male): 670 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male and female): > 2,000 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male and female): > 2,000 mg/kg         Acute dermal toxicity       :       LD50 (Rat, male and female): > 2,000 mg/kg         Acute dermal toxicity       :       Sessesment: The substance or mixture has no acute dermal toxicity         Skin corrosion/irritation       :       Secies       :         Product:       :       Species       :         Species       :       Rabbit         Result       :       No skin irritation         hydrocarbons, C10-C13, aromatics, <1% naphthalene:	Acute	inhalation toxicity	Exposure t	ime: 4 h
Acute oral toxicity:LD50 (Rat, male): 670 mg/kgAcute dermal toxicity:LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicitySkin corrosion/irritation:.Product: Species:Rabbit ResultSpecies:?Result:No skin irritationComponents: Iambda-cyhalothrin (ISO): Species:Rabbit ResultSpecies:?Result:No skin irritationhydrocarbons, C10-C13, aromatics, <1% naphthalene: Result:Result:Repeated exposure may cause skin dryness or cracking.1,2-benzisothiazol-3(2H)-one: Species:Rabbit 	Acute	dermal toxicity	: LD50 (Rat,	male): 632 mg/kg
Acute dermal toxicity       :       LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity         Skin corrosion/irritation       .         Broduct: Species       :       Rabbit Result         Species       :       Rabbit No skin irritation         Components: Iambda-cyhalothrin (ISO): Species       :       No skin irritation         Species       :       Rabbit Result         Result       :       No skin irritation         hydrocarbons, C10-C13, ar=:: Result       :       No skin irritation         hydrocarbons, C10-C13, ar=: Result       :       Repeated exposure may cause skin dryness or cracking.         1,2-benzisothiazol-3(2H)-or=: Result       :       Rabbit Result         Species       :       Nabbit Result         Species       :       Nabbit Mild skin irritation         Serious eye damage/eye irritation       :       Mild skin irritation         Species       :       Nabbit Mild skin irritation         Species       :       Rabbit Mild skin irritation         Species       :       Rabbit Mild skin irritation	1,2-be	nzisothiazol-3(2H)-o	ne:	
Assessment: The substance or mixture has no acute dermal toxicity          Skin corrosion/irritation         Product:         Species       :         Result       :         Result       :         No skin irritation         Components:         lambda-cyhalothrin (ISO):         Species       :         Result       :         No skin irritation         hydrocarbons, C10-C13, aromatics, <1% naphthalene:	Acute	oral toxicity	: LD50 (Rat,	male): 670 mg/kg
Product:       Species       Rabbit         Result       i       No skin irritation         Components:       Imbda-cyhalothrin (ISO):       Imbda-cyhalothrin (ISO):         Species       i       Rabbit         Result       i       No skin irritation         hydrocarbons, C10-C13, aromatics, <1% naphthalene:	Acute	dermal toxicity	Assessme	
Species       : Rabbit         Result       : No skin irritation         Components:       Iambda-cyhalothrin (ISO):         Iambda-cyhalothrin (ISO):       Species         Species       : Rabbit         Result       : No skin irritation         hydrocarbons, C10-C13, aromatics, <1% naphthalene:	Skin c	orrosion/irritation		
Result       : No skin irritation         Components:         Iambda-cyhalothrin (ISO):         Species       : Rabbit         Result       : No skin irritation         hydrocarbons, C10-C13, aromatics, <1% naphthalene:				
Iambda-cyhalothrin (ISO):       Rabbit         Species       : Rabbit         Result       : No skin irritation         hydrocarbons, C10-C13, aromatics, <1% naphthalene:				ation
Species       : Rabbit         Result       : No skin irritation         hydrocarbons, C10-C13, aromatics, <1% naphthalene:	<u>Comp</u>	onents:		
Result       : No skin irritation         hydrocarbons, C10-C13, aromatics, <1% naphthalene:	lambd	a-cyhalothrin (ISO):		
Result       : Repeated exposure may cause skin dryness or cracking.         1,2-benzisothiazol-3(2H)-one:       :         Species       : Rabbit         Result       : Mild skin irritation         Serious eye damage/eye irritation         Product:         Species       : Rabbit				ation
1,2-benzisothiazol-3(2H)-one:         Species       : Rabbit         Result       : Mild skin irritation         Serious eye damage/eye irritation         Product:         Species       : Rabbit	hydro	carbons, C10-C13, a	romatics, <1% n	aphthalene:
Species       : Rabbit         Result       : Mild skin irritation         Serious eye damage/eye irritation         Product:         Species       : Rabbit	Result		: Repeated e	exposure may cause skin dryness or cracking.
Result       : Mild skin irritation         Serious eye damage/eye irritation         Product:         Species       : Rabbit	1,2-be	nzisothiazol-3(2H)-o	ne:	
Product: Species : Rabbit				ritation
Species : Rabbit	Seriou	ıs eye damage/eye ir	ritation	
	<u>Produ</u>	<u>ct:</u>		
	Specie Result			ation
Components:	<u>Comp</u>	onents:		
lambda-cyhalothrin (ISO):	lambd	a-cyhalothrin (ISO):		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# STEALTH

ST	EAL	TH			
Vers 1.0		Revision Date: 15.08.2023		DS Number: 407285012	Date of last issue: - Date of first issue: 15.08.2023
	Specie	s		Rabbit	
	Result		÷	No eye irritation	
				·	
	1,2-be	nzisothiazol-3(2H)-on	e:		
	Specie	S	:	Rabbit	
	Result		:	Risk of serious da	amage to eyes.
	Respir	atory or skin sensitis	atio	on	
	Produ	<u>ct:</u>			
	Specie	S	:	Humans	
	Result		:	May cause sensit	isation by skin contact.
	Test T		:	Buehler Test	
	Specie	S	:	Guinea pig	
	Result		:	Does not cause s	kin sensitisation.
	<u>Comp</u>	onents:			
	lambd	a-cyhalothrin (ISO):			
	Test T		:	Maximisation Tes	t
	Specie	S	:	Guinea pig	
	Result		•	Does not cause s	kin sensitisation.
	Test T	ype	:	Local lymph node	assay (LLNA)
	Specie		:	Mouse	
	Result		:	Does not cause s	kin sensitisation.
	1,2-be	nzisothiazol-3(2H)-on	e:		
	Result		:	Probability or evid	lence of skin sensitisation in humans
	Germ	cell mutagenicity			
	Comp	onents:			
		a-cyhalothrin (ISO): cell mutagenicity- As-		Animal teating dia	I not show any mutagenic effects.
	sessm	• •	:	Animal testing did	Thos show any mutagenic enects.
		nzisothiazol-3(2H)-on	e:		
	Germ of sessmo	cell mutagenicity- As-	:	Weight of evidend cell mutagen.	ce does not support classification as a germ
	200011				
	Carcin	ogenicity			
	Comp	onents:			
	lambd	a-cyhalothrin (ISO):			
		ogenicity - Assess-	:		e does not support classification as a car-
	ment			cinogen	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# STEALTH

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.08.2023	S1407285012	Date of first issue: 15.08.2023

## **Reproductive toxicity Components:** lambda-cyhalothrin (ISO): Reproductive toxicity - As-: Weight of evidence does not support classification for reprosessment ductive toxicity STOT - single exposure **Components:** lambda-cyhalothrin (ISO): Assessment 2 The substance or mixture is not classified as specific target organ toxicant, single exposure. STOT - repeated exposure **Components:** lambda-cyhalothrin (ISO): Assessment The substance or mixture is not classified as specific target 2 organ toxicant, repeated exposure. Aspiration toxicity **Components:** hydrocarbons, C10-C13, aromatics, <1% naphthalene: May be fatal if swallowed and enters airways. 11.2 Information on other hazards **Endocrine disrupting properties** Product: : The substance/mixture does not contain components consid-Assessment ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. **Further information** Product: Remarks May cause temporary itching, tingling, burning or numbness of : exposed skin, called paresthesia.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# STEALTH

•				
Version	Revision Date:	SDS Number:	Date of last issue: -	
1.0	15.08.2023	S1407285012	Date of first issue: 15.08.2023	

## Components:

### lambda-cyhalothrin (ISO):

Remarks

: May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

<u>Product:</u> Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): 0.012 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.0026 mg/l Exposure time: 48 h
Components:		
lambda-cyhalothrin (ISO):		
Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 0.000078 mg/l Exposure time: 96 h
		LC50 (Ictalurus punctatus (channel catfish)): 0.00016 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.00036 mg/l Exposure time: 48 h
		LC50 (Americamysis): 0.000007 mg/l Exposure time: 48 h
		EC50 (Hyalella azteca (Amphipod)): 0.000002 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 0.31 mg/l Exposure time: 96 h
M-Factor (Acute aquatic tox- icity)	:	10,000
Toxicity to microorganisms	:	EC50 (activated sludge): > 100 mg/l Exposure time: 3 h
Toxicity to fish (Chronic tox- icity)	:	NOEC: 0.000031 mg/l Exposure time: 300 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chron-	:	NOEC: 0.000002 mg/l Exposure time: 21 d

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



61	<b>EAL</b>	TU			
	sion	Revision Date: 15.08.2023		)S Number: 407285012	Date of last issue: - Date of first issue: 15.08.2023
	ic toxici	ity)		Species: Daphnia	magna (Water flea)
				NOEC: 0.00022 µ Exposure time: 28 Species: America	3 d
	M-Factor toxicity	or (Chronic aquatic )	:	10,000	
	hydroc	arbons, C10-C13, arc	oma	tics, <1% naphtha	alene:
	Toxicity	<i>r</i> to fish	:	Exposure time: 96	ation given is based on data obtained from
		to daphnia and other invertebrates	:	Exposure time: 48	ation given is based on data obtained from
	Toxicity plants	/ to algae/aquatic	:	mg/l End point: Growth Exposure time: 72	2 h ation given is based on data obtained from
				0.22 mg/l End point: Growth Exposure time: 72	2 h ation given is based on data obtained from
		<b>ticology Assessment</b>		Toxic to aquatic li	fe with long lasting effects.
	•		•		
		nzisothiazol-3(2H)-on / to fish	<b>e:</b> :	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 2.18 mg/l ວິ h
		v to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48	nagna (Water flea)): 2.94 mg/l 3 h
	Toxicity plants	/ to algae/aquatic	:	ErC50 (Raphidoc 0.15 mg/l Exposure time: 72	elis subcapitata (freshwater green alga)): 2 h
				EC10 (Raphidoce 0.04 mg/l End point: Growth Exposure time: 72	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# STEALTH

Version 1.0	Revision Date: 15.08.2023		DS Number: 407285012	Date of last issue: - Date of first issue: 15.08.2023	
M-F icity	Factor (Acute aquatic tox- /)	:	1		
Tox icity	ticity to fish (Chronic tox- /)	:	NOEC: 0.3 mg, Exposure time: Species: Onco		
aqu	Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)		NOEC: 1.7 mg/l Exposure time: 21 d Species: Daphnia (water flea)		
12.2 Per	rsistence and degradabil	ity			
Cor	mponents:				
	<b>ıbda-cyhalothrin (ISO):</b> degradability	:	Result: Not rea	dily biodegradable.	
Sta	bility in water	:		If life (DT50): 7 d uct is not persistent.	
hyc	Irocarbons, C10-C13, aro	ma	itics, <1% naph	thalene:	
Bio	degradability	:	Result: Readily	biodegradable.	
	- <b>benzisothiazol-3(2H)-on</b> d degradability	e: :	Result: rapidly	degradable	
12.3 Bio	accumulative potential				
<u>Co</u>	mponents:				
	Ibda-cyhalothrin (ISO): accumulation	:	Remarks: Bioa	ccumulates	
	-benzisothiazol-3(2H)-one accumulation	e: :	Remarks: Bioa	ccumulation is unlikely.	
12.4 Mo	bility in soil				
<u>Co</u>	mponents:				
Dist	lambda-cyhalothrin (ISO): Distribution among environ- mental compartments Stability in soil		Remarks: imme	bbile	
				e: 56 d sipation: 50 % (DT50) uct is not persistent.	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# STEALTH

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.08.2023	S1407285012	Date of first issue: 15.08.2023

### 12.5 Results of PBT and vPvB assessment

	12.5 Results of 1 b1 and vi vb assessment			
Product:				
Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.			
Components:				
lambda-cyhalothrin (ISO):				
Assessment	: This substance is not considered to be persistent, bioaccumu- lating and toxic (PBT) This substance is not considered to be very persistent and very bioaccumulating (vPvB).			
1,2-benzisothiazol-3(2H)-on	8:			
Assessment	: This substance is not considered to be persistent, bioaccumu- lating and toxic (PBT) This substance is not considered to be very persistent and very bioaccumulating (vPvB).			
12.6 Endocrine disrupting prope	rties			
Product:				
Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.			
12.7 Other adverse effects				
No data available				
SECTION 13: Disposal consid	lerations			
13.1 Waste treatment methods				
Product	<ul> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Do not dispose of waste into sewer.</li> <li>Where possible recycling is preferred to disposal or incineration.</li> <li>If recycling is not practicable, dispose of in compliance with local regulations.</li> </ul>			

Contaminated packaging :	Empty remaining contents. Triple rinse containers. Empty containers should be taken to an approved waste han- dling site for recycling or disposal. Do not re-use empty containers.
--------------------------	---

## Waste Code : uncleaned packagings

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# STEALTH

• • = • = • • •							
Version	Revision Date:	SDS Number:	Date of last issue: -				
1.0	15.08.2023	S1407285012	Date of first issue: 15.08.2023				

15 01 10, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information						
14.1 UN number or ID number						
ADN	:	UN 3082	UN 3082			
ADR	:	UN 3082				
RID	:	UN 3082				
IMDG	:	UN 3082				
ΙΑΤΑ	:	UN 3082				
14.2 UN proper shipping name						
ADN	:	N.O.S.	HAZARDOUS SUBSTANCE, LIQUID, IRIN, SUBSTITUTED BENZENOID			
ADR	:	N.O.S.	HAZARDOUS SUBSTANCE, LIQUID, IRIN, SUBSTITUTED BENZENOID			
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LAMBDA-CYHALOTHRIN, SUBSTITUTED BENZENOID HYDROCARBONS)				
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LAMBDA-CYHALOTHRIN, SUBSTITUTED BENZENOID HYDROCARBONS)				
ΙΑΤΑ	:		dous substance, liquid, n.o.s. IRIN, SUBSTITUTED BENZENOID			
14.3 Transport hazard class(es)						
		Class	Subsidiary risks			
ADN	:	9				
ADR	:	9				
RID	:	9				
IMDG	:	9				
ΙΑΤΑ	:	9				
14.4 Packing group						
ADN						

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# STEALTH

SIEALIH						
Vers 1.0	sion	Revision Date: 15.08.2023		9S Number: 407285012	Date of last issue: - Date of first issue: 15.08.2023	
		cation Code Identification Number		single or combina	be subject to exemptions when packaged in tion packagings containing a net quantity per ckaging of 5 L or less for liquids, or having a br less for solids.	
	Hazard Labels	cation Code Identification Number restriction code		single or combina	be subject to exemptions when packaged in tion packagings containing a net quantity per ckaging of 5 L or less for liquids, or having a br less for solids.	
		cation Code Identification Number		single or combina	be subject to exemptions when packaged in tion packagings containing a net quantity per ckaging of 5 L or less for liquids, or having a br less for solids.	
	IMDG Packing Labels EmS C Remark	ode		single or combina	be subject to exemptions when packaged in tion packagings containing a net quantity per ckaging of 5 L or less for liquids, or having a or less for solids.	
	aircraft	g instruction (cargo g instruction (LQ) g group	:	single or combina	be subject to exemptions when packaged in tion packagings containing a net quantity per ckaging of 5 L or less for liquids, or having a or less for solids.	

### IATA (Passenger)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# STEALTH

Version 1.0	Revision Date: 15.08.2023		OS Number: 407285012	Date of last issue: - Date of first issue: 15.08.2023
ger air Packin	g instruction (LQ) g group	:	single or combina	be subject to exemptions when packaged in ation packagings containing a net quantity per ckaging of 5 L or less for liquids, or having a or less for solids.

### 14.5 Environmental hazards

ADN Environmentally hazardous	:	yes
ADR Environmentally hazardous	:	yes
<b>RID</b> Environmentally hazardous	:	yes
IMDG Marine pollutant	:	yes
IATA (Passenger) Environmentally hazardous	:	yes
IATA (Cargo) Environmentally hazardous	:	yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

 -		
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
		If you intend to use this product as tattoo ink, please contact your ven- dor.
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that de-	:	Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 1.0	Revision Date: 15.08.2023	SDS Number: S1407285012			last issue: - first issue: 15.08.2023
plete	the ozone layer				
•	lation (EU) 2019/102 <sup>-</sup> (recast)	l on persistent orgar	nic pollu-	:	Not applicable
Regu ment	lation (EC) No 649/20 and the Council conc ngerous chemicals	•		:	Not applicable
REAC	CH - List of substance ex XIV)	s subject to authoris	ation	:	Not applicable
pean contro	so III: Directive 2012/ Parliament and of the ol of major-accident h erous substances.	e Council on the	E1	EN	VIRONMENTAL HAZARDS

### Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

### **SECTION 16: Other information**

#### Full text of H-Statements

H301		Toxic if swallowed.
H302	:	Harmful if swallowed.
H304	:	May be fatal if swallowed and enters airways.
	·	,
H311	:	Toxic in contact with skin.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
EUH066	:	Repeated exposure may cause skin dryness or cracking.
Full text of other abbreviation	ons	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard

	•	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# STEALTH

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.08.2023	S1407285012	Date of first issue: 15.08.2023

Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

## Further information

Classification of the mixture:		Classification procedure:
Acute Tox. 4	H302	Based on product data or assessment
Acute Tox. 4	H332	Based on product data or assessment
Skin Sens. 1	H317	Based on product data or assessment
Aquatic Acute 1	H400	Based on product data or assessment
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

XI / EN