

WICKET supported mixes 2023



GRASS WEEDS

Mixture	Maximum WICKET rate supported for mix & crop situation (l/ha)					
	WW Pre-em		WW Crop GS11- 12+	WB Pre-em		WB Crop GS11- 12+
WICKET + Sunfire 0.48	4.0		2.0**	4.0		2.0**
WICKET + DFF 120 g	4.0*	2.0	2.0*	2.0*		-
WICKET + Liberator 0.6	5.0**	4.0	2.0*	5.0**	4.0	-
WICKET + Crystal 4.0	5.0**	4.0	2.0**	4.0		2.0**
WICKET + FFCT + PICO (100 g)	4.0		-	4.0		-
WICKET + FFCT + PICO (50 g)	4.0		2.0**	4.0		-
WICKET + Liberator 0.6 + PDM (max.1200 g)	4.0**		-	2.0**		-
WICKET + Crystal 4.0 + DFF 60 g	4.0**		-	2.0**		-
WICKET + Liberator 0.6 + Proclus 1.4	3.0 ^{\$}	2.0	N/A	-		N/A
WICKET + Alternator Met/Octavian Met 1.0	3.0 ^{\$}		-	3.0 ^{\$}		-
WICKET + Alternator Met/Octavian Met 0.5	3.0 ^{\$}		2.0**	3.0 ^{\$}		-
WICKET + Tower/Tribal 2.0	3.0 ^{\$}		3.0 ^{\$}	3.0 ^{\$}		-
WICKET + Luxinum Plus + PDM/FFCT/PICO products – speak to BASF	-		-	N/A		N/A
* AVADEX Excel may be applied in sequence with any of the above if seedbed conditions are as required for triallate. Best advice: apply WICKET mixes pre-em and follow 5 days later with Avadex pre-em (no statutory interval)						
WICKET + Liberator 0.6 + Avadex Factor 3.6	3.0		N/A	3.0**		N/A
WICKET + Atlantis 1.2 + Biopower 1.0	N/A		3.0*	N/A		N/A
WICKET + Topik 0.125 + oil	N/A		3.0*	N/A		N/A

Key:
Supported
Supported with caveats
No data/not supported
Not applicable

* Transient crop effect may occur
 ** Seedbed conditions **must** be good with seed drilled to 30 mm to optimise crop safety.
 * Do not apply to crops under stress or to crops suffering from water logging, pest attack, disease, frost, or the effects of high diurnal temperature changes. Do not apply to 'soft' crops that have not been frost hardened if significant frosts are expected immediately after application
 \$ Based on limited data, all above caveats apply.