according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCINTILLA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12.09.2023	S00054370689	Date of first issue: 12.09.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	SCINTILLA
Design code	:	A13814D
Product Registration Number	:	MAPP 19852
Unique Formula Identifier (UFI)	:	C0K4-G0A3-F00C-5VPA

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	:	Herbicide
Recommended restrictions on use	:	professional use professional use

1.3 Details of the supplier of the safety data sheet

Company	:	Syngenta UK Limited CPC4, Capital Park Fulbourn, Cambridge CB21 5XE United Kingdom
Telephone	:	+44 (0) 1223 883400
Telefax	:	+44 (0) 1223 882195
E-mail address of person responsible for the SDS	:	customer.services@syngenta.com

1.4 Emergency telephone number

Emergency telephone num-	:	+44 1484 538444
ber		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Skin sensitisation, Sub-category 1A	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 2	H361d: Suspected of damaging the unborn child.
Long-term (chronic) aquatic hazard, Cat-	H411: Toxic to aquatic life with long lasting effects.
egory 2	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCINTILLA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12.09.2023	S00054370689	Date of first issue: 12.09.2023

2.2 Label elements

Labelling (REGULATION (E	C) I	No 1272/2008)
Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H361d Suspected of damaging the unborn child. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention:P201Obtain special instructions before use.P261Avoid breathing mist or vapours.P264Wash skin thoroughly after handling.P280Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
		Response: P308 + P313 IF exposed or concerned: Get medical advice/ attention. P391 Collect spillage.
		Disposal: P501 Dispose of contents/container to a licensed hazardous- waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Hazardous components which must be listed on the label:

2-methylpentane-2,4-diol pinoxaden (ISO) cloquintocet-mexyl

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCINTILLA

-				
Version	Revision Date:	SDS Number:	Date of last issue: -	
1.0	12.09.2023	S00054370689	Date of first issue: 12.09.2023	

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components		Classification	Concentration
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
hydrocarbons, C10-C13, aromat- ics, <1% naphthalene	Not Assigned 01-2119451097-39- xxxx	Asp. Tox. 1; H304 Aquatic Chronic 2; H411 EUH066	>= 20 - < 25
2-methylpentane-2,4-diol	107-41-5 203-489-0 603-053-00-3 01-2119539582-35- xxxx	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Repr. 2; H361d	>= 20 - < 30
pinoxaden (ISO)	243973-20-8 607-726-00-2	Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1A; H317 Repr. 2; H361d STOT SE 3; H335 (Respiratory system) Aquatic Acute 1; H400 Aquatic Chronic 3; H412 M-Factor (Acute aquatic toxicity): 1 Acute toxicity esti- mate Acute oral toxicity: 500 mg/kg Acute inhalation tox-	>= 3 - < 10
cloquintocet-mexyl	99607-70-2	icity (dust/mist): 4.63 mg/l Acute Tox. 4; H332	>= 1 - < 2.5
	01-2119381871-32- xxxx	Skin Sens. 1; H317 STOT RE 2; H373 (Urinary system, Liv- er)	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCINTILLA

ersion 0	Revision Date: 12.09.2023	SDS Number: S00054370689	Date of last issue: - Date of first issue: 12.09.202	3
			Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	_
napht	thalene	91-20-3 202-049-5 601-052-00-2	Flam. Sol. 2; H228 Acute Tox. 4; H302 Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.1 - < 0.2

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
If inhaled :	:	Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respira- tion. Keep patient warm and at rest. Call a physician or poison control centre immediately.
In case of skin contact	:	Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.
If swallowed	:	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Aspiration may cause pulmonary oedema and pneumonitis.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCIN	SCINTILLA				
Version 1.0	Revision Date: 12.09.2023		DS Number: 00054370689	Date of last issue: - Date of first issue: 12.09.2023	
4.3 Indi	cation of any immediate	me	dical attention and	d special treatment needed	
	atment	:		fic antidote available.	
			Treat symptomati Do not induce voi aromatic solvents	miting: contains petroleum distillates and/or	
SECTIO	ON 5: Firefighting mea	sur	es		
5.1 Exti	nguishing media				
	table extinguishing media	:	Extinguishing me Use water spray, bon dioxide. Extinguishing me Alcohol-resistant or Water spray	alcohol-resistant foam, dry chemical or car- dia - large fires	
Un me	suitable extinguishing dia	:	Do not use a solid fire.	d water stream as it may scatter and spread	
5.2 Spe	cial hazards arising from	n the	e substance or mi	xture	
	ecific hazards during fire- nting	:	will produce dens ucts of combustic	ontains combustible organic components, fire se black smoke containing hazardous prod- on (see section 10). omposition products may be a hazard to	
5.3 Adv	ice for firefighters				
Sp	ecial protective equipment firefighters	:	Wear full protectiv paratus.	ve clothing and self-contained breathing ap-	
Fu	ther information	:	courses.	off from fire fighting to enter drains or water ainers exposed to fire with water spray.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions	:	Refer to protective measures listed in sections 7 and 8.		
6.2 Environmental precautions Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCINTILLA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12.09.2023	S00054370689	Date of first issue: 12.09.2023

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	 Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents. Retain and dispose of contaminated wash water.
-------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling :	No special protective measures against fire required. Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.
7.2 Conditions for safe storage, inc	luding any incompatibilities
Requirements for storage : areas and containers	No special storage conditions required. Keep containers tight- ly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.
7.3 Specific end use(s) Specific use(s) :	For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
tris(2-ethylhexyl) phosphate	Workers	Inhalation	Long-term systemic effects	350 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	2800 mg/m3
	Workers	Dermal	Long-term systemic effects	50 mg/kg
	Workers	Dermal	Acute systemic ef- fects	40 mg/kg
	Consumers	Dermal	Acute systemic ef- fects	200 mg/kg
	Consumers	Dermal	Long-term systemic effects	25 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCINTILLA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12.09.2023	S00054370689	Date of first issue: 12.09.2023

	Consumers	Inhalation	Acute systemic ef- fects	500 mg/m3
	Consumers	Inhalation	Long-term systemic effects	62.5 mg/m3
	Consumers	Oral	Acute systemic ef- fects	200 mg/kg
	Consumers	Oral	Long-term systemic effects	25 mg/kg
hydrocarbons, C10- C13, aromatics, <1% naphthalene	Workers	Inhalation	Long-term systemic effects	151 mg/m3
·	Workers	Dermal	Long-term systemic effects	12.5 mg/kg
	Consumers	Inhalation	Long-term systemic effects	32 mg/m3
	Consumers	Dermal	Long-term systemic effects	7.5 mg/kg
	Consumers	Oral	Long-term systemic effects	7.5 mg/kg
2-methylpentane-2,4- diol	Workers	Inhalation	Short-term exposure, Local effects	98 mg/m3
	Workers	Inhalation	Long-term systemic effects	14 mg/m3
	Workers	Inhalation	Long-term local ef- fects	49 mg/m3
	Workers	Dermal	Long-term systemic effects	2 mg/kg
	Consumers	Inhalation	Short-term exposure, Local effects	49 mg/m3
	Consumers	Inhalation	Long-term systemic effects	3.5 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	25 mg/m3
	Consumers	Oral	Long-term systemic effects	1 mg/kg
	Consumers	Dermal	Long-term systemic effects	1 mg/kg
castor oil, ethoxylated	Workers	Inhalation	Long-term systemic effects	16.4 mg/m3
	Workers	Dermal	Long-term systemic effects	4.67 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2.9 mg/m3
	Consumers	Dermal	Long-term systemic effects	1.67 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	1.67 mg/kg bw/day
cloquintocet-mexyl	Industrial use	Dermal	Long-term exposure, Systemic effects	3.33 mg/kg
	Industrial use	Inhalation	Long-term exposure, Systemic effects	0.303 mg/m3
naphthalene	Workers	Inhalation	Long-term systemic	25 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCINTILLA

Version	Revision Date:
1.0	12.09.2023

Revision Date:	SDS Number:	Date of last issue: -
12.09.2023	S00054370689	Date of first issue: 12.09.2023

		effects	
Workers	Inhalation	Long-term local ef- fects	25 mg/m3
Workers	Dermal	Long-term systemic effects	3.57 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
tris(2-ethylhexyl) phosphate	Sewage treatment plant	1 mg/l
2-methylpentane-2,4-diol	Fresh water	0.429 mg/l
	Marine water	0.0429 mg/l
	Fresh water sediment	1.79 mg/kg
	Marine sediment	0.179 mg/kg
	Soil	0.11 mg/kg
castor oil, ethoxylated	Fresh water sediment	0.0129 mg/kg dry
		weight (d.w.)
	Marine sediment	0.00129 mg/kg
		dry weight (d.w.)
	Soil	0.00258 mg/kg
		dry weight (d.w.)
cloquintocet-mexyl	Fresh water	0.0018 mg/l
	Fresh water sediment	0.934 mg/kg dry
		weight (d.w.)
	Marine water	0.00018 mg/l
	Marine sediment	0.0934 mg/kg dry
		weight (d.w.)
	Soil	0.463 mg/kg dry
		weight (d.w.)
naphthalene	Fresh water	0.0024 mg/l
	Marine water	0.0024 mg/l
	Sewage treatment plant	2.9 mg/l
	Fresh water sediment	0.0672 mg/kg
	Marine sediment	0.0672 mg/kg
	Soil	0.0533 mg/kg

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye/face protection	:	No special protective equipment required.
Hand protection		

Material

Nitrile rubber :

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCINTILLA

Version 1.0	Revision Date: 12.09.2023	SDS Number: S00054370689	Date of last issue: - Date of first issue: 12.09.2023
	eak through time ove thickness	: > 480 min : 0.5 mm	
Re	emarks	does not onl features and Please obse breakthroug gloves. Also tions under cuts, abrasic depends am and the type each case. C is any indica The selected	tive gloves. The choice of an appropriate glove y depend on its material but also on other quality is different from one producer to the other. rve the instructions regarding permeability and h time which are provided by the supplier of the take into consideration the specific local condi- which the product is used, such as the danger of on, and the contact time. The break through time ongst other things on the material, the thickness of glove and therefore has to be measured for Gloves should be discarded and replaced if there tion of degradation or chemical breakthrough. d protective gloves have to satisfy the specifica- ulation (EU) 2016/425 and the standard EN 374 it.
Skin a	and body protection	tration and a cific work-pla	d wash contaminated clothing before re-use. propriate:
Respi	ratory protection	quired. When worke	respiratory protective equipment normally re- ers are facing concentrations above the exposure ist use appropriate certified respirators.
Prote	ctive measures	over the use When select	echnical measures should always have priority of personal protective equipment. ing personal protective equipment, seek appro- sional advice.

Environmental exposure controls

Water	: Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
-------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	clear to slightly turbid, liquid
Colour	:	light yellow to brown
Odour	:	aromatic
Odour Threshold	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCINTILLA

	sion Revision Date: 12.09.2023		S Number: 0054370689	Date of last issue: - Date of first issue: 12.09.2023
_				
	Melting point/range	:	No data available	9
	Boiling point/boiling range	:	No data available	9
	Flammability	:	No data available	9
	Upper explosion limit / Upper flammability limit	:	No data available	9
	Lower explosion limit / Lower flammability limit	:	No data available	2
	Flash point	:	102 °C Method: Pensky-	Martens closed cup
	Auto-ignition temperature	:	375 °C	
	Decomposition temperature	:	No data available	9
	рН	:	4.3 Concentration: 1	%w/v
	Viscosity Viscosity, dynamic	:	55 mPa.s (20 °C	
			24 mPa.s (40 °C	
	Viscosity, kinematic	:	No data available	2
	Solubility(ies) Solubility in other solvents	:	No data available	9
	Partition coefficient: n- octanol/water	:	No data available	9
	Vapour pressure	:	No data available	9
	Density	:	0.965 g/cm3	
	Relative vapour density	:	No data available	9
	Particle characteristics Particle size	:	No data available	9
9.2	Other information			
	Explosives	:	Not explosive	
	Oxidizing properties	:	The substance o	r mixture is not classified as oxidizing.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCINT Version	Revision Date:	SF	S Number:	Date of last issue: -
1.0	12.09.2023		0054370689	Date of first issue: 12.09.2023
Evap	oration rate	:	No data avail	able
Misci	bility with water	:	Miscible	
Surfa	ce tension	:	30.4 mN/m, 1	.300 %, 20 °C
SECTION	N 10: Stability and r	reacti	vity	
10.1 Reac	tivity			
None	reasonably foreseeab	ole.		
	nical stability e under normal conditi	ions.		
10.3 Poss	bibility of hazardous i	reactio	ons	
Haza	rdous reactions	:	No dangerous	s reaction known under conditions of normal use
10.4 Conc	ditions to avoid			
Cond	itions to avoid	:	No decompos	sition if used as directed.
10.5 Incoi	mpatible materials			
Mater	rials to avoid	:	None known.	
10.6 Haza	rdous decompositio	n proc	ducts	
Haza produ	rdous decomposition ucts	:	No hazardous	s decomposition products are known.
SECTION	N 11: Toxicological	infor	mation	
11.1 Infor	mation on hazard cla	asses	as defined in F	Regulation (EC) No 1272/2008
	nation on likely routes		Ingestion	_ 、 ,
expos	sure		Inhalation Skin contact Eye contact	
Acute	e toxicity			
Prod	uct:			
Acute	e oral toxicity	:		nale): > 2,000 mg/kg The substance or mixture has no acute oral tox-

Exposure time: 4 h

Acute toxicity estimate: > 5 mg/l

LD50 (Rat, male and female): > 2,000 mg/kg

Test atmosphere: dust/mist Method: Calculation method

icity

:

:

Acute inhalation toxicity

Acute dermal toxicity



SCINT	ILLA	
Version 1.0	Revision Date: 12.09.2023	SDS Number:Date of last issue: -S00054370689Date of first issue: 12.09.2023
		Assessment: The substance or mixture has no acute dermal toxicity
Com	ponents:	
2-me	thylpentane-2,4-diol:	
Acute	e oral toxicity	 LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral tox- icity
Acute	e dermal toxicity	 LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity
pinox	(ISO):	
Acute	e oral toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg
		Acute toxicity estimate: 500 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute	inhalation toxicity	: LC50 (Rat, male): 4.63 mg/l Exposure time: 4 h Test atmosphere: dust/mist
		Acute toxicity estimate: 4.63 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute	e dermal toxicity	 LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity
cloqu	intocet-mexyl:	
Acute	e oral toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg
Acute	inhalation toxicity	 LC50 (Rat, male and female): > 0.935 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The component/mixture is moderately toxic after short term inhalation. Remarks: Highest attainable concentration
Acute	e dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity
naph	thalene:	
-	e oral toxicity	: Assessment: The component/mixture is moderately toxic after



sion	Revision Date: 12.09.2023		DS Number: 00054370689	Date of last issue: - Date of first issue: 12.09.2023
	12.00.2020	00		2410 01 1101 10000. 12:00.2020
			single ingestio	n.
			en geene	
Skin	corrosion/irritation			
<u>Produ</u>	<u>ict:</u>			
Speci		:	Rabbit	
Resul	t	:	Irritating to skir	٦.
Comp	oonents:			
hydro	ocarbons, C10-C13, a	aroma	atics, <1% naph	thalene:
Resul	t	:	Repeated expo	osure may cause skin dryness or cracking.
2-met	hylpentane-2,4-diol:			
Speci	•••	:	Rabbit	
Resul	t	:	Irritating to skir	۱.
pinox	aden (ISO):			
Metho		:	Based on Hum	an Evidence
Resul	t	:	Irritating to skir	۱.
cloqu	intocet-mexyl:			
Speci		:	Rabbit	
Resul	t	:	No skin irritatio	n
Serio	us eye damage/eye i	irritat	ion	
<u>Produ</u>	<u>ict:</u>			
Speci		:	Rabbit	
Resul	t	:	No eye irritatio	n
Comp	oonents:			
2-met	hylpentane-2,4-diol:			
Speci		:	Rabbit	
Resul	t	:	Irritation to eye	es, reversing within 21 days
pinox	aden (ISO):			
Speci		:	Rabbit	
Resul	t	:	Irritation to eye	es, reversing within 21 days
cloqu	intocet-mexyl:			
Speci		:	Rabbit	
Resul	t	:	No eye irritatio	n

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCINTILLA

-			
Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12.09.2023	S00054370689	Date of first issue: 12.09.2023

Respiratory or skin sensitisation

Product: **Buehler Test** Test Type : Species Guinea pig : Result : The product is a skin sensitiser, sub-category 1A. **Components:** pinoxaden (ISO): Test Type Local lymph node assay (LLNA) **Species** Mouse 2 Result The product is a skin sensitiser, sub-category 1A. Test Type Respiratory sensitisation 2 Result : Does not cause respiratory sensitisation. Remarks Experience with human exposure 5 cloquintocet-mexyl: **Species** Guinea pig 2 Result 1 May cause sensitisation by skin contact. Germ cell mutagenicity **Components:** 2-methylpentane-2,4-diol: Germ cell mutagenicity- As-: In vitro tests did not show mutagenic effects sessment pinoxaden (ISO): Germ cell mutagenicity- As-Animal testing did not show any mutagenic effects. 2 sessment cloquintocet-mexyl: Germ cell mutagenicity- As-Animal testing did not show any mutagenic effects. 1 sessment Carcinogenicity **Components:** 2-methylpentane-2,4-diol: Carcinogenicity - Assess-: Weight of evidence does not support classification as a carment cinogen pinoxaden (ISO): Carcinogenicity - Assess-No evidence of carcinogenicity in animal studies. : ment cloquintocet-mexyl: Carcinogenicity - Assess-No evidence of carcinogenicity in animal studies. 1



SC	INTIL	.LA			
Vers 1.0		Revision Date: 12.09.2023		0S Number: 0054370689	Date of last issue: - Date of first issue: 12.09.2023
	ment				
	naphtha	lene:			
	Carcinog ment	enicity - Assess-	:	Limited evidence	of carcinogenicity in animal studies
	Reprodu	ctive toxicity			
	<u>Compon</u>	ents:			
	2-methy	Ipentane-2,4-diol:			
	Reprodu sessmen	ctive toxicity - As- t	:	Some evidence of animal experimen	adverse effects on development, based on ts.
	pinoxad	en (ISO):			
	-	ctive toxicity - As-	:	No toxicity to repr	oduction
	cloquint	ocet-mexyl:			
	Reprodu sessmen	·····	:	No toxicity to repr	oduction
	STOT - s	single exposure			
	<u>Compon</u>	ents:			
	pinoxad	en (ISO):			
	Assessm	lent	:	sified as specific t	Evidence, The substance or mixture is clas- arget organ toxicant, single exposure, cate- atory tract irritation.
	Remarks	i	:	Breathing difficulti	
					the respiratory system leading to tightness of asthmatic condition.
		and manuf			
	Assessm	ocet-mexyl: ient	:	The substance or organ toxicant, sir	mixture is not classified as specific target agle exposure.
	STOT - r	epeated exposure			
	<u>Compon</u>	ents:			
	pinoxad	en (ISO):			
	Assessm	ent	:	The substance or organ toxicant, rep	mixture is not classified as specific target beated exposure.
	cloquint	ocet-mexyl:			
	Target O	rgans	:	Urinary system, L	
	Assessm	ient	:		mixture is classified as specific target organ exposure, category 2.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCINTILLA

Version	Revision Date:
1.0	12.09.2023

SDS Number: S00054370689 Date of last issue: -Date of first issue: 12.09.2023

Aspiration toxicity

Product:

No aspiration toxicity classification

Components:

hydrocarbons, C10-C13, aromatics, <1% naphthalene:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 19 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.8 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 32 mg/l Exposure time: 72 h
		NOEC (Raphidocelis subcapitata (freshwater green alga)): 5.5 mg/l End point: Growth rate Exposure time: 72 h

Components:

hydrocarbons, C10-C13, aro	ma	tics, <1% naphthalene:
Toxicity to fish	:	LL50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l Exposure time: 96 h Remarks: Information given is based on data obtained from similar substances.
Toxicity to daphnia and other	:	EL50 (Daphnia magna (Water flea)): 1.1 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCINTILLA

SCIN Version	TILLA Revision Date:	SE	S Number:	Date of last issue: -
1.0	12.09.2023	SO	0054370689	Date of first issue: 12.09.2023
aqu	atic invertebrates		Exposure time: 48 Remarks: Informa similar substance	ation given is based on data obtained from
Tox plar	icity to algae/aquatic nts	:	mg/l End point: Growth Exposure time: 72	2 h ation given is based on data obtained from
			0.22 mg/l End point: Growth Exposure time: 72	2 h ation given is based on data obtained from
Eco	otoxicology Assessment			
Chr	onic aquatic toxicity	:	Toxic to aquatic li	fe with long lasting effects.
pin	oxaden (ISO):			
Тох	icity to fish	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout))։ 10.3 mg/l ծ h
	icity to daphnia and other atic invertebrates	:	EC50 (Daphnia m Exposure time: 48	nagna (Water flea)): 52 mg/l 3 h
			LC50 (Americamy Exposure time: 96	
Tox plar	icity to algae/aquatic nts	:	ErC50 (Raphidoco 2.39 mg/l Exposure time: 72	elis subcapitata (freshwater green alga)): 2 h
			EC10 (Raphidoce 0.601 mg/l End point: Growth Exposure time: 72	
			ErC50 (Glyceria n Exposure time: 14	naxima (reed sweet grass)): 0.498 mg/l 1 d
			EC10 (Glyceria m End point: Growth Exposure time: 14	
M-F icity	actor (Acute aquatic tox-	:	1	
Tox icity	icity to fish (Chronic tox-	:	NOEC: 3.2 mg/l Exposure time: 28	3 d



SC	CINTI	LLA			
Vers 1.0		Revision Date: 12.09.2023		DS Number: 00054370689	Date of last issue: - Date of first issue: 12.09.2023
				Species: Oncorhy	nchus mykiss (rainbow trout)
	cloquii	ntocet-mexyl:			
	Toxicity	/ to fish	:	LC50 (Oncorhyno Exposure time: 9	chus mykiss (rainbow trout)): > 0.97 mg/l 6 h
				LC50 (Gobiocypr Exposure time: 9	is rarus (rare gudgeon)): 0.102 mg/l 6 h
		v to daphnia and other invertebrates	:	EC50 (Daphnia n Exposure time: 4	nagna (Water flea)): > 0.82 mg/l 8 h
	Toxicity plants	/ to algae/aquatic	:	ErC50 (Desmode Exposure time: 72	smus subspicatus (green algae)): > 2.2 mg/l 2 h
				NOEC (Desmode End point: Growth Exposure time: 72	
	M-Fact icity)	or (Acute aquatic tox-	:	1	
	Toxicity	to microorganisms	:	EC50 (activated s Exposure time: 3	sludge): > 1,000 mg/l h
		/ to daphnia and other invertebrates (Chron- ity)		NOEC: > 0.437 m Exposure time: 2 Species: Daphnia	1 d
	M-Fact toxicity	or (Chronic aquatic)	:	1	
	naphth	alene:			
		cicology Assessment			
	Acute a	aquatic toxicity	:	Very toxic to aqua	atic life.
	Chronic	c aquatic toxicity	:	Very toxic to aqua	atic life with long lasting effects.
12.2	Persis	tence and degradabil	ity		
	Compo	onents:			
	hydroc	arbons, C10-C13, arc	oma	tics, <1% naphtha	alene:
	Biodeg	radability	:	Result: Readily b	iodegradable.
		y lpentane-2,4-diol: radability	:	Result: Readily b	iodegradable.
	•	den (ISO): radability	:	Result: Not readil	y biodegradable.



OOUT	
SCINT	

Version 1.0	Revision Date: 12.09.2023		DS Number:)0054370689	Date of last issue: - Date of first issue: 12.09.2023	
Stabili	ty in water	:	Degradation ha Remarks: Produ	lf life: 0.1 d uct is not persistent.	
-	intocet-mexyl: gradability		Result: Not read	dily biodegradable	
0		•	Result: Not readily biodegradable.		
Stability in water		:	Degradation ha Remarks: Produ	lf life: 0.4 d uct is not persistent.	
2.3 Bioac	cumulative potential				
<u>Comp</u>	onents:				
pinox	aden (ISO):				
Bioaco	cumulation	:	: Bioconcentration factor (BCF): 1.17 Remarks: Low bioaccumulation potential.		
	on coefficient: n- bl/water	:	log Pow: 3.2 (25 °C)		
cloqu	intocet-mexyl:				
Bioaco	cumulation	:	Remarks: Does not bioaccumulate.		
	on coefficient: n- bl/water	:	log Pow: 5.24 (25 °C)		
2.4 Mobil	ity in soil				
<u>Comp</u>	onents:				
pinox	aden (ISO):				
	ution among environ-	:	Remarks: Mode	erately mobile in soils	
	l compartments ty in soil	: Dissipation time: 0.4 d Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.		sipation: 50 % (DT50)	
cloqu	intocet-mexyl:				
Distrib	oution among environ-	:	Remarks: immo	obile	
	l compartments ty in soil	:	•	e: 2.4 d sipation: 50 % (DT50) uct is not persistent.	
2.5 Resul	ts of PBT and vPvB a	sse			
<u>Produ</u>	<u>ict:</u> sment		This substance	/mixture contains no components considere	

Assessment	: This substance/mixture contains no components considered
	to be either persistent, bioaccumulative and toxic (PBT), or
	very persistent and very bioaccumulative (vPvB) at levels of
	0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCINTILLA

ersion 0	Revision Date: 12.09.2023	SDS Number S0005437068	
<u>Comp</u>	oonents:		
2-met	hylpentane-2,4-diol:		
Asses	sment	lating and	tance is not considered to be persistent, bioaccume toxic (PBT) This substance is not considered to b stent and very bioaccumulating (vPvB).
pinox	aden (ISO):		
Asses	sment	lating and	tance is not considered to be persistent, bioaccum toxic (PBT) This substance is not considered to b stent and very bioaccumulating (vPvB).
cloqu	intocet-mexyl:		
Asses	sment	lating and	tance is not considered to be persistent, bioaccum toxic (PBT) This substance is not considered to the stent and very bioaccumulating (vPvB).
napht	halene:		
Asses	sment	lating and	ance is not considered to be persistent, bioaccum toxic (PBT) This substance is not considered to l stent and very bioaccumulating (vPvB).

Assessment	: The substance/mixture does not contain components consid-
	ered to have endocrine disrupting properties according to
	REACH Article 57(f) or Commission Delegated regulation
	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
	levels of 0.1% or higher.

12.7 Other adverse effects

Product:

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Do not dispose of waste into sewer. Where possible recycling is preferred to disposal or incinera- tion. If recycling is not practicable, dispose of in compliance with local regulations.
Contaminated packaging	:	Empty remaining contents. Triple rinse containers. Empty containers should be taken to an approved waste han- dling site for recycling or disposal.



SCINT	ILLA			
Version 1.0	Revision Date: 12.09.2023		DS Number: 00054370689	Date of last issue: - Date of first issue: 12.09.2023
Waste	Code	:	Do not re-use em uncleaned packa	gings
			15 01 10, packag by hazardous sub	ing containing residues of or contaminated ostances
SECTION	14: Transport info	rma	tion	
14.1 UN nu	Imber or ID number			
ADN		:	UN 3082	
ADR		:	UN 3082	
RID		:	UN 3082	
IMDG		:	UN 3082	
ΙΑΤΑ		:	UN 3082	
14.2 UN pr	oper shipping name			
ADN		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID, T-MEXYL, SOLVENT NAPHTHA)
ADR		:	ENVIRONMENT	ALLY HAZARDOUS SUBSTANCE, LIQUID, T-MEXYL, SOLVENT NAPHTHA)
RID		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID, T-MEXYL, SOLVENT NAPHTHA)
IMDG		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID, T-MEXYL, SOLVENT NAPHTHA)
ΙΑΤΑ		:	Environmentally hazardous substance, liquid, n.o.s. (CLOQUINTOCET-MEXYL, SOLVENT NAPHTHA)	
14.3 Trans	port hazard class(es))		
			Class	Subsidiary risks
ADN		:	9	
ADR		:	9	
RID		:	9	
IMDG		:	9	
ΙΑΤΑ		:	9	
14.4 Packi	ng group			
	ng group fication Code	:	III M6	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCINTILLA

Version 1.0	Revision Date: 12.09.2023		0S Number: 0054370689	Date of last issue: - Date of first issue: 12.09.2023
Hazard Labels Rema		:	single or combina	be subject to exemptions when packaged in tion packagings containing a net quantity per ckaging of 5 L or less for liquids, or having a or less for solids.
Classi Hazar Labels	l restriction code		single or combina	be subject to exemptions when packaged in tion packagings containing a net quantity per ckaging of 5 L or less for liquids, or having a or less for solids.
Classi			single or combina	be subject to exemptions when packaged in tion packagings containing a net quantity per ckaging of 5 L or less for liquids, or having a or less for solids.
IMDG Packir Labels EmS (Rema	Code	:	single or combina	be subject to exemptions when packaged in tion packagings containing a net quantity per ckaging of 5 L or less for liquids, or having a or less for solids.
Packir aircraf Packir	ng instruction (LQ) ng group	:	single or combina	be subject to exemptions when packaged in tion packagings containing a net quantity per ckaging of 5 L or less for liquids, or having a or less for solids.
		:	964	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCINTILLA

Version	Revision Date: 12.09.2023	SDS Number:	Date of last issue: -
1.0		S00054370689	Date of first issue: 12.09.2023
	-	single or com	a an be subject to exemptions when packaged in bination packagings containing a net quantity per packaging of 5 L or less for liquids, or having a kg or less for solids.

ADN Environmentally hazardous : yes ADR Environmentally hazardous : yes RID Environmentally hazardous : yes IMDG Marine pollutant : yes IATA (Passenger) Environmentally hazardous : yes IATA (Cargo) Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
		If you intend to use this product as tattoo ink, please contact your ven- dor.
		N-methyl-2-pyrrolidone (Number on list 72, 71, 30)
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCINTILLA

Version 1.0	Revision Date: 12.09.2023	SDS Number: S00054370689			last issue: - first issue: 12.09.2023
•	lation (EC) No 1005/2 the ozone layer	2009 on substances	that de-	:	Not applicable
Regu	lation (EU) 2019/1021 (recast)	on persistent orgar	nic pollu-	:	naphthalene
Regu ment	lation (EC) No 649/20 and the Council conc ngerous chemicals	•		:	Not applicable
	CH - List of substance ex XIV)	s subject to authoris	ation	:	Not applicable
pean contro	so III: Directive 2012/ Parliament and of the ol of major-accident h erous substances.	Council on the	E2	EN\	/IRONMENTAL HAZARDS

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H228 : H302 : H304 : H315 : H317 :	:	Flammable solid. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction.		
H319 :	:	Causes serious eye irritation.		
H332 :	:	Harmful if inhaled.		
H335 :	:	May cause respiratory irritation.		
H351 :	:	Suspected of causing cancer.		
H361d :	:	Suspected of damaging the unborn child.		
H373 :	:	May cause damage to organs through prolonged or repeated exposure.		
H400 :	:	Very toxic to aquatic life.		
H410 :	:	Very toxic to aquatic life with long lasting effects.		
H411 :	:	Toxic to aquatic life with long lasting effects.		
H412 :	:	Harmful to aquatic life with long lasting effects.		
EUH066 :	:	Repeated exposure may cause skin dryness or cracking.		
Full text of other abbreviations				
Acute Tox. : Aquatic Acute :	:	Acute toxicity Short-term (acute) aquatic hazard		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCINTILLA

	Version 1.0	Revision Date: 12.09.2023	SDS Number: S00054370689	Date of last issue: - Date of first issue: 12.09.2023
--	----------------	---------------------------	-----------------------------	----------------------------------------------------------

Aquatic Chronic Asp. Tox. Carc. Eye Irrit. Flam. Sol. Repr. Skin Irrit. Skin Sens. STOT RE		Long-term (chronic) aquatic hazard Aspiration hazard Carcinogenicity Eye irritation Flammable solids Reproductive toxicity Skin irritation Skin sensitisation Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixtu	re:	Classification procedure:
Skin Irrit. 2	H315	Based on product data or assessment
Skin Sens. 1A	H317	Based on product data or assessment
Repr. 2	H361d	Calculation method
Aquatic Chronic 2	H411	Calculation method

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SCINTILLA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12.09.2023	S00054370689	Date of first issue: 12.09.2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

XI / EN