

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	AMISTAR
Design code	:	A12705B
Product Registration Number	:	MAPP 18039
Unique Formula Identifier (UFI)	:	96F5-X03X-J008-U3DS

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	Fungicide
Recommended restrictions on use	:	professional use

1.3 Details of the supplier of the safety data sheet

Company	:	Syngenta UK Limited CPC4, Capital Park Fulbourn, Cambridge CB21 5XE United Kingdom
Telephone	:	+44 (0) 1223 883400
Telefax	:	+44 (0) 1223 882195
E-mail address of person responsible for the SDS	:	customer.services@syngenta.com

1.4 Emergency telephone number

Emergency telephone number	:	+44 1484 538444
----------------------------	---	-----------------

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H332: Harmful if inhaled.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H332 Harmful if inhaled.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P261 Avoid breathing mist or vapours.
P271 Use only outdoors or in a well-ventilated area.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P391 Collect spillage.

Disposal:

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Hazardous components which must be listed on the label:

azoxystrobin (ISO)
methanol

Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version 1.0 Revision Date: 16.08.2023 SDS Number: S151209030 Date of last issue: -
Date of first issue: 16.08.2023

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
azoxystrobin (ISO)	131860-33-8 607-256-00-8	Acute Tox. 3; H331 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10 Acute toxicity estimate Acute inhalation toxicity (dust/mist): 0.7 mg/l	>= 20 - < 25
C16-18 alcohols, ethoxylated	68439-49-6 500-212-8	Acute Tox. 4; H302 Eye Dam. 1; H318	>= 20 - < 30
Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 1 - < 3
methanol	67-56-1 200-659-6 603-001-00-X 01-2119433307-44-xxxx	Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 STOT SE 1; H370 specific concentration limit STOT SE 1; H370 >= 10 % STOT SE 2; H371 >= 3 - < 10 %	>= 0.1 - < 1
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60-xxxx	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400	>= 0.025 - < 0.05

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

		Aquatic Chronic 2; H411	
		M-Factor (Acute aquatic toxicity): 1	
		specific concentration limit Skin Sens. 1; H317 >= 0.05 %	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Nonspecific
No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : There is no specific antidote available.
Treat symptomatically.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m ³
	Workers	Dermal	Long-term systemic effects	0.966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m ³
	Consumers	Dermal	Long-term systemic effects	0.345 mg/kg
methanol	Workers	Inhalation	Long-term systemic effects	130 mg/m ³
	Workers	Inhalation	Acute systemic effects	130 mg/m ³
	Workers	Inhalation	Long-term local effects	130 mg/m ³
	Workers	Inhalation	Acute local effects	130 mg/m ³
	Workers	Dermal	Long-term systemic effects	20 mg/m ³
	Workers	Dermal	Acute systemic effects	20 mg/m ³

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version 1.0 Revision Date: 16.08.2023 SDS Number: S151209030 Date of last issue: -
Date of first issue: 16.08.2023

	Consumers	Inhalation	Long-term systemic effects	26 mg/m3
	Consumers	Inhalation	Acute systemic effects	26 mg/m3
	Consumers	Inhalation	Long-term local effects	26 mg/m3
	Consumers	Inhalation	Acute local effects	26 mg/m3
	Consumers	Dermal	Long-term systemic effects	4 mg/kg
	Consumers	Dermal	Acute systemic effects	4 mg/kg
	Consumers	Oral	Long-term systemic effects	4 mg/kg
	Consumers	Oral	Acute systemic effects	4 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l
	Marine water	0.000403 mg/l
	Sewage treatment plant	1.03 mg/l
	Fresh water sediment	0.0499 mg/kg
	Marine sediment	0.00499 mg/kg
	Freshwater - intermittent	0.0011 mg/l
	Marine water - intermittent	0.000110 mg/l
	Soil	3 mg/kg
methanol	Fresh water	20 mg/l
	Marine water	2.08 mg/l
	Soil	100 mg/kg wet weight
	Sewage treatment plant	100 mg/l
	Marine sediment	7.7 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye/face protection : No special protective equipment required.
Hand protection

Remarks : No special protective equipment required.
Skin and body protection : No special protective equipment required.
Select skin and body protection based on the physical job

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

requirements.

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Suitable respiratory equipment:
Respirator with a particle filter (EN 143)
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Filter type : Particulates type (P)

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

Environmental exposure controls

Water :
Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : off-white to yellow-orange

Odour : odourless

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : Method: Pensky-Martens closed cup
does not flash

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

Auto-ignition temperature	:	475 °C
Decomposition temperature	:	No data available
pH	:	6 - 8 Concentration: 1 %w/v
Viscosity		
Viscosity, dynamic	:	76.0 - 427 mPa.s (40 °C) 117 - 541 mPa.s (20 °C)
Viscosity, kinematic	:	No data available
Solubility(ies)		
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	1.1 g/cm ³
Relative vapour density	:	No data available
Particle characteristics		
Particle size	:	No data available

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	No data available
Miscibility with water	:	Miscible
Surface tension	:	32.0 mN/m, 6.000 %, 20 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Based on data from similar materials

Acute inhalation toxicity : Acute toxicity estimate: 3.06 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method
Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.

Acute toxicity estimate: 3.06 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Components:

azoxystrobin (ISO):

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

Acute inhalation toxicity : LC50 (Rat, female): 0.7 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute toxicity estimate: 0.7 mg/l
Test atmosphere: dust/mist
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

C16-18 alcohols, ethoxylated:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

methanol:

Acute oral toxicity : Assessment: The component/mixture is toxic after single ingestion.

Acute inhalation toxicity : Assessment: The component/mixture is toxic after short term inhalation.

Acute dermal toxicity : Assessment: The component/mixture is toxic after single contact with skin.

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male): 670 mg/kg

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Product:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Components:

azoxystrobin (ISO):

Species : Rabbit
Result : No skin irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Method	: in vitro skin corrosion test
Result	: Irritating to skin.

1,2-benzisothiazol-3(2H)-one:

Species	: Rabbit
Result	: Mild skin irritation

Serious eye damage/eye irritation

Product:

Species	: Rabbit
Result	: No eye irritation
Remarks	: Based on data from similar materials

Components:

azoxystrobin (ISO):

Species	: Rabbit
Result	: No eye irritation

C16-18 alcohols, ethoxylated:

Result	: Irreversible effects on the eye
--------	-----------------------------------

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Method	: in vitro eye irritation test
Result	: Risk of serious damage to eyes.

1,2-benzisothiazol-3(2H)-one:

Species	: Rabbit
Result	: Risk of serious damage to eyes.

Respiratory or skin sensitisation

Product:

Species	: Guinea pig
Result	: Did not cause sensitisation on laboratory animals.
Remarks	: Based on data from similar materials

Components:

azoxystrobin (ISO):

Species	: Guinea pig
Result	: Did not cause sensitisation on laboratory animals.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

1,2-benzisothiazol-3(2H)-one:

Result : Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Components:

azoxystrobin (ISO):

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

methanol:

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

1,2-benzisothiazol-3(2H)-one:

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Components:

azoxystrobin (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

methanol:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Components:

azoxystrobin (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

methanol:

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT - single exposure

Components:

methanol:

Target Organs : Eyes, Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 1.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

STOT - repeated exposure

Components:

azoxystrobin (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 1.3 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.83 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): 2.2 mg/l Exposure time: 72 h Remarks: Based on data from similar materials NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.13 mg/l End point: Growth rate Exposure time: 72 h Remarks: Based on data from similar materials

Components:

azoxystrobin (ISO):

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.47 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.28 mg/l Exposure time: 48 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

EC50 (Americamysis): 0.055 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 2 mg/l
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.038 mg/l
End point: Growth rate
Exposure time: 96 h

ErC50 (Navicula pelliculosa (Freshwater diatom)): 0.301 mg/l
Exposure time: 96 h

NOEC (Navicula pelliculosa (Freshwater diatom)): 0.02 mg/l
End point: Growth rate
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : IC50 (Pseudomonas putida): > 3.2 mg/l
Exposure time: 6 h

Toxicity to fish (Chronic toxicity) : NOEC: 0.16 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)

NOEC: 0.147 mg/l
Exposure time: 33 d
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.044 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

NOEC: 0.0095 mg/l
Exposure time: 28 d
Species: Americamysis

M-Factor (Chronic aquatic toxicity) : 10

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.18 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.94 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Raphidocelis subcapitata (freshwater green alga)):

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

plants	0.15 mg/l Exposure time: 72 h
	EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.04 mg/l End point: Growth rate Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to fish (Chronic toxicity)	: NOEC: 0.3 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 1.7 mg/l Exposure time: 21 d Species: Daphnia (water flea)

12.2 Persistence and degradability

Components:

azoxystrobin (ISO):

Biodegradability	: Result: Not readily biodegradable.
Stability in water	: Degradation half life: 214 d Remarks: The substance is stable in water.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability	: Result: Not readily biodegradable.
------------------	--------------------------------------

1,2-benzisothiazol-3(2H)-one:

Biodegradability	: Result: rapidly degradable
------------------	------------------------------

12.3 Bioaccumulative potential

Components:

azoxystrobin (ISO):

Bioaccumulation	: Remarks: Does not bioaccumulate.
-----------------	------------------------------------

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation	: Remarks: Bioaccumulation is unlikely.
-----------------	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

12.4 Mobility in soil

Components:

azoxystrobin (ISO):

Distribution among environmental compartments : Remarks: Azoxystrobin has low to very high mobility in soil.

Stability in soil : Dissipation time: 80 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

azoxystrobin (ISO):

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

methanol:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

1,2-benzisothiazol-3(2H)-one:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- | | |
|------------------------|---|
| Product | : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations. |
| Contaminated packaging | : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers. |
| Waste Code | : uncleaned packagings
15 01 10, packaging containing residues of or contaminated by hazardous substances |

SECTION 14: Transport information

14.1 UN number or ID number

- | | |
|------|-----------|
| ADN | : UN 3082 |
| ADR | : UN 3082 |
| RID | : UN 3082 |
| IMDG | : UN 3082 |
| IATA | : UN 3082 |

14.2 UN proper shipping name

- | | |
|------|---|
| ADN | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(AZOXYSTROBIN) |
| ADR | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(AZOXYSTROBIN) |
| RID | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(AZOXYSTROBIN) |
| IMDG | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(AZOXYSTROBIN) |
| IATA | : Environmentally hazardous substance, liquid, n.o.s.
(AZOXYSTROBIN) |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

RID
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

IATA (Cargo)

Packing instruction (cargo aircraft)	:	964
Packing instruction (LQ)	:	Y964
Packing group	:	III
Labels	:	Miscellaneous
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA (Passenger)

Packing instruction (passenger aircraft)	:	964
Packing instruction (LQ)	:	Y964
Packing group	:	III
Labels	:	Miscellaneous
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.

methanol (Number on list 75, 69)

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H225	: Highly flammable liquid and vapour.
H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H311	: Toxic in contact with skin.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H331	: Toxic if inhaled.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

H370	: Causes damage to organs.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Flam. Liq.	: Flammable liquids
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Acute Tox. 4	H332
Aquatic Acute 1	H400

Classification procedure:

Calculation method
Based on product data or assessment

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



AMISTAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	16.08.2023	S151209030	Date of first issue: 16.08.2023

Aquatic Chronic 1

H410

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

XI / EN