according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

VersionRevision Date:SDS Number:Date of last issue: 17.08.20232.003.10.2023S00059131195Date of first issue: 17.08.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : APROVIA PLUS

Design code : A15457H

Product Registration Number : MAPP 19174

Unique Formula Identifier : 6NU5-A06G-Y000-SKW4

(UFI)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Fungicide

stance/Mixture

Recommended restrictions

on use

professional use

1.3 Details of the supplier of the safety data sheet

Company : Syngenta UK Limited

CPC4, Capital Park

Fulbourn, Cambridge CB21 5XE

United Kingdom

Telephone : +44 (0) 1223 883400

Telefax : +44 (0) 1223 882195

E-mail address of person

responsible for the SDS

: product.technical_enquiries@syngenta.com

1.4 Emergency telephone number

Emergency telephone num: +44 1484 538444

ber

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed. Acute toxicity, Category 4 H332: Harmful if inhaled.

Serious eye damage, Category 1 H318: Causes serious eye damage.
Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.
Specific target organ toxicity - single ex-

posure, Category 3, Respiratory system

Short-term (acute) aquatic hazard, Cate- H400: Very toxic to aquatic life.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

Version Revision Date: SDS Number: Date of last issue: 17.08.2023 2.0 03.10.2023 S00059131195 Date of first issue: 17.08.2023

gory 1

Long-term (chronic) aquatic hazard, Cat-

egory 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word : Danger

Hazard statements : H302 + H332 Harmful if swallowed or if inhaled.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard

Statements

EUH066

Repeated exposure may cause skin

dryness or cracking.

Precautionary statements : Prevention:

P261 Avoid breathing mist or vapours.P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh

air and keep comfortable for breathing. Call a POISON

CENTER/ doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor. P391 Collect spillage.

Disposal:

P501 Dispose of contents/container to a licensed hazardouswaste disposal contractor or collection site except for empty

clean

containers which can be disposed of as non-hazardous waste.

Hazardous components which must be listed on the label:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide poly(oxy-1,2-ethanediyl), alpha-(9Z)-9-octadecenyl-omega-hydroxy-benzovindiflupyr (ISO)

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

VersionRevision Date:SDS Number:Date of last issue: 17.08.20232.003.10.2023S00059131195Date of first issue: 17.08.2023

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
mixture of octanoic acid- decanoic acid- N,N-dimethylamide	1118-92-9 214-272-5 01-2119974115-37- xxxx	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 20 - < 30
hydrocarbons, C10-C13, aromatics, <1% naphthalene	Not Assigned 01-2119451097-39- xxxx	Asp. Tox. 1; H304 Aquatic Chronic 2; H411 EUH066	>= 20 - < 25
poly(oxy-1,2-ethanediyl), alpha- (9Z)-9-octadecenyl-omega- hydroxy-	9004-98-2 500-016-2	Eye Dam. 1; H318	>= 20 - < 30
benzovindiflupyr (ISO)	1072957-71-1 616-218-00-X	Acute Tox. 3; H301 Acute Tox. 3; H331 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Acute toxicity estimate Acute oral toxicity: 55	>= 10 - < 20
		mg/kg	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

VersionRevision Date:SDS Number:Date of last issue: 17.08.20232.003.10.2023S00059131195Date of first issue: 17.08.2023

		Acute inhalation toxicity (dust/mist): 0.560056 mg/l	
poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl] hydroxy-	99734-09-5	Aquatic Chronic 3; H412	>= 1 - < 2.5
naphthalene	91-20-3 202-049-5 601-052-00-2	Flam. Sol. 2; H228 Acute Tox. 4; H302 Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.1 - < 0.25
Substances with a workplace exposure limit :			
cellulose, ethyl ether	9004-57-3		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.

If breathing is irregular or stopped, administer artificial respira-

tion.

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do not induce vomiting: contains petroleum distillates and/or

aromatic solvents.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Aspiration may cause pulmonary oedema and pneumonitis.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

VersionRevision Date:SDS Number:Date of last issue: 17.08.20232.003.10.2023S00059131195Date of first issue: 17.08.2023

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : There is no specific antidote available.

Treat symptomatically.

Do not induce vomiting: contains petroleum distillates and/or

aromatic solvents.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

As the product contains combustible organic components, fire

will produce dense black smoke containing hazardous prod-

ucts of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear full protective clothing and self-contained breathing ap-

paratus.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

Version Revision Date: SDS Number: Date of last issue: 17.08.2023 2.0 03.10.2023 S00059131195 Date of first issue: 17.08.2023

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible ab-

sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.

Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of

the reach of children. Keep away from food, drink and animal

feedingstuffs.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the

approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
benzovindiflupyr (ISO)	Workers	Inhalation	Long-term systemic effects	0.478 mg/m3
	Workers	Inhalation	Acute systemic effects	1.13 mg/m3
	Workers	Dermal	Long-term systemic effects	3.33 mg/kg
	Consumers	Inhalation	Long-term systemic effects	0.119 mg/m3
	Consumers	Dermal	Long-term systemic effects	1.67 mg/kg
	Consumers	Oral	Long-term systemic effects	0.049 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

VersionRevision Date:SDS Number:Date of last issue: 17.08.20232.003.10.2023S00059131195Date of first issue: 17.08.2023

mixture of octanoic acid-decanoic acid-N,N-dimethylamide	Workers	Inhalation	Long-term systemic effects	166.67 mg/m3
	Workers	Dermal	Long-term systemic effects	23.81 mg/kg
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
	Consumers	Dermal	Long-term systemic effects	14.29 mg/kg
	Consumers	Oral	Long-term systemic effects	14.29 mg/kg
poly(oxy-1,2- ethanediyl), alpha- (9Z)-9-octadecenyl- omega-hydroxy-	Workers	Inhalation	Long-term systemic effects	294 mg/m3
	Workers	Dermal	Long-term systemic effects	2080 mg/kg
	Consumers	Inhalation	Long-term systemic effects	87 mg/m3
	Consumers	Dermal	Long-term systemic effects	1250 mg/kg
	Consumers	Oral	Long-term systemic effects	25 mg/kg
hydrocarbons, C10- C13, aromatics, <1% naphthalene	Workers	Inhalation	Long-term systemic effects	151 mg/m3
	Workers	Dermal	Long-term systemic effects	12.5 mg/kg
	Consumers	Inhalation	Long-term systemic effects	32 mg/m3
	Consumers	Dermal	Long-term systemic effects	7.5 mg/kg
	Consumers	Oral	Long-term systemic effects	7.5 mg/kg
fatty acids, C8-10, Me esters	Workers	Dermal	Long-term systemic effects	103.6 mg/kg
	Workers	Inhalation	Long-term systemic effects	73.6 mg/m3
	Consumers	Oral	Long-term systemic effects	3.7 mg/kg
	Consumers	Dermal	Long-term systemic effects	51.8 mg/kg
	Consumers	Inhalation	Long-term systemic effects	12.86 mg/m3
naphthalene	Workers	Inhalation	Long-term systemic effects	25 mg/m3
	Workers	Inhalation	Long-term local effects	25 mg/m3
	Workers	Dermal	Long-term systemic effects	3.57 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

VersionRevision Date:SDS Number:Date of last issue: 17.08.20232.003.10.2023S00059131195Date of first issue: 17.08.2023

Substance name	Environmental Compartment	Value
benzovindiflupyr (ISO)	Fresh water	0.000095 mg/l
	Secondary poisoning	2 mg/kg
	Soil	0.041 mg/kg
	Marine water	0.000009 mg/l
	Fresh water sediment	0.053 mg/kg
	Sewage treatment plant	100 mg/l
	Marine sediment	0.005 mg/kg
mixture of octanoic acid- decanoic acid- N,N-dimethylamide	Fresh water	0.026 mg/l
	Marine water	0.0026 mg/l
	Intermittent use/release	0.077 mg/l
	Sewage treatment plant	2.12 mg/l
	Fresh water sediment	0.318 mg/kg
	Marine sediment	0.0318 mg/kg
	Soil	5.23 mg/kg
poly(oxy-1,2-ethanediyl), alpha- (9Z)-9-octadecenyl-omega- hydroxy-	Fresh water	0.002 mg/l
	Marine water	0.002 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	86.9 mg/kg
	Marine sediment	86.9 mg/kg
	Soil	1 mg/kg
	Freshwater - intermittent	0.1 mg/l
fatty acids, C8-10, Me esters	Fresh water	0.0011 mg/l
	Fresh water sediment	0.0265 mg/kg
	Marine water	0.00011 mg/l
	Marine sediment	0.00265 mg/kg
	Sewage treatment plant	3.92 mg/l
	Soil	0.00871 mg/kg
naphthalene	Fresh water	0.0024 mg/l
	Marine water	0.0024 mg/l
	Sewage treatment plant	2.9 mg/l
	Fresh water sediment	0.0672 mg/kg
	Marine sediment	0.0672 mg/kg
	Soil	0.0533 mg/kg

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye/face protection : Always wear eye protection when the potential for inadvertent

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

Version Revision Date: SDS Number: Date of last issue: 17.08.2023 2.0 03.10.2023 S00059131195 Date of first issue: 17.08.2023

eye contact with the product cannot be excluded.

Tightly fitting safety goggles

Face-shield

Equipment should conform to EN 166

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374

derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

Respiratory protection : When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Suitable respiratory equipment:

Respirator with a particle filter (EN 143)

The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Filter type : Particulates type (P)

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek appro-

priate professional advice.

Environmental exposure controls

Water :

Prevent further leakage or spillage if safe to do so.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

Version Revision Date: SDS Number: Date of last issue: 17.08.2023 2.0 03.10.2023 S00059131195 Date of first issue: 17.08.2023

If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : clear to slightly turbid

Colour : amber to light brown

Odour : No data available

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : 101 °C

Method: Pensky-Martens closed cup

Auto-ignition temperature : 365 °C

Decomposition temperature : No data available

pH : 4-8

Concentration: 1 %w/v

Viscosity

Viscosity, dynamic : 24.6 mPa.s (40 °C)

70.7 mPa.s (20 °C)

Viscosity, kinematic : $>= 22.0 \text{ mm2/s} (40 ^{\circ}\text{C})$

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n- : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

Version Revision Date: SDS Number: Date of last issue: 17.08.2023 2.0 03.10.2023 S00059131195 Date of first issue: 17.08.2023

octanol/water

Vapour pressure : No data available

Density : 0.978 g/cm3 (25 °C)

Relative vapour density : No data available

Particle characteristics

Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Surface tension : 28.0 mN/m, %25 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Hazardous decomposition

: No hazardous decomposition products are known.

products

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of:

exposure Inhalation

Ingestion Inhalation Skin contact

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

Version Revision Date: SDS Number: Date of last issue: 17.08.2023 2.0 03.10.2023 S00059131195 Date of first issue: 17.08.2023

Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): 1,086 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.54 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance/mixture is not toxic on inhalation

as defined by dangerous goods regulations.

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

poly(oxy-1,2-ethanediyl), alpha-(9Z)-9-octadecenyl-omega-hydroxy-:

Acute oral toxicity : LD50 (Rat): 2,760 mg/kg

Assessment: The component/mixture is minimally toxic after

single ingestion.

benzovindiflupyr (ISO):

Acute oral toxicity : LD50 (Rat, female): 55 mg/kg

Acute toxicity estimate: 55 mg/kg Method: Calculation method

Acute inhalation toxicity : LC50 (Rat, male and female): > 0.56 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute toxicity estimate: 0.560056 mg/l

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:

Acute oral toxicity : LD50 Oral (Rat): 5,000 mg/kg

naphthalene:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after

single ingestion.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

Version Revision Date: SDS Number: Date of last issue: 17.08.2023 2.0 03.10.2023 S00059131195 Date of first issue: 17.08.2023

Skin corrosion/irritation

Product:

Species : Rabbit

Result : No skin irritation

Components:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Species : Rabbit

Result : Irritating to skin.

Remarks : Based on data from similar materials

hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Result : Repeated exposure may cause skin dryness or cracking.

benzovindiflupyr (ISO):

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit

Result : Irreversible effects on the eye

Components:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Species : Rabbit

Result : Risk of serious damage to eyes.
Remarks : Based on data from similar materials

poly(oxy-1,2-ethanediyl), alpha-(9Z)-9-octadecenyl-omega-hydroxy-:

Species : Rabbit

Result : Risk of serious damage to eyes.

benzovindiflupyr (ISO):

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Product:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Result : May cause sensitisation by skin contact.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

Version Revision Date: SDS Number: Date of last issue: 17.08.2023 2.0 03.10.2023 S00059131195 Date of first issue: 17.08.2023

Components:

benzovindiflupyr (ISO):

Test Type : mouse lymphoma cells

Species Mouse

Result Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Components:

benzovindiflupyr (ISO):

Germ cell mutagenicity- As-

: Animal testing did not show any mutagenic effects.

poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:

sessment

Germ cell mutagenicity- As- : In vitro tests did not show mutagenic effects

Carcinogenicity

Components:

benzovindiflupyr (ISO):

Carcinogenicity - Assess-

ment

: Weight of evidence does not support classification as a carcinogen, This substance has been reported to cause tumours in certain animal species., There is no evidence that these

findings are relevant to humans.

naphthalene:

Carcinogenicity - Assess-

ment

Limited evidence of carcinogenicity in animal studies

cellulose, ethyl ether:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Components:

benzovindiflupyr (ISO):

Reproductive toxicity - As-

sessment

: No toxicity to reproduction

STOT - single exposure

Components:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Assessment The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

Version Revision Date: SDS Number: Date of last issue: 17.08.2023 2.0 03.10.2023 S00059131195 Date of first issue: 17.08.2023

benzovindiflupyr (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Components:

benzovindiflupyr (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Aspiration toxicity

Components:

hydrocarbons, C10-C13, aromatics, <1% naphthalene:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.068 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.27 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 2.7

mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0.46 mg/l

End point: Growth rate Exposure time: 72 h

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

VersionRevision Date:SDS Number:Date of last issue: 17.08.20232.003.10.2023S00059131195Date of first issue: 17.08.2023

EC10 (Raphidocelis subcapitata (freshwater green alga)): 1.4

mg/l

End point: Growth rate Exposure time: 72 h

Components:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 14.8 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 7.7 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

16.06 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10: 1.3 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Remarks: Based on data from similar materials

hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l

Exposure time: 96 h

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 1.1 mg/l

Exposure time: 48 h

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to algae/aquatic

plants

EL50 (Raphidocelis subcapitata (freshwater green alga)): 7.9

mg/l

End point: Growth rate Exposure time: 72 h

Remarks: Information given is based on data obtained from

similar substances.

NOELR (Raphidocelis subcapitata (freshwater green alga)):

0.22 mg/l

End point: Growth rate Exposure time: 72 h

Remarks: Information given is based on data obtained from

similar substances.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

Version Revision Date: SDS Number: Date of last issue: 17.08.2023 2.0 03.10.2023 S00059131195 Date of first issue: 17.08.2023

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

benzovindiflupyr (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0091 mg/l

Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 0.0035 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Americamysis): 0.056 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

0.89 mg/l

Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0.42 mg/l

End point: Growth rate Exposure time: 96 h

ErC50 (Skeletonema costatum (marine diatom)): 0.55 mg/l

Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.4 mg/l

End point: Growth rate Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

100

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.00095 mg/l Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Test Type: Early-life Stage

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.0074 mg/l Exposure time: 28 d Species: Americamysis

EC10: 0.012 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

100

poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 17.08.2023

 2.0
 03.10.2023
 S00059131195
 Date of first issue: 17.08.2023

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 21 mg/l

Exposure time: 96 h

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

naphthalene:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide:

Biodegradability : Result: Readily biodegradable.

Remarks: Based on data from similar materials

hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Biodegradability : Result: Readily biodegradable.

benzovindiflupyr (ISO):

Biodegradability : Result: Not readily biodegradable.

12.3 Bioaccumulative potential

Components:

benzovindiflupyr (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 4.3 (25 °C)

12.4 Mobility in soil

Components:

benzovindiflupyr (ISO):

Distribution among environ-

mental compartments

: Remarks: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

Version Revision Date: SDS Number: Date of last issue: 17.08.2023 2.0 03.10.2023 S00059131195 Date of first issue: 17.08.2023

0.1% or higher.

Components:

benzovindiflupyr (ISO):

Assessment : This substance is not considered to be persistent, bioaccumu-

lating and toxic (PBT).. This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:

Assessment : This substance is not considered to be persistent, bioaccumu-

lating and toxic (PBT).. This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

naphthalene:

Assessment : This substance is not considered to be persistent, bioaccumu-

lating and toxic (PBT).. This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or incinera-

tion.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal. Do not re-use empty containers.

Waste Code : uncleaned packagings

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

Version Revision Date: SDS Number: Date of last issue: 17.08.2023 2.0 03.10.2023 S00059131195 Date of first issue: 17.08.2023

15 01 10, packaging containing residues of or contaminated

by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BENZOVINDIFLUPYR)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BENZOVINDIFLUPYR)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BENZOVINDIFLUPYR)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BENZOVINDIFLUPYR)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(BENZOVINDIFLUPYR)

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

Remarks : This product can be subject to exemptions when packaged in

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

VersionRevision Date:SDS Number:Date of last issue: 17.08.20232.003.10.2023S00059131195Date of first issue: 17.08.2023

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IATA (Cargo)

Packing instruction (cargo

964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IATA (Passenger)

Packing instruction (passen: 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

Version Revision Date: Date of last issue: 17.08.2023 SDS Number: 2.0 03.10.2023 S00059131195 Date of first issue: 17.08.2023

Remarks This product can be subject to exemptions when packaged in

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

14.5 Environmental hazards

ADN

Environmentally hazardous yes

Environmentally hazardous ves

RID

Environmentally hazardous yes

IMDG

Marine pollutant yes

IATA (Passenger)

Environmentally hazardous ves

IATA (Cargo)

Environmentally hazardous yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your ven-

dor.

xylene

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

: Not applicable

Not applicable

naphthalene

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

Version Revision Date: SDS Number: Date of last issue: 17.08.2023 2.0 03.10.2023 S00059131195 Date of first issue: 17.08.2023

Regulation (EC) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

ENVIRONMENTAL HAZARDS

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

E1

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H228 : Flammable solid. H301 : Toxic if swallowed. H302 : Harmful if swallowed.

H304 : May be fatal if swallowed and enters airways.

H315 : Causes skin irritation.

H318 : Causes serious eye damage.

H331 : Toxic if inhaled.

H335 : May cause respiratory irritation.
H351 : Suspected of causing cancer.
H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

EUH066 : Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard
Carc. : Carcinogenicity
Eye Dam. : Serious eye damage
Flam. Sol. : Flammable solids
Skin Irrit. : Skin irritation

STOT SE : Specific target organ toxicity - single exposure

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

VersionRevision Date:SDS Number:Date of last issue: 17.08.20232.003.10.2023S00059131195Date of first issue: 17.08.2023

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
A . T .	11000	B 1 1 1 1 1

Acute Tox. 4	H302	Based on product data or assessment
Acute Tox. 4	H332	Based on product data or assessment
Eye Dam. 1	H318	Based on product data or assessment
Skin Sens. 1	H317	Based on product data or assessment
STOT SE 3	H335	Calculation method
Aquatic Acute 1	H400	Based on product data or assessment
Aquatic Chronic 1	H410	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



APROVIA PLUS

VersionRevision Date:SDS Number:Date of last issue: 17.08.20232.003.10.2023S00059131195Date of first issue: 17.08.2023

to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

XI / EN