

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : CAMIX

Design code : A12807J

Product Registration Number : MAPP 17722

Unique Formula Identifier (UFI) : TM11-N0YC-700V-EY94

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Herbicide

1.3 Details of the supplier of the safety data sheet

Company : Syngenta UK Limited
CPC4, Capital Park
Fulbourn, Cambridge CB21 5XE
United Kingdom

Telephone : +44 (0) 1223 883400

Telefax : +44 (0) 1223 882195

E-mail address of person responsible for the SDS : product.technical_enquiries@syngenta.com

1.4 Emergency telephone number

Emergency telephone number : +44 1484 538444

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 2	H361d: Suspected of damaging the unborn child.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)


SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

- Hazard pictograms : 
- Signal word : Warning
- Hazard statements : H317 May cause an allergic skin reaction.
H361d Suspected of damaging the unborn child.
H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P261 Avoid breathing mist or vapours.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Hazardous components which must be listed on the label:

S-metolachlor
mesotrione (ISO)
1,2-benzisothiazol-3(2H)-one

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version 1.0 Revision Date: 11.10.2023 SDS Number: S1134159952 Date of last issue: -
Date of first issue: 11.10.2023

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
S-metolachlor	87392-12-9 607-432-00-4	Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 30 - < 50
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	246538-78-3 01-2119456810-40-xxxx	Asp. Tox. 1; H304 EUH066	>= 1 - < 10
mesotrione (ISO)	104206-82-8 609-064-00-X	Repr. 2; H361d STOT RE 2; H373 (Nervous system, Eyes) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 3 - < 10
calcium dodecylbenzene sulphate	26264-06-2 247-557-8 01-2119560592-37-xxxx	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 3 - < 10
2-methylpropan-1-ol	78-83-1 201-148-0 603-108-00-1 01-2119484609-23-xxxx	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) STOT SE 3; H336 (Central nervous system)	>= 1 - < 3
copper dihydroxide	20427-59-2 243-815-9 029-021-00-3	Acute Tox. 4; H302 Acute Tox. 2; H330 Eye Dam. 1; H318	>= 0.25 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version 1.0 Revision Date: 11.10.2023 SDS Number: S1134159952 Date of last issue: -
Date of first issue: 11.10.2023

	01-2119969283-29-xxxx	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 <hr/> M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10 <hr/> Acute toxicity estimate Acute oral toxicity: 500 mg/kg Acute inhalation toxicity (dust/mist): 0.47 mg/l	
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60-xxxx	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 <hr/> M-Factor (Acute aquatic toxicity): 1 <hr/> specific concentration limit Skin Sens. 1; H317 >= 0.05 %	>= 0.025 - < 0.05

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

- In case of skin contact : Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Aspiration may cause pulmonary oedema and pneumonitis.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : There is no specific antidote available. Treat symptomatically. Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.

5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version 1.0 Revision Date: 11.10.2023 SDS Number: S1134159952 Date of last issue: -
Date of first issue: 11.10.2023

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
propane-1,2-diol	Workers	Inhalation	Long-term systemic effects	168 mg/m ³
	Consumers	Inhalation	Long-term local effects	10 mg/m ³
	Consumers	Inhalation	Long-term systemic effects	30 mg/m ³
calcium dodecylbenzene sulphonate	Workers	Inhalation	Long-term local effects	10 mg/m ³
	Workers	Inhalation	Long-term systemic effects	52 mg/m ³
	Workers	Inhalation	Acute systemic effects	52 mg/m ³
	Workers	Inhalation	Long-term local effects	52 mg/m ³
	Workers	Inhalation	Acute local effects	52 mg/m ³
	Workers	Dermal	Long-term systemic effects	57.2 mg/kg
	Workers	Dermal	Acute systemic effects	80 mg/kg
2-methylpropan-1-ol	Workers	Dermal	Long-term local effects	1.57 mg/cm ²
	Workers	Dermal	Acute local effects	1.57 mg/cm ²
	Workers	Inhalation	Long-term systemic effects, Long-term local effects	310 mg/m ³
	Consumers	Inhalation	Long-term systemic effects, Long-term local effects	55 mg/m ³
	Consumers	Oral	Long-term systemic effects, Long-term local effects	25 mg/kg
copper dihydroxide	Workers	Inhalation	Long-term systemic effects	1 mg/m ³
	Workers	Inhalation	Long-term local effects	1 mg/m ³
	Workers	Dermal	Long-term systemic effects	137 mg/kg
	Consumers	Oral	Long-term systemic effects	0.041 mg/kg
	Consumers	Oral	Acute effects, Short-term exposure	0.082 mg/kg
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m ³
	Workers	Dermal	Long-term systemic	0.966 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version 1.0 Revision Date: 11.10.2023 SDS Number: S1134159952 Date of last issue: -
Date of first issue: 11.10.2023

			effects	
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m ³
	Consumers	Dermal	Long-term systemic effects	0.345 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
propane-1,2-diol	Fresh water	260 mg/l
	Marine water	26 mg/l
	Intermittent use/release	183 mg/l
	Sewage treatment plant	20000 mg/l
	Marine sediment	57.2 mg/kg
	Fresh water sediment	572 mg/kg
calcium dodecylbenzene sulpho-nate	Soil	50 mg/kg
	Fresh water	0.28 mg/l
	Marine water	0.458 mg/l
	Freshwater - intermittent	0.654 mg/l
	Sewage treatment plant	50 mg/l
2-methylpropan-1-ol	Fresh water sediment	27.5 mg/kg
	Marine sediment	2.75 mg/kg
	Fresh water	0.4 mg/l
	Sewage treatment plant	10 mg/l
	Soil	0.0699 mg/kg
copper dihydroxide	Marine sediment	0.152 mg/kg
	Fresh water sediment	1.52 mg/kg
	Marine water	0.04 mg/l
	Fresh water	0.0078 mg/l
	Marine sediment	676 mg/kg
1,2-benzisothiazol-3(2H)-one	Fresh water sediment	87 mg/kg
	Sewage treatment plant	0.23 mg/l
	Marine water	0.0052 mg/l
	Soil	65 mg/kg
	Fresh water	0.00403 mg/l
1,2-benzisothiazol-3(2H)-one	Marine water	0.000403 mg/l
	Sewage treatment plant	1.03 mg/l
	Fresh water sediment	0.0499 mg/kg
	Marine sediment	0.00499 mg/kg
	Freshwater - intermittent	0.0011 mg/l
	Marine water - intermittent	0.000110 mg/l
	Soil	3 mg/kg

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye/face protection : No special protective equipment required.
Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

Environmental exposure controls

Water : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	light green to grey green
Odour	:	sweetish
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Method: Pensky-Martens closed cup does not flash
Auto-ignition temperature	:	375 °C
Decomposition temperature	:	No data available
pH	:	2 - 6 (25 °C) Concentration: 1 %w/v
Viscosity	:	
Viscosity, dynamic	:	101 - 583 mPa.s (20 °C) 119 - 274 mPa.s (40 °C)
Viscosity, kinematic	:	No data available
Solubility(ies)	:	
Water solubility	:	completely miscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

Density : 1.075 g/cm³

Relative vapour density : No data available

Particle characteristics
Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Surface tension : 37.7 mN/m, 0.1 %

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Ingestion
Inhalation
Skin contact
Eye contact

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

Acute toxicity

Product:

- Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Based on data from similar materials
- Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method
- Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Components:

S-metolachlor:

- Acute oral toxicity : LD50 (Rat, male and female): 2,672 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 2.91 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

mesotrione (ISO):

- Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 4.75 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

2-methylpropan-1-ol:

- Acute oral toxicity : LD50 (Rat): 2,830 - 3,350 mg/kg
- Acute inhalation toxicity : LC50 (Rat): > 24.6 mg/l
Exposure time: 4 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 - 2,460 mg/kg

copper dihydroxide:

Acute oral toxicity : LD50 (Rat): 489 mg/kg

Acute toxicity estimate: 500 mg/kg
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute inhalation toxicity : Acute toxicity estimate: 0.47 mg/l
Test atmosphere: dust/mist
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male): 670 mg/kg

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Product:

Species : Rabbit
Result : Mild skin irritation
Remarks : Based on data from similar materials

Components:

S-metolachlor:

Species : Rabbit
Result : No skin irritation

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:

Result : Repeated exposure may cause skin dryness or cracking.

mesotrione (ISO):

Species : Rabbit
Result : No skin irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

calcium dodecylbenzene sulphonate:

Result : Irritating to skin.

2-methylpropan-1-ol:

Result : Irritating to skin.

copper dihydroxide:

Species : Rabbit
Result : No skin irritation

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit
Result : Mild skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Components:

S-metolachlor:

Species : Rabbit
Result : No eye irritation

mesotrione (ISO):

Species : Rabbit
Result : No eye irritation

calcium dodecylbenzene sulphonate:

Result : Risk of serious damage to eyes.

2-methylpropan-1-ol:

Result : Risk of serious damage to eyes.

copper dihydroxide:

Species : Rabbit
Result : Irreversible effects on the eye

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit
Result : Risk of serious damage to eyes.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

Respiratory or skin sensitisation

Product:

Test Type : Buehler Test
Species : Guinea pig
Result : May cause sensitisation by skin contact.
Remarks : Based on data from similar materials

Components:

S-metolachlor:

Species : Guinea pig
Result : The product is a skin sensitiser, sub-category 1B.

mesotrione (ISO):

Species : Guinea pig
Result : Does not cause skin sensitisation.

2-methylpropan-1-ol:

Species : Guinea pig
Result : Did not cause sensitisation on laboratory animals.
Remarks : Information given is based on data obtained from similar substances.

copper dihydroxide:

Species : Guinea pig
Result : Did not cause sensitisation on laboratory animals.

1,2-benzisothiazol-3(2H)-one:

Result : Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Components:

S-metolachlor:

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

mesotrione (ISO):

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

copper dihydroxide:

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects., Information given is based on data obtained from similar substances.

1,2-benzisothiazol-3(2H)-one:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Components:

S-metolachlor:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

mesotrione (ISO):

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

copper dihydroxide:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies., Information given is based on data obtained from similar substances.

Reproductive toxicity

Components:

S-metolachlor:

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.

mesotrione (ISO):

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

copper dihydroxide:

Reproductive toxicity - Assessment : No toxicity to reproduction, Information given is based on data obtained from similar substances.

STOT - single exposure

Components:

2-methylpropan-1-ol:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT - repeated exposure

Components:

S-metolachlor:

Assessment : The substance or mixture is not classified as specific target

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

organ toxicant, repeated exposure.

mesotrione (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

copper dihydroxide:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Components:

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:

May be fatal if swallowed and enters airways.

2-methylpropan-1-ol:

May be harmful if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.589 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.152 mg/l
Exposure time: 96 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.031 mg/l
End point: Growth rate
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

0.0305 mg/l
End point: Growth rate
Exposure time: 96 h

ErC50 (Lemna gibba (gibbous duckweed)): 0.166 mg/l
Exposure time: 7 d

NOEC (Lemna gibba (gibbous duckweed)): 0.00137 mg/l
End point: Growth rate
Exposure time: 7 d

Components:

S-metolachlor:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.23 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 1.4 mg/l
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.077 mg/l
Exposure time: 96 h
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.016 mg/l
End point: Growth rate
Exposure time: 96 h
- EC50 (Lemna gibba (gibbous duckweed)): 0.023 mg/l
Exposure time: 14 d
- NOEC (Lemna gibba (gibbous duckweed)): 0.0076 mg/l
Exposure time: 14 d
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to fish (Chronic toxicity) : NOEC: 0.03 mg/l
Exposure time: 35 d
Species: Pimephales promelas (fathead minnow)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.13 mg/l
Exposure time: 28 d
Species: Americamysis
- M-Factor (Chronic aquatic toxicity) : 10
- mesotrione (ISO):**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

- LC50 (Cyprinus carpio (Carp)): > 97.1 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 900 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 12 mg/l
Exposure time: 96 h
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.75 mg/l
End point: Growth rate
Exposure time: 96 h
- ErC50 (Lemna gibba (gibbous duckweed)): 0.0301 mg/l
Exposure time: 7 d
- EC10 (Lemna gibba (gibbous duckweed)): 0.00187 mg/l
End point: Growth rate
Exposure time: 7 d
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to fish (Chronic toxicity) : NOEC: 12.5 mg/l
Exposure time: 36 d
Species: Pimephales promelas (fathead minnow)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 180 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
- M-Factor (Chronic aquatic toxicity) : 10

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

calcium dodecylbenzene sulphonate:

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

2-methylpropan-1-ol:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,430 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 1,100 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic : EC50 (Raphidocelis subcapitata (freshwater green alga)):

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

plants : 1,799 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 20 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

copper dihydroxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.012 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.041 mg/l

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.034 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 0.023 mg/l
Exposure time: 92 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.046 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.18 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.94 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.15 mg/l
Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.04 mg/l
End point: Growth rate
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 0.3 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1.7 mg/l
Exposure time: 21 d
Species: Daphnia (water flea)

12.2 Persistence and degradability

Components:

S-metolachlor:

Biodegradability : Result: Not readily biodegradable.
Stability in water : Degradation half life: 53 - 147 d
Remarks: Product is not persistent.

mesotrione (ISO):

Stability in water : Degradation half life: > 30 d (25 °C)
Remarks: Persistent in water.

2-methylpropan-1-ol:

Biodegradability : Result: Readily biodegradable.

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly degradable

12.3 Bioaccumulative potential

Components:

S-metolachlor:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.05 (25 °C)

mesotrione (ISO):

Bioaccumulation : Remarks: Low bioaccumulation potential.

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

12.4 Mobility in soil

Components:

S-metolachlor:

Distribution among environmental compartments : Remarks: Moderately mobile in soils
Stability in soil : Dissipation time: 12 - 46 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

Percentage dissipation: 50 % (DT50)

Remarks: Product is not persistent.

mesotrione (ISO):

Distribution among environmental compartments : Remarks: Highly mobile in soils

Stability in soil : Dissipation time: 6 - 105 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

mesotrione (ISO):

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

2-methylpropan-1-ol:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

1,2-benzisothiazol-3(2H)-one:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

- Product** : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging** : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.
- Waste Code** : uncleaned packagings
15 01 10, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

- ADN** : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

- ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(S-METOLACHLOR)
- ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(S-METOLACHLOR)
- RID** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(S-METOLACHLOR)
- IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(S-METOLACHLOR)
- IATA** : Environmentally hazardous substance, liquid, n.o.s.
(S-METOLACHLOR)

14.3 Transport hazard class(es)

- | | Class | Subsidiary risks |
|------------|-------|------------------|
| ADN | : 9 | |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

ADR : 9

RID : 9

IMDG : 9

IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA (Cargo)

Packing instruction (cargo aircraft) : 964

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on : Conditions of restriction for the fol-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

lowing entries should be considered:
Number on list 3

acetic acid
nitric acid ammonium salt (1:1)
(Number on list 58)
xylene
acetonitrile
triethylamine

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable
REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.
Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.
Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H226 : Flammable liquid and vapour.
H302 : Harmful if swallowed.
H304 : May be fatal if swallowed and enters airways.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H330 : Fatal if inhaled.
H335 : May cause respiratory irritation.
H336 : May cause drowsiness or dizziness.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

H361d : Suspected of damaging the unborn child.
H373 : May cause damage to organs through prolonged or repeated exposure.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.
EUH066 : Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard
Asp. Tox. : Aspiration hazard
Eye Dam. : Serious eye damage
Flam. Liq. : Flammable liquids
Repr. : Reproductive toxicity
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation
STOT RE : Specific target organ toxicity - repeated exposure
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



CAMIX

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	S1134159952	Date of first issue: 11.10.2023

- Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Skin Sens. 1	H317
Repr. 2	H361d
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Calculation method
Based on product data or assessment
Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

XI / EN