

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : CERATAVO PLUS

Design code : A15457H

Product Registration Number : MAPP 17865

Unique Formula Identifier (UFI) : 2EU4-20Y0-F00V-0ASN

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Fungicide

Recommended restrictions on use : professional use

#### 1.3 Details of the supplier of the safety data sheet

Company : Syngenta UK Limited  
CPC4, Capital Park  
Fulbourn, Cambridge CB21 5XE  
United Kingdom

Telephone : +44 (0) 1223 883400

Telefax : +44 (0) 1223 882195

E-mail address of person responsible for the SDS : product.technical\_enquiries@syngenta.com

#### 1.4 Emergency telephone number

Emergency telephone number : +44 1484 538444

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

Short-term (acute) aquatic hazard, Category 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms



Signal word

: Danger

Hazard statements

: H302 + H332 Harmful if swallowed or if inhaled.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard Statements

: EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements

: **Prevention:**  
P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves/ eye protection/ face protection.  
**Response:**  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Hazardous components which must be listed on the label:

mixture of octanoic acid- decanoic acid- N,N-dimethylamide  
poly(oxy-1,2-ethanediyl), alpha-(9Z)-9-octadecenyl-omega-hydroxy-  
benzovindiflupyr (ISO)

### Additional Labelling

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
mixture of octanoic acid- decanoic acid- N,N-dimethylamide	1118-92-9 214-272-5	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 20 - < 30
hydrocarbons, C10-C13, aromatics, <1% naphthalene	Not Assigned  UK-01-2250044631-9-0001	Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 20 - < 25
poly(oxy-1,2-ethanediyl), alpha-(9Z)-9-octadecenyl-omega-hydroxy-	9004-98-2 500-016-2	Eye Dam. 1; H318	>= 20 - < 30
benzovindiflupyr (ISO)	1072957-71-1  616-218-00-X	Acute Tox. 3; H301 Acute Tox. 3; H331 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 10 - < 20
poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-	99734-09-5	Aquatic Chronic 3; H412	>= 1 - < 2.5
naphthalene	91-20-3 202-049-5 601-052-00-2	Flam. Sol. 2; H228 Acute Tox. 4; H302 Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.1 - < 0.25
Substances with a workplace exposure limit :			
cellulose, ethyl ether	9004-57-3		>= 1 - < 10

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Aspiration may cause pulmonary oedema and pneumonitis.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : There is no specific antidote available.  
Treat symptomatically.  
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

Alcohol-resistant foam  
or  
Water spray

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### 6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

#### 7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
hydrocarbons, C10-C13, aromatics, <1% naphthalene	Not Assigned	TWA	8 ppm 50 mg/m <sup>3</sup>	Supplier
benzovindiflupyr (ISO)	1072957-71-1	TWA	1 mg/m <sup>3</sup>	Syngenta
cellulose, ethyl ether	9004-57-3	TWA	10 mg/m <sup>3</sup>	Supplier
naphthalene	91-20-3	TWA	10 ppm 50 mg/m <sup>3</sup>	91/322/EEC
Further information: Indicative				

##### Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
naphthalene	91-20-3	1-hydroxypyrene: 4 µmol/mol creatinine (Urine)	After shift	GB EH40 BAT

##### Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
benzovindiflupyr (ISO)	Workers	Inhalation	Long-term systemic effects	0.478 mg/m <sup>3</sup>
	Workers	Inhalation	Acute systemic effects	1.13 mg/m <sup>3</sup>

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version 10.1      Revision Date: 03.10.2023      SDS Number: S00039255621      Date of last issue: 18.09.2023  
Date of first issue: 15.06.2017

			fects	
	Workers	Dermal	Long-term systemic effects	3.33 mg/kg
	Consumers	Inhalation	Long-term systemic effects	0.119 mg/m3
	Consumers	Dermal	Long-term systemic effects	1.67 mg/kg
	Consumers	Oral	Long-term systemic effects	0.049 mg/kg
mixture of octanoic acid- decanoic acid- N,N-dimethylamide	Workers	Inhalation	Long-term systemic effects	166.67 mg/m3
	Workers	Dermal	Long-term systemic effects	23.81 mg/kg
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
	Consumers	Dermal	Long-term systemic effects	14.29 mg/kg
	Consumers	Oral	Long-term systemic effects	14.29 mg/kg
poly(oxy-1,2-ethanediyl), alpha-(9Z)-9-octadecenyl-omega-hydroxy-	Workers	Inhalation	Long-term systemic effects	294 mg/m3
	Workers	Dermal	Long-term systemic effects	2080 mg/kg
	Consumers	Inhalation	Long-term systemic effects	87 mg/m3
	Consumers	Dermal	Long-term systemic effects	1250 mg/kg
	Consumers	Oral	Long-term systemic effects	25 mg/kg
hydrocarbons, C10-C13, aromatics, <1% naphthalene	Workers	Inhalation	Long-term systemic effects	151 mg/m3
	Workers	Dermal	Long-term systemic effects	12.5 mg/kg
	Consumers	Inhalation	Long-term systemic effects	32 mg/m3
	Consumers	Dermal	Long-term systemic effects	7.5 mg/kg
	Consumers	Oral	Long-term systemic effects	7.5 mg/kg
fatty acids, C8-10, Me esters	Workers	Dermal	Long-term systemic effects	103.6 mg/kg
	Workers	Inhalation	Long-term systemic effects	73.6 mg/m3
	Consumers	Oral	Long-term systemic effects	3.7 mg/kg
	Consumers	Dermal	Long-term systemic effects	51.8 mg/kg
	Consumers	Inhalation	Long-term systemic	12.86 mg/m3

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

naphthalene	Workers	Inhalation	effects	
	Workers	Inhalation	Long-term systemic effects	25 mg/m3
	Workers	Inhalation	Long-term local effects	25 mg/m3
	Workers	Dermal	Long-term systemic effects	3.57 mg/kg

### Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
benzovindiflupyr (ISO)	Fresh water	0.000095 mg/l
	Secondary poisoning	2 mg/kg
	Soil	0.041 mg/kg
	Marine water	0.000009 mg/l
	Fresh water sediment	0.053 mg/kg
	Sewage treatment plant	100 mg/l
mixture of octanoic acid- decanoic acid- N,N-dimethylamide	Marine sediment	0.005 mg/kg
	Fresh water	0.026 mg/l
	Marine water	0.0026 mg/l
	Intermittent use/release	0.077 mg/l
	Sewage treatment plant	2.12 mg/l
	Fresh water sediment	0.318 mg/kg
poly(oxy-1,2-ethanediyl), alpha-(9Z)-9-octadecenyl-omega-hydroxy-	Marine sediment	0.0318 mg/kg
	Soil	5.23 mg/kg
	Fresh water	0.002 mg/l
	Marine water	0.002 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	86.9 mg/kg
fatty acids, C8-10, Me esters	Marine sediment	86.9 mg/kg
	Soil	1 mg/kg
	Freshwater - intermittent	0.1 mg/l
	Fresh water	0.0011 mg/l
	Fresh water sediment	0.0265 mg/kg
	Marine water	0.00011 mg/l
naphthalene	Marine sediment	0.00265 mg/kg
	Sewage treatment plant	3.92 mg/l
	Soil	0.00871 mg/kg
	Fresh water	0.0024 mg/l
	Marine water	0.0024 mg/l
	Sewage treatment plant	2.9 mg/l
	Fresh water sediment	0.0672 mg/kg
	Marine sediment	0.0672 mg/kg
	Soil	0.0533 mg/kg

## 8.2 Exposure controls

### Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

Eye/face protection	:	Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. Tightly fitting safety goggles Face-shield
Hand protection		
Material	:	Nitrile rubber
Break through time	:	> 480 min
Glove thickness	:	0.5 mm
Remarks	:	Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Remove and wash contaminated clothing before re-use. Wear as appropriate: Impervious clothing
Respiratory protection	:	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Suitable respiratory equipment: Respirator with a half face mask The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
Protective measures	:	The use of technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	:	clear to slightly turbid
Colour	:	amber to light brown
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	4 - 8 Concentration: 1 %w/v
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	101 °C Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	0.978 g/cm <sup>3</sup> (25 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	365 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	24.6 mPa.s (40 °C) 70.7 mPa.s (20 °C)
Viscosity, kinematic	:	>= 22.0 mm <sup>2</sup> /s (40 °C)
Explosive properties	:	Not explosive

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

Oxidizing properties : The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Surface tension : 28.0 mN/m, %25 °C

Particle size : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

None reasonably foreseeable.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

### 10.5 Incompatible materials

Materials to avoid : None known.

### 10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Information on likely routes of exposure : Ingestion  
Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 (Rat, female): 1,086 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.54 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Components:

#### **poly(oxy-1,2-ethanediyl), alpha-(9Z)-9-octadecenyl-omega-hydroxy-:**

Acute oral toxicity : LD50 (Rat): 2,760 mg/kg  
Assessment: The component/mixture is minimally toxic after single ingestion.

#### **benzovindiflupyr (ISO):**

Acute oral toxicity : LD50 (Rat, female): 55 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 0.56 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### **poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:**

Acute oral toxicity : LD50 Oral (Rat): 5,000 mg/kg

#### **naphthalene:**

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

### **Skin corrosion/irritation**

#### Product:

Species : Rabbit  
Result : No skin irritation

### Components:

#### **mixture of octanoic acid- decanoic acid- N,N-dimethylamide:**

Species : Rabbit  
Result : Irritating to skin.  
Remarks : Based on data from similar materials

#### **hydrocarbons, C10-C13, aromatics, <1% naphthalene:**

Result : Repeated exposure may cause skin dryness or cracking.

#### **benzovindiflupyr (ISO):**

Species : Rabbit

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

Result : No skin irritation

### Serious eye damage/eye irritation

#### Product:

Species : Rabbit  
Result : Irreversible effects on the eye

#### Components:

##### **mixture of octanoic acid- decanoic acid- N,N-dimethylamide:**

Species : Rabbit  
Result : Risk of serious damage to eyes.  
Remarks : Based on data from similar materials

##### **poly(oxy-1,2-ethanediyl), alpha-(9Z)-9-octadecenyl-omega-hydroxy-:**

Species : Rabbit  
Result : Risk of serious damage to eyes.

##### **benzovindiflupyr (ISO):**

Species : Rabbit  
Result : No eye irritation

### Respiratory or skin sensitisation

#### Product:

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Result : May cause sensitisation by skin contact.

#### Components:

##### **benzovindiflupyr (ISO):**

Test Type : mouse lymphoma cells  
Species : Mouse  
Result : Did not cause sensitisation on laboratory animals.

### Germ cell mutagenicity

#### Components:

##### **benzovindiflupyr (ISO):**

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

##### **poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:**

Germ cell mutagenicity- Assessment : In vitro tests did not show mutagenic effects

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

### Carcinogenicity

#### Components:

##### **benzovindiflupyr (ISO):**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen, This substance has been reported to cause tumours in certain animal species., There is no evidence that these findings are relevant to humans.

##### **naphthalene:**

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

##### **cellulose, ethyl ether:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### Reproductive toxicity

#### Components:

##### **benzovindiflupyr (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

### STOT - single exposure

#### Components:

##### **mixture of octanoic acid- decanoic acid- N,N-dimethylamide:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

##### **benzovindiflupyr (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

#### Components:

##### **benzovindiflupyr (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Aspiration toxicity

#### Components:

##### **hydrocarbons, C10-C13, aromatics, <1% naphthalene:**

May be fatal if swallowed and enters airways.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Product:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.068 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.27 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 2.7 mg/l Exposure time: 72 h  NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.46 mg/l End point: Growth rate Exposure time: 72 h  EC10 (Raphidocelis subcapitata (freshwater green alga)): 1.4 mg/l End point: Growth rate Exposure time: 72 h

##### Components:

##### **mixture of octanoic acid- decanoic acid- N,N-dimethylamide:**

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 14.8 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 7.7 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 16.06 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	EC10: 1.3 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Remarks: Based on data from similar materials

##### **hydrocarbons, C10-C13, aromatics, <1% naphthalene:**

Toxicity to fish	:	LL50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l Exposure time: 96 h
------------------	---	---

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1.1 mg/l  
Exposure time: 48 h  
Remarks: Information given is based on data obtained from similar substances.

Toxicity to algae/aquatic plants : EL50 (Raphidocelis subcapitata (freshwater green alga)): 7.9 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Remarks: Information given is based on data obtained from similar substances.

NOELR (Raphidocelis subcapitata (freshwater green alga)): 0.22 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Remarks: Information given is based on data obtained from similar substances.

### Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### benzovindiflupyr (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0091 mg/l  
Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 0.0035 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 0.056 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 0.89 mg/l  
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.42 mg/l  
End point: Growth rate  
Exposure time: 96 h

ErC50 (Skeletonema costatum (marine diatom)): 0.55 mg/l  
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.4 mg/l  
End point: Growth rate  
Exposure time: 72 h

M-Factor (Acute aquatic tox- : 100



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

icity)

- Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h
- Toxicity to fish (Chronic toxicity) : NOEC: 0.00095 mg/l  
Exposure time: 32 d  
Species: Pimephales promelas (fathead minnow)  
Test Type: Early-life Stage
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.0074 mg/l  
Exposure time: 28 d  
Species: Americamysis
- EC10: 0.012 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

### **poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 21 mg/l  
Exposure time: 96 h

### **Ecotoxicology Assessment**

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### **naphthalene:**

### **Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

## 12.2 Persistence and degradability

### **Components:**

#### **mixture of octanoic acid- decanoic acid- N,N-dimethylamide:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

#### **hydrocarbons, C10-C13, aromatics, <1% naphthalene:**

Biodegradability : Result: Readily biodegradable.

#### **benzovindiflupyr (ISO):**

Biodegradability : Result: Not readily biodegradable.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

### 12.3 Bioaccumulative potential

#### Components:

##### **benzovindiflupyr (ISO):**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.3 (25 °C)

### 12.4 Mobility in soil

#### Components:

##### **benzovindiflupyr (ISO):**

Distribution among environmental compartments : Remarks: Slightly mobile in soils

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Components:

##### **benzovindiflupyr (ISO):**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

##### **poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

##### **naphthalene:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

### 12.6 Other adverse effects

#### Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- Product : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

### SECTION 14: Transport information

#### 14.1 UN number

- ADR : UN 3082  
RID : UN 3082  
IMDG : UN 3082  
IATA : UN 3082

#### 14.2 UN proper shipping name

- ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BENZOVINDIFLUPYR)
- RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BENZOVINDIFLUPYR)
- IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BENZOVINDIFLUPYR)
- IATA : Environmentally hazardous substance, liquid, n.o.s.  
(BENZOVINDIFLUPYR)

#### 14.3 Transport hazard class(es)

- |      | Class | Subsidiary risks |
|------|-------|------------------|
| ADR  | : 9   |                  |
| RID  | : 9   |                  |
| IMDG | : 9   |                  |
| IATA | : 9   |                  |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

### 14.4 Packing group

#### ADR

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

#### RID

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

#### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

#### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

#### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### 14.5 Environmental hazards

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the following entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	naphthalene
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	:	Not applicable
Control of Major Accident Hazards Regulations 2015 (COMAH)	E1	ENVIRONMENTAL HAZARDS

### Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

94/33/EC on the protection of young people at work.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

## SECTION 16: Other information

### Full text of H-Statements

H228	: Flammable solid.
H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H331	: Toxic if inhaled.
H335	: May cause respiratory irritation.
H351	: Suspected of causing cancer.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Carc.	: Carcinogenicity
Eye Dam.	: Serious eye damage
Flam. Sol.	: Flammable solids
Skin Irrit.	: Skin irritation
STOT SE	: Specific target organ toxicity - single exposure
91/322/EEC	: Europe. Commission Directive 91/322/EEC on establishing indicative limit values
GB EH40 BAT	: UK. Biological monitoring guidance values
Syngenta	: Syngenta Occupational Exposure Limit
91/322/EEC / TWA	: Limit Value - eight hours
Syngenta / TWA	: Time weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - Interna-

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## CERATAVO PLUS

Version	Revision Date:	SDS Number:	Date of last issue: 18.09.2023
10.1	03.10.2023	S00039255621	Date of first issue: 15.06.2017

tional Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Acute Tox. 4	H302
Acute Tox. 4	H332
Eye Dam. 1	H318
Skin Sens. 1	H317
STOT SE 3	H335
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

#### Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Calculation method
Based on product data or assessment
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN