ACOLNIS TANK MIX LIST

GUIDANCE FOR TANK MIXING AND SEQUENCING WITH HORMONE HERBICIDES

- DO NOT mix ACOLNIS with products containing 2-4,D, MCPA or mecoprop.
- These hormone herbicides may be used in sequence with ACOLNIS, observing the following intervals:
 - 0 When ACOLNIS is applied first, leave a minimum of 7 days before applying hormone herbicides
 - 0 If hormone-containing products are applied first, leave 21 days before ACOLNIS is applied
- Halauxifen (Arylex), fluroxypyr or clopyralid products may be tank mixed with ACOLNIS when ACOLNIS is • used at the full label dose rate for the target weed (refer to label).
- DO NOT MIX ACOLNIS with Halauxifen (Arylex), fluroxypyr or clopyralid products when targeting black-• grass in barley.
- When targeting wild oats or ryegrass using supported doses of ACOLNIS, Halauxifen (Arylex), fluroxypyr or clopyralid products may be sequenced with ACOLNIS observing the same intervals indicated above.

GUIDANCE FOR TANK MIXING AND SEQUENCING WITH SULFONYL-UREAS AND OTHER ALS INHIBITOR HERBICIDES

- Tank mixes with some broad-leaved weed specific sulfonyl-urea/ALS inhibitor herbicides can reduce grass • weed control, particularly if ACOLNIS is applied at reduced rates.
- Only sulfonyl-urea/ALS inhibitor herbicides listed below may be tank mixed with ACOLNIS. •
- DO NOT MIX ACOLNIS with SU's/ALS inhibitors when targeting black-grass in barley.
- Sulfonyl-urea/ALS inhibitor herbicides should only be tank mixed with ACOLNIS when ACOLNIS is used at the **full label dose rate** for the target weed (refer to label).
- When targeting wild oats or ryegrass using supported rates of ACOLNIS, in sequence with SUs/ALS inhibitors, • observe the intervals indicated above for hormone herbicides.

The following tank mixes have been tested for physical compatibility with ACOLNIS at recommended rates of use and will mix in the sprayer tank. Syngenta UK Ltd will support 2 or 3-way tank mixes of ACOLNIS with any of the fungicides, herbicides, insecticides, PGR's or adjuvants listed. All other products listed have not been tested for crop safety or product performance, therefore use is at the user's own risk. For further information on compatibilities, contact Syngenta UK Ltd on 0800 169 6058.

FUNGICIDES

AMISTAR
AMISTAR MAX
Ascra Xpro
Aviator Xpro
Caramba
Comet 200
CERATAVO PLUS ¹
ELATUS ERA
ELATUS PLUS ¹
ERA
Fandango ¹
Folicur
Haven

Helix Inception Xpro Jaunt¹ Justice¹ KAYAK KAVATUR PLUS¹ LAMAST Librax MIRAVIS PLUS MIRROR Mobius PLEXEO Proline 275

Protefin **OUADRIS** Revystar⁴ Rylox⁴ Siltra Xpro Talius¹ **UNIVERSALIS** UNIX VELOGY PLUS¹ WEAVER + Scyon Zephyr

Prosaro

HERBICIDES

Ally Max SX ²	Hiatus ³	Renitar
Ergon ³	Mattera	Spitfire
Finish SX	Pixxaro	Whorl
Harmony M SX	Presite SX	Zypar

INSECTICIDES

HALLMARK ZEON

Decis Protech

KUNG FU

<u>PGR's</u>

3C Chlormequat 750 Adjust Canopy Cerone Cleancrop Alatrin Evo Medax Max MODDUS MODDUS + chlormequat Terpal

ADJUVANTS

If ACOLNIS is applied at the reduced rate of below 0.6 l/ha, an adjuvant should be added for optimum results. Syngenta will support the use of the adjuvants listed.

ADIGOR	Phase II	Toil
Nelson	Sorrento ⁵	Zarado

Syngenta have not tested any other adjuvants, however, the use of other MSO's not included in the list above will be supported.

TRACE ELEMENTS

Syngenta UK Ltd will support the tank mixing of **one** of the named trace elements with an existing 2 or 3-way tank mix including ACOLNIS. Syngenta UK Ltd advise that the trace element part of the tank mix is added to the sprayer tank last with constant agitation and the mixture is sprayed without delay.

Bittersalz Headland Boron 15 Headland Copper Headland Manganese 15% Headland Multiple Pro Headland Trice Headland Zinc 700¹ YaraVita Bortrac 150 YaraVita Coptrel 500 YaraVita Croplift Pro YaraVita Mancozin YaraVita Mancuflo

NOTES

Before using any tank mixture, consult and comply with the recommendations of the partner products. Each product should be added separately to the bulk of the water in the spray tank and thoroughly mixed before adding the next chemical. Always use constant agitation of the sprayer tank during mixing, transportation and application. Spray immediately.

¹ Continuous agitation required.

² Ally Max SX = can read across to all FMC SUs.

³ Tested and supported by Rotam.

⁴ Tested and supported by BASF.

⁵ Tested and supported by Interagro.

The following 3-way tank mixes have been tested and are **physically compatible**: ACOLNIS + Inception Xpro + Mobius ACOLNIS + Inception Xpro + Jaunt¹ ACOLNIS + Inception Xpro + Zephyr ACOLNIS + Rylox + Arizona⁴ ACOLNIS + Rylox + Sorrento⁴ ACOLNIS + Rylox + Arizona + Sorrento⁴

LERAP: None

Use plant protection products safely. Always read the label and product information before use. ©Syngenta AG, April 2024



For further information contact us on 0800 169 6058 e-mail: product.technical enquiries@syngenta.com Syngenta UK Ltd, Fulbourn, Cambridge CB21 5XE. Tel: (01223) 884300. Website: www.syngenta.co.uk