

CERATAVO PLUS TANK MIX LIST

The following tank mixes have been tested for physical compatibility with CERATAVO PLUS at recommended rates of use and will mix in the sprayer tank. No tests have been undertaken on crop safety or product performance therefore, use is at the user's own risk. Syngenta UK Ltd will support the physical compatibility of 2-way tank mixes of CERATAVO PLUS with any of the fungicides, herbicides, insecticides or PGRs listed. In addition, products **highlighted** have been tested for biological and physical compatibility. For further information on compatibilities, contact Syngenta UK Ltd on 0800 169 6058.

FUNGICIDES

AMISTAR
AMISTAR MAX
Arizona
Boogie Xpro
Caramba 90
Cello
Clayton Trellis
Clayton Tuskar
Cleancrop Navaro
Cleancrop Vulture
ERA
Helix
Inconiq

Jaunt
KAYAK
Kestrel +/- Adjust
Lentyma XE
MIRAVIS PLUS
MIRROR
Mobius
Myresa
Phoenix
Proline 275
Prosaro
Provyto
Revystar

Rylox
Sakura
Simveris
Talius
Traciafin Plus
Tucana
Ultraline
Ultralegend
UNIVERSALIS
Univoq
Vegas
Vertipin¹
Vimoy

HERBICIDES

Ally Max SX¹
AXIAL PRO¹
Atlantis + Biopower
Cleancrop Gallifrey 3
Croupier
Duplosan KV

Inka SX¹
Memphis + oil
Mircam Plus
Pixxaro + Kantor¹
SCINTILLA

Starane Hi Load
Starane XL¹
Topik + oil¹
Traton SX¹
Zypar

INSECTICIDES

Decis Protech¹

Mavrik

HALLMARK ZEON

PGRs

Adjust¹
Bogota
Cerone

Cleancrop Alatrín Evo¹
Cleancrop Alatrín Evo + chlormequat¹
Ipanema¹

Medax Max
Meteor¹
Terpal

TRACE ELEMENTS

Syngenta UK Ltd will support the tank mixing of one of the named trace elements with an existing 2 or 3-way tank mix including CERATAVO PLUS. Syngenta UK Ltd advise that the trace element part of the tank mix is added to the sprayer tank last with constant agitation and the mixture is sprayed without delay.

Headland Copper¹
Headland Magnor¹
Headland Manganese 15%

Human Z50¹
MasterMag TE
Opte B¹

OptE-Mag

NOTES

Before using any tank mixture, consult and comply with the recommendations of the partner products. Each product should be added separately to the bulk of the water in the spray tank and thoroughly mixed before adding the next chemical. Always use constant agitation of the sprayer tank during mixing, transportation and application. Spray immediately.

The following 3 and 4-way tank mixes have been tested for physical compatibility with CERATAVO PLUS at recommended rates of use and will mix in the sprayer tank. No tests have been undertaken on crop safety or product performance therefore, use is at the user's own risk.

CERATAVO PLUS + Kestrel + Adjust¹
 CERATAVO PLUS + Kestrel + Tucana
 CERATAVO PLUS + Kestrel + Cleancrop Alatrino Evo¹
 CERATAVO PLUS + Kestrel + Inka SX¹
 CERATAVO PLUS + Kestrel + HALLMARK ZEON
 CERATAVO PLUS + Kestrel + Decis Protech¹
 CERATAVO PLUS + Kestrel + Ally Max SX¹
 CERATAVO PLUS + Kestrel + Cleancrop Alatrino Evo + 3C Chlormequat 750¹
 CERATAVO PLUS + Kestrel + Cleancrop Alatrino Evo + Adjust¹
 CERATAVO PLUS + Kestrel + Pixxaro + Kantor¹
 CERATAVO PLUS + Kestrel + Topik + Toil¹
 CERATAVO PLUS + Kestrel + AXIAL PRO¹
 CERATAVO PLUS + Kestrel + Atlantis WG + Biopower
 CERATAVO PLUS + Kestrel + Starane Hi-Load
 CERATAVO PLUS + Kestrel + Terpal
 CERATAVO PLUS + Kestrel + MIRROR
 CERATAVO PLUS + Brutus + Vegas
 CERATAVO PLUS + Helix + Adjust¹
 CERATAVO PLUS + Helix + Tucana
 CERATAVO PLUS + Helix + Cleancrop Alatrino Evo¹
 CERATAVO PLUS + Helix + Inka SX¹
 CERATAVO PLUS + Helix + HALLMARK ZEON
 CERATAVO PLUS + Helix + Decis Protech¹
 CERATAVO PLUS + Helix + Ally Max SX¹
 CERATAVO PLUS + Helix + AXIAL PRO¹
 CERATAVO PLUS + Helix + Topik + Toil¹
 CERATAVO PLUS + Helix + Atlantis WG + Biopower
 CERATAVO PLUS + Helix + Starane Hi-Load
 CERATAVO PLUS + Helix + Terpal
 CERATAVO PLUS + Helix + MIRROR
 CERATAVO PLUS + Sakura + Adjust¹
 CERATAVO PLUS + Sakura + Tucana
 CERATAVO PLUS + Sakura + Cleancrop Alatrino Evo¹
 CERATAVO PLUS + Sakura + Inka SX¹
 CERATAVO PLUS + Sakura + HALLMARK ZEON
 CERATAVO PLUS + Sakura + Decis Protech¹
 CERATAVO PLUS + Sakura + Ally Max SX¹
 CERATAVO PLUS + Sakura + AXIAL PRO¹
 CERATAVO PLUS + Sakura + Topik + Toil¹
 CERATAVO PLUS + Sakura + Atlantis WG + Biopower
 CERATAVO PLUS + Sakura + Starane Hi-Load
 CERATAVO PLUS + Sakura + Terpal
 CERATAVO PLUS + Sakura + MIRROR
 CERATAVO PLUS + Mobius + Adjust¹
 CERATAVO PLUS + Mobius + Tucana
 CERATAVO PLUS + Mobius + Cleancrop Alatrino Evo¹
 CERATAVO PLUS + Mobius + Inka SX¹

24 April 2024

CERATAVO PLUS + Mobius + HALLMARK ZEON
CERATAVO PLUS + Mobius + Decis Protech¹
CERATAVO PLUS + Mobius + Ally Max SX¹
CERATAVO PLUS + Mobius + AXIAL PRO¹
CERATAVO PLUS + Mobius + Topik + Toil¹
CERATAVO PLUS + Mobius + Atlantis WG + Biopower
CERATAVO PLUS + Mobius + Starane Hi-Load
CERATAVO PLUS + Mobius + Terpal
CERATAVO PLUS + Mobius + MIRROR

¹Continuous agitation required at all times.

Buffer zone: 6 metres

Rainfastness: After 1 hour

**Use plant protection products safely.
Always read the label and product information before use.**
©Syngenta AG, April 2024



**For further information contact us on 0800 169 6058
e-mail: product.technical_enquiries@syngenta.com**

Syngenta UK Ltd, Fulbourn, Cambridge CB21 5XE.
Tel: (01223) 883400. Website: www.syngenta.co.uk