

SCINTILLA TANK MIX LIST

GUIDANCE FOR TANK MIXING AND SEQUENCING WITH HORMONE HERBICIDES

- DO NOT mix SCINTILLA with products containing 2-4,D, MCPA or mecoprop.
- These hormone herbicides may be used in sequence with SCINTILLA, observing the following intervals:
 - When SCINTILLA is applied first, leave a minimum of 7 days before applying hormone herbicides
 - If hormone-containing products are applied first, leave 21 days before SCINTILLA is applied
- Halauxifen (Arylex), fluroxypyr or clopyralid products may be tank mixed with SCINTILLA when SCINTILLA is used at the **full label dose rate** for the target weed (refer to label).
- DO NOT MIX SCINTILLA with Halauxifen (Arylex), fluroxypyr or clopyralid products when targeting black-grass in barley.
- When targeting wild oats or ryegrass using supported doses of SCINTILLA, then Halauxifen (Arylex), fluroxypyr or clopyralid products may be sequenced with SCINTILLA observing the same intervals indicated above.

GUIDANCE FOR TANK MIXING AND SEQUENCING WITH SULFONYL-UREAS AND OTHER ALS INHIBITOR HERBICIDES

- Tank mixes with some broad-leaved weed specific sulfonyl-urea/ALS inhibitor herbicides can reduce grass weed control, particularly if SCINTILLA is applied at reduced rates.
- Only sulfonyl-urea/ALS inhibitor herbicides listed below may be tank mixed with SCINTILLA.
- DO NOT MIX SCINTILLA with SU's/ALS inhibitors when targeting black-grass in barley.
- Sulfonyl-urea/ALS inhibitor herbicides should only be tank mixed with SCINTILLA when SCINTILLA is used at the **full label dose rate** for the target weed (refer to label).
- When targeting wild oats or ryegrass using supported rates of SCINTILLA, in sequence with SUs/ALS inhibitors, observe the intervals indicated above for hormone herbicides.

The following tank mixes have been tested for physical compatibility with SCINTILLA at recommended rates of use and will mix in the sprayer tank. Syngenta UK Ltd will support 2-way tank mixes of SCINTILLA with any of the fungicides, herbicides, insecticides, PGR's or adjuvants listed. Products listed have not been tested for crop safety or product performance, therefore use is at the user's own risk. For further information on compatibilities, contact Syngenta UK Ltd on 0800 169 6058.

FUNGICIDES

AMISTAR	Flexity	Proline 275
AMISTAR MAX	Folicur	Propel Xpro
APROVIA PLUS	Helix	Prosaro
Ascra Xpro	Iodus	QUADRIS
Aviator 235 Xpro	Jaunt	Revystar
Boogie Xpro Plus	KAVATUR PLUS	Sublime
Caramba 90	KAYAK	Swift
Comet 200	Kestrel	Talius
CERATAVO PLUS	LAMAST	Thiopron ¹
Consul	Librax	Tubosan
DJEMBE	MIRAVIS PLUS	UNIVERSALIS
ELATUS ERA	MIRROR	Univoq
ELATUS PLUS	Mobius	UNIX
ERA	ORTIVA	VELOGY PLUS
Fandango	Peqtiga	

HERBICIDES

Ally Max SX
Avocet
Biplay SX
Chimera SX
Croupier OD

Harmony M SX
Inka SX
Orient
Pacifica Plus + Biopower
Pixxaro

Presite SX
Provalia LQM
Spitfire
Starane Hi-Load
Zypar

INSECTICIDES

HALLMARK ZEON
Decis Protech

KUNG FU

Sumi Alpha

PGR's

3C Chlormequat 750
Bolster
Canopy

Cerone
MODDUS

MODDUS + chlormequat
Terpal

TRACE ELEMENTS

Syngenta UK Ltd will support the tank mixing of **one** of the named trace elements with an existing 2-way tank mix including SCINTILLA. Syngenta UK Ltd advise that the trace element part of the tank mix is added to the sprayer tank last with constant agitation and the mixture is sprayed without delay.

Human Z50
Master Mag TE¹

Nutriphite PGA
Physiocrop

Polyactiv B
Quark

ADJUVANTS

If SCINTILLA is applied at the reduced rate of below 0.5 l/ha, an adjuvant should be added for optimum results. Syngenta will support the use of the adjuvants listed.

ADIGOR
Phase II

Sorrento

Toil

Syngenta have not tested any other adjuvants, however, the use of other MSO's not included in the list above will be supported.

NOTES

Before using any tank mixture, consult and comply with the recommendations of the partner products. Each product should be added separately to the bulk of the water in the spray tank and thoroughly mixed before adding the next chemical. Always use constant agitation of the sprayer tank during mixing, transportation and application. Spray immediately.

¹ Continuous agitation required.

The following 3 and 4-way tank mixes have been tested and are **physically compatible**:

SCINTILLA + ELATUS PLUS + Peqtiga
SCINTILLA + ELATUS PLUS + Kestrel
SCINTILLA + ELATUS PLUS + Helix
SCINTILLA + ELATUS PLUS + Mobius
SCINTILLA + ELATUS PLUS + DJEMBE
SCINTILLA + ELATUS PLUS + MIRROR + Peqtiga
SCINTILLA + ELATUS PLUS + MIRROR + Kestrel

24 April 2024

SCINTILLA + ELATUS PLUS + MIRROR + Helix
SCINTILLA + ELATUS PLUS + MIRROR + Mobius
SCINTILLA + ELATUS PLUS + MIRROR + DJEMBE
SCINTILLA + Rylox + Imtrex
SCINTILLA + Rylox + CERATAVO PLUS
SCINTILLA + Questar + Helix
SCINTILLA + Questar + Rylox
SCINTILLA + Lenvyor Duo + Imperis

LERAP: None
Rainfastness: 1 hour

**Use plant protection products safely. Always read the label
and product information before use.**
©Syngenta AG, October 2022



For further information contact us on 0800 169 6058
e-mail: customer.services@syngenta.com
Syngenta UK Ltd, Fulbourn, Cambridge CB21 5XE.
Tel: (01223) 884300. Fax: (01223) 281245. Website: <http://www.syngenta.co.uk>