

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	TOPREX
Design code	:	A14049A
Product Registration Number	:	MAPP 16456
Unique Formula Identifier (UFI)	:	Y0H7-63SE-K003-WFH4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	Fungicide
Recommended restrictions on use	:	professional use

1.3 Details of the supplier of the safety data sheet

Company	:	Syngenta UK Limited Jealott's Hill International Research Centre Bracknell, Berkshire RG42 6EY United Kingdom
Telephone	:	+44 (0) 1223 883400
Telefax	:	-
E-mail address of person responsible for the SDS	:	MSDSenquiries.UK@syngenta.com

1.4 Emergency telephone number

Emergency telephone number	:	+44 1484 538444
----------------------------	---	-----------------

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Reproductive toxicity, Category 2	H361d: Suspected of damaging the unborn child.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H351 Suspected of causing cancer.
H361d Suspected of damaging the unborn child.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/ protective clothing/ eye protection.
Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Hazardous components which must be listed on the label:

difenoconazole (ISO)
paclobutrazol (ISO)

Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
difenoconazole (ISO)	119446-68-3 613-347-00-3	Acute Tox. 4; H302 Eye Irrit. 2; H319 Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10 Acute toxicity estimate Acute oral toxicity: 1,450 mg/kg	>= 20 - < 25
paclobutrazol (ISO)	76738-62-0 603-239-00-4	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319 Repr. 2; H361d Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10 Acute toxicity estimate Acute oral toxicity: 490 mg/kg Acute inhalation tox-	>= 10 - < 20

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version 3.0 Revision Date: 23.07.2026 SDS Number: S1355323282 Date of last issue: 23.10.2025
Date of first issue: 13.11.2024

		icity (dust/mist): 3.13 mg/l	
poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-[tris(1-phenylethyl)phenoxy]-, ammonium salt	119432-41-6	Aquatic Chronic 3; H412	$\geq 1 - < 2.5$
methanol	67-56-1 200-659-6 603-001-00-X 01-2119433307-44-xxxx	Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 STOT SE 1; H370 (Eyes, Central nervous system) specific concentration limit STOT SE 1; H370 $\geq 10\%$ STOT SE 2; H371 3 - $< 10\%$	$\geq 0.1 - < 1$
toluene	108-88-3 203-625-9 601-021-00-3 01-2119471310-51-xxxx	Flam. Liq. 2; H225 Skin Irrit. 2; H315 Repr. 2; H361d STOT SE 3; H336 (Central nervous system) STOT RE 2; H373 (Central nervous system) Asp. Tox. 1; H304 Aquatic Chronic 3; H412	$\geq 0.1 - < 0.25$
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60-xxxx	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 $\geq 0.036\%$	$\geq 0.036 - < 0.05$

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

		Acute toxicity estimate Acute oral toxicity: 450 mg/kg Acute inhalation toxicity (dust/mist): 0.21 mg/l	
Substances with a workplace exposure limit :			
propane-1,2-diol	57-55-6 200-338-0 01-2119456809-23-xxxx		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Aspiration may cause pulmonary oedema and pneumonitis.
- Risks : Suspected of causing cancer.
Suspected of damaging the unborn child.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : There is no specific antidote available.
Treat symptomatically.
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Chlorine compounds
Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
difenoconazole (ISO)	119446-68-3	TWA	5 mg/m ³	Syngenta
paclobutrazol (ISO)	76738-62-0	TWA	5 mg/m ³	Syngenta
propane-1,2-diol	57-55-6	TWA (particles)	10 mg/m ³	GB EH40
		TWA (Total vapour and particles)	150 ppm 474 mg/m ³	GB EH40
methanol	67-56-1	TWA	200 ppm 260 mg/m ³	2006/15/EC

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version 3.0 Revision Date: 23.07.2026 SDS Number: S1355323282 Date of last issue: 23.10.2025
Date of first issue: 13.11.2024

	Further information: Indicative, Identifies the possibility of significant uptake through the skin			
		TWA	200 ppm 266 mg/m ³	GB EH40
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL	250 ppm 333 mg/m ³	GB EH40
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
toluene	108-88-3	TWA	50 ppm 192 mg/m ³	2006/15/EC
	Further information: Indicative, Identifies the possibility of significant uptake through the skin			
		STEL	100 ppm 384 mg/m ³	2006/15/EC
	Further information: Indicative, Identifies the possibility of significant uptake through the skin			
		TWA	50 ppm 191 mg/m ³	GB EH40
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL	100 ppm 384 mg/m ³	GB EH40
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
propane-1,2-diol	Workers	Inhalation	Long-term systemic effects	168 mg/m ³
	Consumers	Inhalation	Long-term local effects	10 mg/m ³
	Consumers	Inhalation	Long-term systemic effects	30 mg/m ³
	Workers	Inhalation	Long-term local effects	10 mg/m ³
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m ³
	Workers	Dermal	Long-term systemic effects	0.966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m ³
	Consumers	Dermal	Long-term systemic effects	0.345 mg/kg
methanol	Workers	Inhalation	Long-term systemic effects	130 mg/m ³
	Workers	Inhalation	Acute systemic ef-	130 mg/m ³

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version 3.0 Revision Date: 23.07.2026 SDS Number: S1355323282 Date of last issue: 23.10.2025
Date of first issue: 13.11.2024

			fects	
	Workers	Inhalation	Long-term local effects	130 mg/m3
	Workers	Inhalation	Acute local effects	130 mg/m3
	Workers	Dermal	Long-term systemic effects	20 mg/m3
	Workers	Dermal	Acute systemic effects	20 mg/m3
	Consumers	Inhalation	Long-term systemic effects	26 mg/m3
	Consumers	Inhalation	Acute systemic effects	26 mg/m3
	Consumers	Inhalation	Long-term local effects	26 mg/m3
	Consumers	Inhalation	Acute local effects	26 mg/m3
	Consumers	Dermal	Long-term systemic effects	4 mg/kg
	Consumers	Dermal	Acute systemic effects	4 mg/kg
	Consumers	Oral	Long-term systemic effects	4 mg/kg
	Consumers	Oral	Acute systemic effects	4 mg/kg
toluene	Workers	Inhalation	Long-term systemic effects	192 mg/m3
	Workers	Dermal	Long-term systemic effects	384 mg/kg
	Workers	Inhalation	Acute local effects	384 mg/m3
	Workers	Inhalation	Acute systemic effects	384 mg/m3
	Workers	Inhalation	Long-term local effects	192 mg/m3
	Consumers	Oral	Long-term systemic effects	8.13 mg/kg
	Consumers	Dermal	Long-term systemic effects	226 mg/kg
	Consumers	Inhalation	Acute systemic effects	226 mg/m3
	Consumers	Inhalation	Acute local effects	226 mg/m3
	Consumers	Inhalation	Long-term local effects	56.5 mg/m3
	Consumers	Inhalation	Long-term systemic effects	56.5 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
propane-1,2-diol	Fresh water	260 mg/l
	Marine water	26 mg/l
	Intermittent use/release	183 mg/l
	Sewage treatment plant	20000 mg/l
	Marine sediment	57.2 mg/kg
	Fresh water sediment	572 mg/kg
	Soil	50 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version 3.0 Revision Date: 23.07.2026 SDS Number: S1355323282 Date of last issue: 23.10.2025
Date of first issue: 13.11.2024

1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l
	Marine water	0.000403 mg/l
	Sewage treatment plant	1.03 mg/l
	Fresh water sediment	0.0499 mg/kg
	Marine sediment	0.00499 mg/kg
	Freshwater - intermittent	0.0011 mg/l
	Marine water - intermittent	0.000110 mg/l
	Soil	3 mg/kg
methanol	Fresh water	20 mg/l
	Marine water	2.08 mg/l
	Soil	100 mg/kg wet weight
	Sewage treatment plant	100 mg/l
	Marine sediment	7.7 mg/kg dry weight (d.w.)
toluene	Fresh water	0.68 mg/l
	Marine sediment	16.39 mg/kg
	Sewage treatment plant	13.61 mg/l
	Freshwater - intermittent	0.68 mg/l
	Marine water	0.68 mg/l
	Fresh water sediment	16.39 mg/kg
	Soil	2.89 mg/kg

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye/face protection : No special protective equipment required.
Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

- each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing
- Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

Environmental exposure controls

- Water : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Physical state : liquid
- Form : liquid
- Colour : off-white to beige
- Odour : characteristic
- Odour Threshold : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flammability : No data available
- Upper explosion limit / Upper flammability limit : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version 3.0	Revision Date: 23.07.2026	SDS Number: S1355323282	Date of last issue: 23.10.2025 Date of first issue: 13.11.2024
----------------	------------------------------	----------------------------	---

Lower explosion limit / Lower flammability limit : No data available

Flash point : Method: Pensky-Martens closed cup
does not flash

Auto-ignition temperature : > 650 °C

Decomposition temperature : No data available

pH : 4 - 8
Concentration: 1 %w/v

Viscosity
Viscosity, dynamic : 36.2 - 263 mPa,s (40 °C)
49.1 - 317 mPa,s (20 °C)

Solubility(ies)
Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : No data available

Density : 1.11 g/cm³ (20 °C)

Relative vapour density : No data available

Particle characteristics
Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Surface tension : 39.0 mN/m, 0.500 %, 20 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure :
Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: LD50 (Rat, female): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5.05 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

Components:

difenoconazole (ISO):

Acute oral toxicity	: Acute toxicity estimate: 1,450 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute inhalation toxicity	: LC50 (Rat, male and female): > 3.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,010 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

paclobutrazol (ISO):

Acute oral toxicity : LD50 (Rat, female): 1,336 mg/kg

Acute toxicity estimate: 490 mg/kg
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute inhalation toxicity : LC50 (Rat, female): 3.13 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute toxicity estimate: 3.13 mg/l
Test atmosphere: dust/mist
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

methanol:

Acute oral toxicity : Assessment: The component/mixture is toxic after single ingestion.

Acute inhalation toxicity : Assessment: The component/mixture is toxic after short term inhalation.

Acute dermal toxicity : Assessment: The component/mixture is toxic after single contact with skin.

toluene:

Acute oral toxicity : LD50 (Rat, male): 5,580 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 25.7 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male): > 5,000 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Acute toxicity estimate: 450 mg/kg
Method: Acute toxicity estimate according to Regulation (EC)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

No. 1272/2008

Acute inhalation toxicity : Acute toxicity estimate: 0.21 mg/l
Test atmosphere: dust/mist
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg

Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rabbit): 317,042 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation

Components:

difenoconazole (ISO):

Species : Rabbit
Result : No skin irritation

paclobutrazol (ISO):

Species : Rabbit
Result : No skin irritation

methanol:

Species : Rabbit
Result : No skin irritation

toluene:

Species : Rabbit
Result : Irritating to skin.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

1,2-benzisothiazol-3(2H)-one:

Species	:	Rabbit
Result	:	Irritating to skin.

propane-1,2-diol:

Result	:	No skin irritation
--------	---	--------------------

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Result	:	No eye irritation

Components:

difenoconazole (ISO):

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 7 days

paclobutrazol (ISO):

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 7 days

methanol:

Species	:	Rabbit
Result	:	No eye irritation

toluene:

Species	:	Rabbit
Result	:	No eye irritation

1,2-benzisothiazol-3(2H)-one:

Species	:	Rabbit
Result	:	Risk of serious damage to eyes.

propane-1,2-diol:

Result	:	No eye irritation
--------	---	-------------------

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Not classified due to lack of data.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

Product:

Test Type	: Buehler Test
Species	: Guinea pig
Result	: Does not cause skin sensitisation.

Components:

difenoconazole (ISO):

Species	: Guinea pig
Result	: Does not cause skin sensitisation.

paclobutrazol (ISO):

Species	: Guinea pig
Result	: Does not cause skin sensitisation.

methanol:

Species	: Guinea pig
Result	: Does not cause skin sensitisation.

toluene:

Species	: Guinea pig
Result	: Does not cause skin sensitisation.

1,2-benzisothiazol-3(2H)-one:

Result	: Probability or evidence of high skin sensitisation rate in humans
--------	---

propane-1,2-diol:

Result	: Does not cause skin sensitisation.
--------	--------------------------------------

Germ cell mutagenicity

Not classified due to lack of data.

Components:

difenoconazole (ISO):

Germ cell mutagenicity- Assessment	: Animal testing did not show any mutagenic effects.
------------------------------------	--

paclobutrazol (ISO):

Germ cell mutagenicity- Assessment	: Animal testing did not show any mutagenic effects.
------------------------------------	--

methanol:

Germ cell mutagenicity- Assessment	: Animal testing did not show any mutagenic effects.
------------------------------------	--

toluene:

Germ cell mutagenicity- Assessment	: Animal testing did not show any mutagenic effects.
------------------------------------	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version 3.0	Revision Date: 23.07.2026	SDS Number: S1355323282	Date of last issue: 23.10.2025 Date of first issue: 13.11.2024
----------------	------------------------------	----------------------------	---

1,2-benzisothiazol-3(2H)-one:

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

propane-1,2-diol:

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Suspected of causing cancer.

Components:

difenoconazole (ISO):

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

paclobutrazol (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

methanol:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

toluene:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

1,2-benzisothiazol-3(2H)-one:

Carcinogenicity - Assessment : No data available

propane-1,2-diol:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

difenoconazole (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

paclobutrazol (ISO):

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments., Animal testing did not show any effects on fertility.

methanol:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

toluene:

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

1,2-benzisothiazol-3(2H)-one:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

No effects on or via lactation

propane-1,2-diol:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

STOT - single exposure

Not classified due to lack of data.

Components:

difenoconazole (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

paclobutrazol (ISO):

Remarks : No data available

methanol:

Target Organs : Eyes, Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 1.

toluene:

Exposure routes : Inhalation
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

1,2-benzisothiazol-3(2H)-one:

Remarks : No data available

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Not classified due to lack of data.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

Components:

difenoconazole (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

paclobutrazol (ISO):

Remarks : No data available

methanol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

toluene:

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

Components:

paclobutrazol (ISO):

No aspiration toxicity classification

methanol:

No aspiration toxicity classification

toluene:

May be fatal if swallowed and enters airways.

1,2-benzisothiazol-3(2H)-one:

No aspiration toxicity classification

propane-1,2-diol:

No aspiration toxicity classification

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

11.2 Information on other hazards

Endocrine disrupting properties

Not classified due to lack of data.

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

difenoconazole (ISO):

Assessment : Does not have endocrine disrupting properties.

paclobutrazol (ISO):

Assessment : Does not have endocrine disrupting properties.
Remarks : Weight of Evidence

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 7.1 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 4.8 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 3.2 mg/l
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.1 mg/l
Exposure time: 96 h

ErC50 (Lemna gibba (gibbous duckweed)): 0.45 mg/l
Exposure time: 7 d

NOEC (Lemna gibba (gibbous duckweed)): 0.027 mg/l
Exposure time: 7 d

Components:

difenoconazole (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.1 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.77 mg/l
Exposure time: 48 h
- EC50 (*Americamysis*): 0.15 mg/l
Exposure time: 96 h
- Toxicity to algae/aquatic plants : EC10 (*Navicula pelliculosa* (Freshwater diatom)): 0.0697 mg/l
End point: Growth rate
Exposure time: 72 h
- ErC50 (*Desmodesmus subspicatus* (green algae)): 0.0876 mg/l
Exposure time: 72 h
- EC10 (*Desmodesmus subspicatus* (green algae)): 0.015 mg/l
End point: Growth rate
Exposure time: 72 h
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
- Toxicity to fish (Chronic toxicity) : EC10: 0.01298 mg/l
Exposure time: 34 d
Species: *Pimephales promelas* (fathead minnow)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 0.0078 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
- EC10: 0.00572 mg/l
Exposure time: 28 d
Species: *Americamysis*
- M-Factor (Chronic aquatic toxicity) : 10
- paclobutrazol (ISO):**
- Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 27.8 mg/l
Exposure time: 96 h
- LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 23.6 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 29 mg/l
Exposure time: 48 h
- EC50 (*Mysidopsis bahia* (opossum shrimp)): > 9 mg/l
Exposure time: 72 h
- Toxicity to algae/aquatic : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): >

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

plants

15.2 mg/l
Exposure time: 96 h

ErC50 (*Lemna gibba* (gibbous duckweed)): 0.0283 mg/l
Exposure time: 7 d

NOEC (*Lemna gibba* (gibbous duckweed)): 0.002 mg/l
End point: Growth rate
Exposure time: 7 d

ErC50 (*Myriophyllum spicatum* (Eurasian watermilfoil)): 0.022 mg/l
Exposure time: 14 d

NOEC (*Myriophyllum spicatum* (Eurasian watermilfoil)): 0.0028 mg/l
End point: Growth rate
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : EC10: 0.052 mg/l
Exposure time: 32 d
Species: *Pimephales promelas* (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 0.488 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-[tris(1-phenylethyl)phenoxy]-, ammonium salt:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 33 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 24 mg/l
Exposure time: 48 h

toluene:

Toxicity to fish : LC50 (*Oncorhynchus kisutch* (coho salmon)): 5.5 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Ceriodaphnia dubia* (water flea)): 3.78 mg/l
Exposure time: 48 h

Toxicity to fish (Chronic toxicity) : NOEC: 1.39 mg/l
Exposure time: 40 d
Species: *Oncorhynchus kisutch* (coho salmon)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.74 mg/l
Exposure time: 7 d
Species: *Ceriodaphnia dubia* (Water flea)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2.18 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 2.94 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.15 mg/l Exposure time: 72 h NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.055 mg/l End point: Growth rate Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC: 0.21 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout)
M-Factor (Chronic aquatic toxicity)	:	1

propane-1,2-diol:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h Test Type: static test
Toxicity to daphnia and other aquatic invertebrates	:	(Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 19,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 13,020 mg/l Exposure time: 7 d Species: Ceriodaphnia dubia (Water flea) Test Type: semi-static test

12.2 Persistence and degradability

Components:

difenoconazole (ISO):

Biodegradability	:	Result: Not readily biodegradable.
Stability in water	:	Degradation half life: 1 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

Remarks: Product is not persistent.

paclobutrazol (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 772 d
Remarks: Persistent in water.

toluene:

Biodegradability : Result: Readily biodegradable.

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: Not readily biodegradable.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Components:

difenoconazole (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.4 (25 °C)

paclobutrazol (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.2 (20 °C)

toluene:

Bioaccumulation : Remarks: Does not bioaccumulate.

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

12.4 Mobility in soil

Components:

difenoconazole (ISO):

Distribution among environmental compartments : Remarks: Slightly mobile in soils

Stability in soil : Dissipation time: 122 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

paclobutrazol (ISO):

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 66.6 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

difenoconazole (ISO):

Assessment : Not persistent, bioaccumulative, and toxic (PBT).
Not very persistent and very bioaccumulative (vPvB).

paclobutrazol (ISO):

Assessment : Not persistent, bioaccumulative, and toxic (PBT).
Not very persistent and very bioaccumulative (vPvB).
Remarks: Weight of Evidence

methanol:

Assessment : Not persistent, bioaccumulative, and toxic (PBT).
Not very persistent and very bioaccumulative (vPvB).

toluene:

Assessment : Not persistent, bioaccumulative, and toxic (PBT).
Not very persistent and very bioaccumulative (vPvB).

1,2-benzisothiazol-3(2H)-one:

Assessment : Not persistent, bioaccumulative, and toxic (PBT).
Not very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

difenoconazole (ISO):

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

Assessment : Does not have endocrine disrupting properties.

paclobutrazol (ISO):

Assessment : Does not have endocrine disrupting properties.
Remarks : Weight of Evidence

12.7 Other adverse effects

Components:

difenoconazole (ISO):

Assessment : Not persistent, mobile, and toxic (PMT).
Not very persistent and very mobile (vPvM).

paclobutrazol (ISO):

Assessment : Not persistent, mobile, and toxic (PMT).
Not very persistent and very mobile (vPvM).
Remarks: Weight of Evidence

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

Waste Code : uncleaned packagings
15 01 10, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

IMDG : UN 3082

IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(DIFENOCONAZOLE, PACLOBUTRAZOL)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(DIFENOCONAZOLE, PACLOBUTRAZOL)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(DIFENOCONAZOLE, PACLOBUTRAZOL)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(DIFENOCONAZOLE, PACLOBUTRAZOL)

IATA : Environmentally hazardous substance, liquid, n.o.s.
(DIFENOCONAZOLE, PACLOBUTRAZOL)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)
Remarks : This product can be subject to exemptions when packaged in

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

RID

Packing group	:	III
Classification Code	:	M6
Hazard Identification Number	:	90
Labels	:	9
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG

Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA (Cargo)

Packing instruction (cargo aircraft)	:	964
Packing instruction (LQ)	:	Y964
Packing group	:	III
Labels	:	Miscellaneous
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA (Passenger)

Packing instruction (passenger aircraft)	:	964
Packing instruction (LQ)	:	Y964
Packing group	:	III
Labels	:	Miscellaneous
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

14.5 Environmental hazards

ADN

Environmentally hazardous	:	yes
---------------------------	---	-----

ADR

Environmentally hazardous	:	yes
---------------------------	---	-----

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version 3.0	Revision Date: 23.07.2026	SDS Number: S1355323282	Date of last issue: 23.10.2025 Date of first issue: 13.11.2024
----------------	------------------------------	----------------------------	---

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 3

Number on list 48: toluene

Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

and control)
Not applicable

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H225	: Highly flammable liquid and vapour.
H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H311	: Toxic in contact with skin.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H330	: Fatal if inhaled.
H331	: Toxic if inhaled.
H332	: Harmful if inhaled.
H336	: May cause drowsiness or dizziness.
H351	: Suspected of causing cancer.
H361d	: Suspected of damaging the unborn child.
H370	: Causes damage to organs.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.
H317	: May cause an allergic skin reaction.
H370	: Causes damage to organs.
H371	: May cause damage to organs.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Carc.	: Carcinogenicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Repr.	: Reproductive toxicity
Skin Irrit.	: Skin irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure
STOT SE	:	Specific target organ toxicity - single exposure
Skin Sens.	:	Skin sensitisation
2006/15/EC	:	Europe. Indicative occupational exposure limit values
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
Syngenta	:	Syngenta Occupational Exposure Limit
2006/15/EC / TWA	:	Limit Value - eight hours
2006/15/EC / STEL	:	Short term exposure limit
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)
Syngenta / TWA	:	Time weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Carc. 2	H351
Repr. 2	H361d

Classification procedure:

Calculation method
Calculation method

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



TOPREX

Version	Revision Date:	SDS Number:	Date of last issue: 23.10.2025
3.0	23.07.2026	S1355323282	Date of first issue: 13.11.2024

Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Based on product data or assessment

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

XI / 6N